

```

// Type: CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions
// Assembly: CivicPlus.CMS, Version=5.0.9407.19538, Culture=neutral, PublicKeyToken=null
// MVID: C47FBF84-7839-4653-8FC0-81CDE9270868
// Location: C:\Users\cleary.CIVICPLUS\Desktop\CivicPlus.CMS.dll
// Sequence point data and variable names from decompiler

.class public abstract sealed auto ansi beforefieldinit
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions
    extends [mscorlib]System.Object
{
    .custom instance void [mscorlib]System.Runtime.CompilerServices.ExtensionAttribute::.ctor()
        = (01 00 00 00 )

    .class nested public sealed auto ansi
        FieldContentRenderer
            extends [mscorlib]System.MulticastDelegate
        {

            .method public hidebysig specialname rtspecialname instance void
                .ctor(
                    object 'object',
                    native int 'method'
                ) runtime managed
            {
                // Can't find a body
            } // end of method FieldContentRenderer::.ctor

            .method public hidebysig virtual newslot instance void
                Invoke(
                    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field 'field',
                    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
                    class [mscorlib]System.Text.StringBuilder output
                ) runtime managed
            {
                // Can't find a body
            } // end of method FieldContentRenderer::Invoke

            .method public hidebysig virtual newslot instance class [mscorlib]System.IAsyncResult
                BeginInvoke(
                    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field 'field',
                    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
                    class [mscorlib]System.Text.StringBuilder output,
                    class [mscorlib]System.AsyncCallback callback,
                    object 'object'
                ) runtime managed
            {
                // Can't find a body
            } // end of method FieldContentRenderer::BeginInvoke

            .method public hidebysig virtual newslot instance void
                EndInvoke(
                    class [mscorlib]System.IAsyncResult result
                ) runtime managed
            {
                // Can't find a body
            } // end of method FieldContentRenderer::EndInvoke
        } // end of class FieldContentRenderer

    .class nested private abstract sealed auto ansi beforefieldinit
        '<>O'
        extends [mscorlib]System.Object
    {
        .custom instance void [mscorlib]System.Runtime.CompilerServices.CompilerGeneratedAttribute::.ctor()
            = (01 00 00 00 )

        .field public static class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer '<0>'
            __FieldContentRenderShortAnswer'

        .field public static class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer '<1>'
            __FieldContentRenderLongAnswer'

        .field public static class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer '<2>'
            __FieldContentRenderListCheckbox'

        .field public static class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer '<3>'
            __FieldContentRenderListRadioButton'

        .field public static class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer '<4>'

```

```

__FieldContentRenderDropdown'

.field public static class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRendererer '<5>
__FieldContentRenderFileUpload'

.field public static class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRendererer '<6>
__FieldContentRenderLink'

.field public static class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRendererer '<7>
__FieldContentRenderHeaderInstructions'

.field public static class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRendererer '<8>
__FieldContentRenderReplyEmail'

.field public static class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRendererer '<9>
__FieldContentRenderPassword'

.field public static class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRendererer '<10>
__FieldContentRenderImageUpload'

.field public static class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRendererer '<11>
__FieldContentRenderExternalIntegration'

.field public static class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRendererer '<12>
__FieldContentRenderReadOnly'

.field public static class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRendererer '<13>
__FieldContentRenderDateTime'

.field public static class [mscorlib]System.Func`2<string, string> '<14> __ReplaceEmptyValuePlaceholder'

.field public static class [mscorlib]System.Func`2<string, bool> '<15> __IsNullOrEmpty'
} // end of class '<>O'

.class nested private sealed auto ansi serializable beforefieldinit
'<>c'
    extends [mscorlib]System.Object
{
    .custom instance void [mscorlib]System.Runtime.CompilerServices.CompilerGeneratedAttribute::ctor()
        = (01 00 00 00 )

    .field public static initonly class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c' '<>9'

    .field public static class [mscorlib]System.Predicate`1<class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings> '<>
9__30_0'

    .field public static class [mscorlib]System.Predicate`1<class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings> '<>
9__30_1'

    .method private hidebysig static specialname rtspecialname void
        .cctor() cil managed
    {
        .maxstack 8

        IL_0000: newobj     instance void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c'::ctor()
        IL_0005: stsfld     class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c'
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c'::'<>9'
        IL_000a: ret

    } // end of method '<>c'::cctor

    .method public hidebysig specialname rtspecialname instance void
        .ctor() cil managed
    {
        .maxstack 8

        IL_0000: ldarg.0      // this
        IL_0001: call     instance void [mscorlib]System.Object::ctor()
        IL_0006: ret

    } // end of method '<>c'::ctor

    .method assembly hidebysig instance bool
        '<FieldRenderEmail>b__30_0'(
            class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings x
        ) cil managed
    {
        .maxstack 8

```

```

// [447 110 - 447 174]
IL_0000: ldarg.1 // x
IL_0001: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.ConditionActions [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_Action()
IL_0006: ldc.i4.2
IL_0007: bne.un.s IL_0017

IL_0009: ldarg.1 // x
IL_000a: callvirt instance valuetype [CivicPlus.CMS.Library]CivicPlus.CMS.Library.Common.Enums.Status [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_Status()
IL_000f: ldc.i4.s 10 // 0x0a
IL_0011: ceq
IL_0013: ldc.i4.0
IL_0014: ceq
IL_0016: ret
IL_0017: ldc.i4.0
IL_0018: ret

} // end of method '<>c::'<FieldRenderEmail>b__30_0'

.method assembly hidebysig instance bool
'<FieldRenderEmail>b__30_1'(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings x
) cil managed
{
    .maxstack 8

    // [520 110 - 520 174]
    IL_0000: ldarg.1 // x
    IL_0001: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.ConditionActions [CivicPlus.Entities]
    CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_Action()
    IL_0006: ldc.i4.1
    IL_0007: bne.un.s IL_0017

    IL_0009: ldarg.1 // x
    IL_000a: callvirt instance valuetype [CivicPlus.CMS.Library]CivicPlus.CMS.Library.Common.Enums.Status [CivicPlus.Entities]
    CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_Status()
    IL_000f: ldc.i4.s 10 // 0x0a
    IL_0011: ceq
    IL_0013: ldc.i4.0
    IL_0014: ceq
    IL_0016: ret
    IL_0017: ldc.i4.0
    IL_0018: ret

} // end of method '<>c::'<FieldRenderEmail>b__30_1'
} // end of class '<>c'

.class nested private sealed auto ansi beforefieldinit
'<>c__DisplayClass30_0'
    extends [mscorlib]System.Object
{
    .custom instance void [mscorlib]System.Runtime.CompilerServices.CompilerGeneratedAttribute::ctor()
    = (01 00 00 00 )

    .field public string applyingFieldComparisionValue

    .method public hidebysig specialname rtspecialname instance void
    .ctor() cil managed
    {
        .maxstack 8

        IL_0000: ldarg.0 // this
        IL_0001: call instance void [mscorlib]System.Object::ctor()
        IL_0006: ret

    } // end of method '<>c__DisplayClass30_0::'ctor

    .method assembly hidebysig instance bool
    '<FieldRenderEmail>b__2'(
        string 'value'
    ) cil managed
    {
        .maxstack 8

        // [464 107 - 464 145]
        IL_0000: ldarg.1 // 'value'

```

```

    IL_0001: ldarg.0    // this
    IL_0002: ldfld      string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass30_
0':applyingFieldComparisionValue
    IL_0007: call       bool [mscorlib]System.String::op_Equality(string, string)
    IL_000c: ret

} // end of method '<>c__DisplayClass30_0':<FieldRenderEmail>b__2'
} // end of class '<>c__DisplayClass30_0'

.class nested private sealed auto ansi beforefieldinit
'<>c__DisplayClass30_1'
    extends [mscorlib]System.Object
{
    .custom instance void [mscorlib]System.Runtime.CompilerServices.CompilerGeneratedAttribute::.ctor()
        = (01 00 00 00 )

    .field public string applyingFieldComparisionValue

    .method public hidebysig specialname rtspecialname instance void
        .ctor() cil managed
    {
        .maxstack 8

        IL_0000: ldarg.0    // this
        IL_0001: call       instance void [mscorlib]System.Object::.ctor()
        IL_0006: ret

    } // end of method '<>c__DisplayClass30_1':.ctor

    .method assembly hidebysig instance bool
        '<FieldRenderEmail>b__3'(
            string 'value'
        ) cil managed
    {
        .maxstack 8

        // [538 107 - 538 145]
        IL_0000: ldarg.1    // 'value'
        IL_0001: ldarg.0    // this
        IL_0002: ldfld      string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass30_
1':applyingFieldComparisionValue
        IL_0007: call       bool [mscorlib]System.String::op_Equality(string, string)
        IL_000c: ret

    } // end of method '<>c__DisplayClass30_1':<FieldRenderEmail>b__3'
} // end of class '<>c__DisplayClass30_1'

.class nested private sealed auto ansi beforefieldinit
'<>c__DisplayClass36_0'
    extends [mscorlib]System.Object
{
    .custom instance void [mscorlib]System.Runtime.CompilerServices.CompilerGeneratedAttribute::.ctor()
        = (01 00 00 00 )

    .field public string checkboxValue

    .method public hidebysig specialname rtspecialname instance void
        .ctor() cil managed
    {
        .maxstack 8

        IL_0000: ldarg.0    // this
        IL_0001: call       instance void [mscorlib]System.Object::.ctor()
        IL_0006: ret

    } // end of method '<>c__DisplayClass36_0':.ctor

    .method assembly hidebysig instance bool
        '<FieldContentRenderListCheckbox>b__0'(
            string m
        ) cil managed
    {
        .maxstack 8

        // [1194 66 - 1194 125]
        IL_0000: ldarg.1    // m
        IL_0001: ldarg.0    // this
        IL_0002: ldfld      string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass36_0':checkboxValue

```

```

IL_0007: ldc.i4.5
IL_0008: callvirt instance bool [mscorlib]System.String::Equals(string, valuetype [mscorlib]System.StringComparison)
IL_000d: ret

} // end of method '<>c__DisplayClass36_0'::<FieldContentRenderListCheckbox>b__0'
} // end of class '<>c__DisplayClass36_0'

.class nested private sealed auto ansi beforefieldinit
'<>c__DisplayClass39_0'
    extends [mscorlib]System.Object
{
    .custom instance void [mscorlib]System.Runtime.CompilerServices.CompilerGeneratedAttribute::ctor()
        = (01 00 00 00 )

    .field public class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel

    .field public class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldFileUpload 'field'

    .method public hidebysig specialname rtspecialname instance void
        .ctor() cil managed
    {
        .maxstack 8

        IL_0000: ldarg.0 // this
        IL_0001: call instance void [mscorlib]System.Object::ctor()
        IL_0006: ret

    } // end of method '<>c__DisplayClass39_0'::.ctor

    .method assembly hidebysig instance class [System.Web.WebPages]System.Web.Mvc.TagBuilder
        '<FieldContentRenderFileUpload>b__0' (
            string filename
        ) cil managed
    {
        .maxstack 8

        // [1474 500 - 1474 631]
        IL_0000: ldarg.0 // this
        IL_0001: ldfld class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0'::viewModel
        IL_0006: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
        IL_000b: ldarg.0 // this
        IL_000c: ldfld class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0'::viewModel
        IL_0011: callvirt instance string CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_SiteRootUrl()
        IL_0016: ldarg.0 // this
        IL_0017: ldfld class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0'::viewModel
        IL_001c: callvirt instance int32 CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_SubmissionID()
        IL_0021: ldarg.1 // filename
        IL_0022: ldc.i4.s 16 // 0x10
        IL_0024: newobj instance void valuetype [mscorlib]System.Nullable`1<int32>::ctor(!0/*int32*/)
        IL_0029: call class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.Helpers.FileUploadHelper::CreateFileUploadTag(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType, string, int32, string, valuetype [mscorlib]System.Nullable`1<int32>)
        IL_002e: ret

    } // end of method '<>c__DisplayClass39_0'::<FieldContentRenderFileUpload>b__0'

    .method assembly hidebysig instance class [System.Web.WebPages]System.Web.Mvc.TagBuilder
        '<FieldContentRenderFileUpload>b__1' (
            string filename
        ) cil managed
    {
        .maxstack 8

        // [1474 233 - 1474 397]
        IL_0000: ldarg.0 // this
        IL_0001: ldfld class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0'::viewModel
        IL_0006: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
        IL_000b: ldarg.0 // this
        IL_000c: ldfld class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0'::viewModel
        IL_0011: callvirt instance string CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_SiteRootUrl()
        IL_0016: ldarg.0 // this

```

```

IL_0017: ldfld      class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0'::viewModel
IL_001c: callvirt   instance int32 CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_SubmissionID()
IL_0021: ldarg.0     // this
IL_0022: ldfld      class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldFileUpload
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0'::field'
IL_0027: callvirt   instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
IL_002c: ldarg.1     // filename
IL_002d: ldarg.0     // this
IL_002e: ldfld      class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0'::viewModel
IL_0033: callvirt   instance valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.Guid>
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_SubmissionFileAccessToken()
IL_0038: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.Helpers.FileUploadHelper::CreateFileUploadTag(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType, string, int32, int32, string, valuetype [mscorlib]System.Nullable`1<valuetype
[mscorlib]System.Guid>)
IL_003d: ret

} // end of method '<>c__DisplayClass39_0'::<FieldContentRenderFileUpload>b__1'
} // end of class '<>c__DisplayClass39_0'

.field private static literal string DEFAULT_INPUT_SIZE = "200"

.field private static class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer> rendererDictionary

.field private static class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize, string> sizeCSSClassDictionary

.field private static class [mscorlib]System.Collections.Generic.Dictionary`2<int32, string[]> lineFieldClasses

.field private static string[] columnClasses

.field private static class [CivicPlus.Entities]CivicPlus.Entities.Modules.EPayment.Contact userDefaultContact

.field public static int32 WizardStepNumber

.method public hidebysig static specialname class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize, string>
get_SizeCSSClassDictionary() cil managed
{
    .maxstack 4

    // [46 9 - 46 66]
    IL_0000: ldsfld      class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize, string>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::sizeCSSClassDictionary
    IL_0005: brtrue.s     IL_0065

    // [47 11 - 77 12]
    IL_0007: newobj      instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize, string>::ctor()
    IL_000c: dup
    IL_000d: ldc.i4.0
    IL_000e: ldstr      "whole"
    IL_0013: callvirt   instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize, string>::Add(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize*/, !1/*string*/)
    IL_0018: dup
    IL_0019: ldc.i4.1
    IL_001a: ldstr      "threeFourths"
    IL_001f: callvirt   instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize, string>::Add(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize*/, !1/*string*/)
    IL_0024: dup
    IL_0025: ldc.i4.2
    IL_0026: ldstr      "twoThirds"
    IL_002b: callvirt   instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize, string>::Add(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize*/, !1/*string*/)
    IL_0030: dup
    IL_0031: ldc.i4.3
    IL_0032: ldstr      "half"
    IL_0037: callvirt   instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize, string>::Add(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize*/, !1/*string*/)

```

```

IL_003c: dup
IL_003d: ldc.i4.4
IL_003e: ldstr    "third"
IL_0043: callvirt instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize, string>::Add(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize*/, !1/*string*/)
IL_0048: dup
IL_0049: ldc.i4.5
IL_004a: ldstr    "fourth"
IL_004f: callvirt instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize, string>::Add(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize*/, !1/*string*/)
IL_0054: dup
IL_0055: ldc.i4.m1
IL_0056: ldstr    "hidden"
IL_005b: callvirt instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize, string>::Add(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize*/, !1/*string*/)
IL_0060: stsfld    class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize, string>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::sizeCSSClassDictionary

// [78 9 - 78 61]
IL_0065: ldsfld    class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize, string>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::sizeCSSClassDictionary
IL_006a: ret

} // end of method FieldRenderExtensions::get_SizeCSSClassDictionary

.method public hidebysig static specialname string[]
get_ColumnClasses() cil managed
{
    .maxstack 4

    // [86 9 - 86 57]
    IL_0000: ldsfld    string[] CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::columnClasses
    IL_0005: brtrue.s    IL_003a

    // [87 11 - 94 12]
    IL_0007: ldc.i4.5
    IL_0008: newarr     [mscorlib]System.String
    IL_000d: dup
    IL_000e: ldc.i4.0
    IL_000f: ldstr     "whole"
    IL_0014: stelem.ref
    IL_0015: dup
    IL_0016: ldc.i4.1
    IL_0017: ldstr     "whole"
    IL_001c: stelem.ref
    IL_001d: dup
    IL_001e: ldc.i4.2
    IL_001f: ldstr     "half"
    IL_0024: stelem.ref
    IL_0025: dup
    IL_0026: ldc.i4.3
    IL_0027: ldstr     "third"
    IL_002c: stelem.ref
    IL_002d: dup
    IL_002e: ldc.i4.4
    IL_002f: ldstr     "fourth"
    IL_0034: stelem.ref
    IL_0035: stsfld    string[] CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::columnClasses

    // [95 9 - 95 52]
    IL_003a: ldsfld    string[] CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::columnClasses
    IL_003f: ret

} // end of method FieldRenderExtensions::get_ColumnClasses

.method public hidebysig static specialname class [mscorlib]System.Collections.Generic.Dictionary`2<int32, string[]>
get_LineFieldClasses() cil managed
{
    .maxstack 8

    // [103 9 - 103 60]
    IL_0000: ldsfld    class [mscorlib]System.Collections.Generic.Dictionary`2<int32, string[]>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::lineFieldClasses

```

```

IL_0005: brtrue.s    IL_000c

// [104 11 - 104 67]
IL_0007: call        void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::PopulateLineFieldClassDictionary()

// [105 9 - 105 55]
IL_000c: ldsfld        class [mscorlib]System.Collections.Generic.Dictionary`2<int32, string[]>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::lineFieldClasses
IL_0011: ret

} // end of method FieldRenderExtensions::get_LineFieldClasses

.method private hidebysig static void
PopulateLineFieldClassDictionary() cil managed
{
    .maxstack 6

    // [111 7 - 111 79]
    IL_0000: newobj        instance void class [mscorlib]System.Collections.Generic.Dictionary`2<int32, string[]>::ctor()
    IL_0005: stsfld        class [mscorlib]System.Collections.Generic.Dictionary`2<int32, string[]>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::lineFieldClasses

    // [112 7 - 112 64]
    IL_000a: ldsfld        class [mscorlib]System.Collections.Generic.Dictionary`2<int32, string[]>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::lineFieldClasses
    IL_000f: ldc.i4.0
    IL_0010: ldc.i4.0
    IL_0011: newarr        [mscorlib]System.String
    IL_0016: callvirt        instance void class [mscorlib]System.Collections.Generic.Dictionary`2<int32, string[]>::set_Item(!0/*int32*/, !1/*string[]*/)

    // [113 7 - 116 8]
    IL_001b: ldsfld        class [mscorlib]System.Collections.Generic.Dictionary`2<int32, string[]>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::lineFieldClasses
    IL_0020: ldc.i4.1
    IL_0021: ldc.i4.1
    IL_0022: newarr        [mscorlib]System.String
    IL_0027: dup
    IL_0028: ldc.i4.0
    IL_0029: ldstr        "left"
    IL_002e: stelem.ref
    IL_002f: callvirt        instance void class [mscorlib]System.Collections.Generic.Dictionary`2<int32, string[]>::set_Item(!0/*int32*/, !1/*string[]*/)

    // [117 7 - 121 8]
    IL_0034: ldsfld        class [mscorlib]System.Collections.Generic.Dictionary`2<int32, string[]>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::lineFieldClasses
    IL_0039: ldc.i4.2
    IL_003a: ldc.i4.2
    IL_003b: newarr        [mscorlib]System.String
    IL_0040: dup
    IL_0041: ldc.i4.0
    IL_0042: ldstr        "left"
    IL_0047: stelem.ref
    IL_0048: dup
    IL_0049: ldc.i4.1
    IL_004a: ldstr        "right"
    IL_004f: stelem.ref
    IL_0050: callvirt        instance void class [mscorlib]System.Collections.Generic.Dictionary`2<int32, string[]>::set_Item(!0/*int32*/, !1/*string[]*/)

    // [122 7 - 127 8]
    IL_0055: ldsfld        class [mscorlib]System.Collections.Generic.Dictionary`2<int32, string[]>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::lineFieldClasses
    IL_005a: ldc.i4.3
    IL_005b: ldc.i4.3
    IL_005c: newarr        [mscorlib]System.String
    IL_0061: dup
    IL_0062: ldc.i4.0
    IL_0063: ldstr        "left"
    IL_0068: stelem.ref
    IL_0069: dup
    IL_006a: ldc.i4.1
    IL_006b: ldstr        "middle"
    IL_0070: stelem.ref
    IL_0071: dup
    IL_0072: ldc.i4.2
    IL_0073: ldstr        "right"
    IL_0078: stelem.ref
    IL_0079: callvirt        instance void class [mscorlib]System.Collections.Generic.Dictionary`2<int32, string[]>::set_Item(!0/*int32*/, !1/*string[]*/)

```

```

// [128 7 - 134 8]
IL_007e: ldsfld    class [mscorlib]System.Collections.Generic.Dictionary`2<int32, string[]>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::lineFieldClasses
IL_0083: ldc.i4.4
IL_0084: ldc.i4.4
IL_0085: newarr     [mscorlib]System.String
IL_008a: dup
IL_008b: ldc.i4.0
IL_008c: ldstr      "left"
IL_0091: stelem.ref
IL_0092: dup
IL_0093: ldc.i4.1
IL_0094: ldstr      "middle"
IL_0099: stelem.ref
IL_009a: dup
IL_009b: ldc.i4.2
IL_009c: ldstr      "middle"
IL_00a1: stelem.ref
IL_00a2: dup
IL_00a3: ldc.i4.3
IL_00a4: ldstr      "right"
IL_00a9: stelem.ref
IL_00aa: callvirt   instance void class [mscorlib]System.Collections.Generic.Dictionary`2<int32, string[]>::set_Item(!0/*int32*/, !1/*string[]*/)
IL_00af: ret

} // end of method FieldRenderExtensions::PopulateLineFieldClassDictionary

.method private hidebysig static specialname class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>
get_RendererDictionary() cil managed
{
    .maxstack 8

    // [141 9 - 141 62]
    IL_0000: ldsfld    class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::rendererDictionary
    IL_0005: brtrue.s    IL_000c

    // [142 11 - 142 58]
    IL_0007: call     void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::RegisterRenderDelegates()

    // [143 9 - 143 57]
    IL_000c: ldsfld    class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::rendererDictionary
    IL_0011: ret

} // end of method FieldRenderExtensions::get_RendererDictionary

.method private hidebysig static void
RegisterRenderDelegates() cil managed
{
    .maxstack 5

    // [177 7 - 235 8]
    IL_0000: newobj     instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>::ctor()
    IL_0005: dup

    IL_0006: ldc.i4.1
    IL_0007: ldsfld    class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<0>__FieldContentRenderShortAnswer'
    IL_000c: dup
    IL_000d: brtrue.s    IL_0022
    IL_000f: pop
    IL_0010: ldnull
    IL_0011: ldftn     void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderShortAnswer(class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [mscorlib]System.Text.StringBuilder)
    IL_0017: newobj     instance void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer::ctor(object,
native int)
    IL_001c: dup
    IL_001d: stsfld    class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer

```

```

CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<0>__FieldContentRenderShortAnswer'
  IL_0022: callvirt instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>::Add(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType*/, !1/*class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer*/)
  IL_0027: dup
  IL_0028: ldc.i4.2
  IL_0029: ldsfld class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<1>__FieldContentRenderLongAnswer'
  IL_002e: dup
  IL_002f: brtrue.s IL_0044
  IL_0031: pop
  IL_0032: ldnull
  IL_0033: ldftn void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderLongAnswer(class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [mscorlib]System.Text.StringBuilder)
  IL_0039: newobj instance void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer::ctor(object,
native int)
  IL_003e: dup
  IL_003f: stsfld class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<1>__FieldContentRenderLongAnswer'
  IL_0044: callvirt instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>::Add(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType*/, !1/*class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer*/)
  IL_0049: dup
  IL_004a: ldc.i4.3
  IL_004b: ldsfld class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<2>__FieldContentRenderListCheckbox'
  IL_0050: dup
  IL_0051: brtrue.s IL_0066
  IL_0053: pop
  IL_0054: ldnull
  IL_0055: ldftn void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderListCheckbox(class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [mscorlib]System.Text.StringBuilder)
  IL_005b: newobj instance void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer::ctor(object,
native int)
  IL_0060: dup
  IL_0061: stsfld class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<2>__FieldContentRenderListCheckbox'
  IL_0066: callvirt instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>::Add(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType*/, !1/*class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer*/)
  IL_006b: dup
  IL_006c: ldc.i4.4
  IL_006d: ldsfld class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<3>__FieldContentRenderListRadioButton'
  IL_0072: dup
  IL_0073: brtrue.s IL_0088
  IL_0075: pop
  IL_0076: ldnull
  IL_0077: ldftn void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderListRadioButton(class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [mscorlib]System.Text.StringBuilder)
  IL_007d: newobj instance void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer::ctor(object,
native int)
  IL_0082: dup
  IL_0083: stsfld class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<3>__FieldContentRenderListRadioButton'
  IL_0088: callvirt instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>::Add(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType*/, !1/*class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer*/)
  IL_008d: dup
  IL_008e: ldc.i4.5
  IL_008f: ldsfld class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<4>__FieldContentRenderDropdown'
  IL_0094: dup
  IL_0095: brtrue.s IL_00aa
  IL_0097: pop
  IL_0098: ldnull
  IL_0099: ldftn void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderDropdown(class

```

```

[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [mscorlib]System.Text.StringBuilder
    IL_009f: newobj     instance void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer::ctor(object,
native int)
    IL_00a4: dup
    IL_00a5: stsfld     class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<4>__FieldContentRenderDropdown'
    IL_00aa: callvirt     instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>::Add(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType*, !1/*class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer*)
    IL_00af: dup
    IL_00b0: ldc.i4.6
    IL_00b1: ldssfld     class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<5>__FieldContentRenderFileUpload'
    IL_00b6: dup
    IL_00b7: brtrue.s    IL_00cc
    IL_00b9: pop
    IL_00ba: ldnull
    IL_00bb: ldftn     void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderFileUpload(class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [mscorlib]System.Text.StringBuilder
    IL_00c1: newobj     instance void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer::ctor(object,
native int)
    IL_00c6: dup
    IL_00c7: stsfld     class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<5>__FieldContentRenderFileUpload'
    IL_00cc: callvirt     instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>::Add(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType*, !1/*class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer*)
    IL_00d1: dup
    IL_00d2: ldc.i4.7
    IL_00d3: ldssfld     class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<6>__FieldContentRenderLink'
    IL_00d8: dup
    IL_00d9: brtrue.s    IL_00ee
    IL_00db: pop
    IL_00dc: ldnull
    IL_00dd: ldftn     void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderLink(class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [mscorlib]System.Text.StringBuilder
    IL_00e3: newobj     instance void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer::ctor(object,
native int)
    IL_00e8: dup
    IL_00e9: stsfld     class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<6>__FieldContentRenderLink'
    IL_00ee: callvirt     instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>::Add(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType*, !1/*class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer*)
    IL_00f3: dup
    IL_00f4: ldc.i4.8
    IL_00f5: ldssfld     class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<7>__FieldContentRenderHeaderInstructions'
    IL_00fa: dup
    IL_00fb: brtrue.s    IL_0110
    IL_00fd: pop
    IL_00fe: ldnull
    IL_00ff: ldftn     void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderHeaderInstructions(class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [mscorlib]System.Text.StringBuilder
    IL_0105: newobj     instance void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer::ctor(object,
native int)
    IL_010a: dup
    IL_010b: stsfld     class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<7>__FieldContentRenderHeaderInstructions'
    IL_0110: callvirt     instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>::Add(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType*, !1/*class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer*)
    IL_0115: dup
    IL_0116: ldc.i4.s    10 // 0x0a
    IL_0118: ldssfld     class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer

```

```

CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<8>__FieldContentRenderReplyEmail'
  IL_011d: dup
  IL_011e: brtrue.s   IL_0133
  IL_0120: pop
  IL_0121: ldnull
  IL_0122: ldftn      void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderReplyEmail(class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [mscorlib]System.Text.StringBuilder)
  IL_0128: newobj     instance void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer::ctor(object,
native int)
  IL_012d: dup
  IL_012e: stsfld      class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<8>__FieldContentRenderReplyEmail'
  IL_0133: callvirt     instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>::Add(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType*/, !1/*class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer*/)
  IL_0138: dup
  IL_0139: ldc.i4.s   11 // 0x0b
  IL_013b: ldsfld      class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<9>__FieldContentRenderPassword'
  IL_0140: dup
  IL_0141: brtrue.s   IL_0156
  IL_0143: pop
  IL_0144: ldnull
  IL_0145: ldftn      void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderPassword(class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [mscorlib]System.Text.StringBuilder)
  IL_014b: newobj     instance void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer::ctor(object,
native int)
  IL_0150: dup
  IL_0151: stsfld      class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<9>__FieldContentRenderPassword'
  IL_0156: callvirt     instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>::Add(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType*/, !1/*class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer*/)
  IL_015b: dup
  IL_015c: ldc.i4.s   14 // 0x0e
  IL_015e: ldsfld      class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<10>__FieldContentRenderImageUpload'
  IL_0163: dup
  IL_0164: brtrue.s   IL_0179
  IL_0166: pop
  IL_0167: ldnull
  IL_0168: ldftn      void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderImageUpload(class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [mscorlib]System.Text.StringBuilder)
  IL_016e: newobj     instance void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer::ctor(object,
native int)
  IL_0173: dup
  IL_0174: stsfld      class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<10>__FieldContentRenderImageUpload'
  IL_0179: callvirt     instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>::Add(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType*/, !1/*class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer*/)
  IL_017e: dup
  IL_017f: ldc.i4.s   16 // 0x10
  IL_0181: ldsfld      class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<11>__FieldContentRenderExternalIntegration'
  IL_0186: dup
  IL_0187: brtrue.s   IL_019c
  IL_0189: pop
  IL_018a: ldnull
  IL_018b: ldftn      void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderExternalIntegration(class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [mscorlib]System.Text.StringBuilder)
  IL_0191: newobj     instance void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer::ctor(object,
native int)
  IL_0196: dup
  IL_0197: stsfld      class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<11>__FieldContentRenderExternalIntegration'
  IL_019c: callvirt     instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class

```

```

CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>::Add(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType*, !1/*class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer*/)
    IL_01a1: dup
    IL_01a2: ldc.i4.s    15 // 0x0f
    IL_01a4: ldsfld      class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<12>__FieldContentRenderReadOnly'
    IL_01a9: dup
    IL_01aa: brtrue.s    IL_01bf
    IL_01ac: pop
    IL_01ad: ldnull
    IL_01ae: ldftn      void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderReadOnly(class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [mscorlib]System.Text.StringBuilder)
    IL_01b4: newobj      instance void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer::ctor(object,
native int)
    IL_01b9: dup
    IL_01ba: stsfld      class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<12>__FieldContentRenderReadOnly'
    IL_01bf: callvirt   instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>::Add(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType*, !1/*class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer*/)
    IL_01c4: dup
    IL_01c5: ldc.i4.s    18 // 0x12
    IL_01c7: ldsfld      class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<13>__FieldContentRenderDateTime'
    IL_01cc: dup
    IL_01cd: brtrue.s    IL_01e2
    IL_01cf: pop
    IL_01d0: ldnull
    IL_01d1: ldftn      void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderDateTime(class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [mscorlib]System.Text.StringBuilder)
    IL_01d7: newobj      instance void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer::ctor(object,
native int)
    IL_01dc: dup
    IL_01dd: stsfld      class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>O'::'<13>__FieldContentRenderDateTime'
    IL_01e2: callvirt   instance void class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>::Add(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType*, !1/*class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer*/)
    IL_01e7: stsfld      class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::rendererDictionary
    IL_01ec: ret

} // end of method FieldRenderExtensions::RegisterRenderDelegates

.method private hidebysig static bool
IsFieldReadOnly(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field 'field',
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel
) cil managed
{
    .maxstack 8

    // [240 7 - 240 112]
    IL_0000: ldarg.1      // viewModel
    IL_0001: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldVisibilityType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_ReadOnly()
    IL_0006: ldc.i4.1
    IL_0007: and
    IL_0008: brfalse.s    IL_0012

    IL_000a: ldarg.0      // 'field'
    IL_000b: callvirt   instance bool [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_IsInternal()
    IL_0010: brfalse.s    IL_0025

    // [242 7 - 242 118]
    IL_0012: ldarg.1      // viewModel
    IL_0013: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldVisibilityType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_ReadOnly()
    IL_0018: ldc.i4.2

```

```

IL_0019: and
IL_001a: brfalse.s IL_0023

IL_001c: ldarg.0 // 'field'
IL_001d: callvirt instance bool [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_IsInternal()
IL_0022: ret
IL_0023: ldc.i4.0
IL_0024: ret

// [241 9 - 241 21]
IL_0025: ldc.i4.1
IL_0026: ret

} // end of method FieldRenderExtensions::IsFieldReadOnly

.method private hidebysig static bool
IsFieldShown(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field 'field',
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel
) cil managed
{
    .maxstack 8

    // [247 7 - 247 68]
    IL_0000: ldarg.1 // viewModel
    IL_0001: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
    IL_0006: call bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
    IL_000b: brfalse.s IL_0017

    // [248 9 - 248 34]
    IL_000d: ldarg.0 // 'field'
    IL_000e: callvirt instance bool [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_IsInternal()
    IL_0013: ldc.i4.0
    IL_0014: ceq
    IL_0016: ret

    // [249 7 - 249 109]
    IL_0017: ldarg.1 // viewModel
    IL_0018: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldVisibilityType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_Shown()
    IL_001d: ldc.i4.1
    IL_001e: and
    IL_001f: brfalse.s IL_0029

    IL_0021: ldarg.0 // 'field'
    IL_0022: callvirt instance bool [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_IsInternal()
    IL_0027: brfalse.s IL_003c

    // [251 7 - 251 115]
    IL_0029: ldarg.1 // viewModel
    IL_002a: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldVisibilityType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_Shown()
    IL_002f: ldc.i4.2
    IL_0030: and
    IL_0031: brfalse.s IL_003a

    IL_0033: ldarg.0 // 'field'
    IL_0034: callvirt instance bool [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_IsInternal()
    IL_0039: ret
    IL_003a: ldc.i4.0
    IL_003b: ret

    // [250 9 - 250 21]
    IL_003c: ldc.i4.1
    IL_003d: ret

} // end of method FieldRenderExtensions::IsFieldShown

.method public hidebysig static class [mscorlib]System.Collections.Generic.List`1<string>
GetFieldCheckValue(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldListCheckbox 'field',
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel
) cil managed
{
    .maxstack 3

```

```

// [258 7 - 258 75]
IL_0000: ldarg.1 // viewModel
IL_0001: callvirt instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FormSubmissionData
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_Data()
IL_0006: brfalse.s IL_006e

IL_0008: ldarg.1 // viewModel
IL_0009: callvirt instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FormSubmissionData
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_Data()
IL_000e: ldarg.0 // 'field'
IL_000f: callvirt instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
IL_0014: callvirt instance bool class [mscorlib]System.Collections.Generic.Dictionary`2<int32, object>::ContainsKey(!0/*int32*/)
IL_0019: brfalse.s IL_006e

// [260 7 - 260 256]
IL_001b: ldarg.1 // viewModel
IL_001c: callvirt instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FormSubmissionData
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_Data()
IL_0021: ldarg.0 // 'field'
IL_0022: callvirt instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
IL_0027: callvirt instance !1/*object*/ class [mscorlib]System.Collections.Generic.Dictionary`2<int32, object>::get_Item(!0/*int32*/)
IL_002c: isinst string[]
IL_0031: brfalse.s IL_004f

IL_0033: ldarg.1 // viewModel
IL_0034: callvirt instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FormSubmissionData
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_Data()
IL_0039: ldarg.0 // 'field'
IL_003a: callvirt instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
IL_003f: callvirt instance !1/*object*/ class [mscorlib]System.Collections.Generic.Dictionary`2<int32, object>::get_Item(!0/*int32*/)
IL_0044: isinst string[]
IL_0049: newobj instance void class [mscorlib]System.Collections.Generic.List`1<string>::ctor(class [mscorlib]
System.Collections.Generic.IEnumerable`1<!0/*string*>)>
IL_004e: ret
IL_004f: ldarg.1 // viewModel
IL_0050: callvirt instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FormSubmissionData
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_Data()
IL_0055: ldarg.0 // 'field'
IL_0056: callvirt instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
IL_005b: callvirt instance !1/*object*/ class [mscorlib]System.Collections.Generic.Dictionary`2<int32, object>::get_Item(!0/*int32*/)
IL_0060: isinst [mscorlib]System.String
IL_0065: ldc.i4.s 44 // 0x2c
IL_0067: ldc.i4.1
IL_0068: call class [mscorlib]System.Collections.Generic.List`1<!0/*string*> [CivicPlus.CMS.Library]
CivicPlus.CMS.Library.Common.Utilities.ConversionHelper::ConvertCSVToList<string>(string, char, valuetype [mscorlib]System.StringSplitOptions)
IL_006d: ret

// [259 9 - 259 36]
IL_006e: ldarg.0 // 'field'
IL_006f: callvirt instance class [mscorlib]System.Collections.Generic.List`1<string> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldListCheckbox::get_DefaultValues()
IL_0074: ret

} // end of method FieldRenderExtensions::GetFieldCheckValue

.method public hidebysig static string
GetFieldStandardValue(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard 'field',
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel
) cil managed
{
    .maxstack 2

    // [267 7 - 267 75]
    IL_0000: ldarg.1 // viewModel
    IL_0001: callvirt instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FormSubmissionData
    CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_Data()
    IL_0006: brfalse.s IL_003b

    IL_0008: ldarg.1 // viewModel
    IL_0009: callvirt instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FormSubmissionData
    CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_Data()
    IL_000e: ldarg.0 // 'field'
    IL_000f: callvirt instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
    IL_0014: callvirt instance bool class [mscorlib]System.Collections.Generic.Dictionary`2<int32, object>::ContainsKey(!0/*int32*/)
    IL_0019: brfalse.s IL_003b

    // [269 7 - 269 64]

```

```

IL_001b: ldarg.1    // viewModel
IL_001c: callvirt   instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FormSubmissionData
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_Data()
IL_0021: ldarg.0    // 'field'
IL_0022: callvirt   instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
IL_0027: callvirt   instance !1/*object*/ class [mscorlib]System.Collections.Generic.Dictionary`2<int32, object>::get_Item(!0/*int32*/)
IL_002c: isinst     [mscorlib]System.String
IL_0031: dup

IL_0032: brtrue.s    IL_003a
IL_0034: pop
IL_0035: ldstr      ""
IL_003a: ret

// [268 9 - 268 35]
IL_003b: ldarg.0    // 'field'
IL_003c: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard::get_DefaultValue()
IL_0041: ret

} // end of method FieldRenderExtensions::GetFieldStandardValue

.method public hidebysig static class [System.Web.Mvc]System.Web.Mvc.MvcHtmlString
CPFieldRender(
    class [System.Web.Mvc]System.Web.Mvc.HtmlHelper htmlHelper,
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field 'field',
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
    string extraCssClasses
) cil managed
{
    .custom instance void [mscorlib]System.Runtime.CompilerServices.ExtensionAttribute::.ctor()
    = (01 00 00 00 )
    .maxstack 4
    .locals init (
        [0] class [mscorlib]System.Text.StringBuilder output
    )

    // [278 7 - 278 49]
    IL_0000: newobj    instance void [mscorlib]System.Text.StringBuilder::.ctor()
    IL_0005: stloc.0    // output

    // [279 7 - 279 83]
    IL_0006: ldarg.1    // 'field'
    IL_0007: ldarg.2    // viewModel
    IL_0008: ldarg.3    // extraCssClasses
    IL_0009: ldloc.0    // output
    IL_000a: call     void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldRender(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, string, class
[mscorlib]System.Text.StringBuilder)

    // [280 7 - 280 54]
    IL_000f: ldloc.0    // output
    IL_0010: callvirt   instance string [mscorlib]System.Object::ToString()
    IL_0015: call     class [System.Web.Mvc]System.Web.Mvc.MvcHtmlString [System.Web.Mvc]System.Web.Mvc.MvcHtmlString::Create
(string)
    IL_001a: ret

} // end of method FieldRenderExtensions::CPFieldRender

.method public hidebysig static string
CPFieldRenderMobile(
    class [System.Web.Mvc]System.Web.Mvc.HtmlHelper htmlHelper,
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field 'field',
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
    string extraCssClasses
) cil managed
{
    .custom instance void [mscorlib]System.Runtime.CompilerServices.ExtensionAttribute::.ctor()
    = (01 00 00 00 )
    .maxstack 8

    // [289 7 - 289 45]
    IL_0000: newobj    instance void [mscorlib]System.Text.StringBuilder::.ctor()
    IL_0005: callvirt   instance string [mscorlib]System.Object::ToString()
    IL_000a: ret

} // end of method FieldRenderExtensions::CPFieldRenderMobile

.method public hidebysig static void

```

```

FieldApplyStyles(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field 'field',
    valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType styleType,
    class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder,
    class [System]System.Collections.Specialized.NameValueCollection styleDict
) cil managed
{
    .maxstack 3
    .locals init (
        [0] class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings fieldVisualSettings
    )

    // [298 7 - 298 72]
    IL_0000: ldarg.0 // 'field'
    IL_0001: callvirt instance class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType, class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings>
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Visual()
    IL_0006: brfalse IL_00ce

    IL_000b: ldarg.0 // 'field'
    IL_000c: callvirt instance class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType, class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings>
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Visual()
    IL_0011: ldarg.1 // styleType
    IL_0012: callvirt instance bool class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType, class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings>::ContainsKey(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType*/)
    IL_0017: brfalse IL_00ce

    // [300 7 - 300 72]
    IL_001c: ldarg.0 // 'field'
    IL_001d: callvirt instance class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType, class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings>
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Visual()
    IL_0022: ldarg.1 // styleType
    IL_0023: callvirt instance !1/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings*/ class [mscorlib]
System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType, class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings>::get_Item(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType*/)
    IL_0028: stloc.0 // fieldVisualSettings

    // [301 7 - 301 68]
    IL_0029: ldarg.3 // styleDict
    IL_002a: ldstr "background-color"
    IL_002f: ldloc.0 // fieldVisualSettings
    IL_0030: callvirt instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings::get_BackColor()
    IL_0035: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

    // [302 7 - 302 64]
    IL_003a: ldarg.3 // styleDict
    IL_003b: ldstr "font-family"
    IL_0040: ldloc.0 // fieldVisualSettings
    IL_0041: callvirt instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings::get_FontFamily()
    IL_0046: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

    // [303 7 - 303 60]
    IL_004b: ldarg.3 // styleDict
    IL_004c: ldstr "font-size"
    IL_0051: ldloc.0 // fieldVisualSettings
    IL_0052: callvirt instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings::get_FontSize()
    IL_0057: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

    // [304 7 - 304 57]
    IL_005c: ldarg.3 // styleDict
    IL_005d: ldstr "color"
    IL_0062: ldloc.0 // fieldVisualSettings
    IL_0063: callvirt instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings::get_TextColor()
    IL_0068: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

    // [305 7 - 305 81]
    IL_006d: ldloc.0 // fieldVisualSettings
    IL_006e: callvirt instance bool [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings::get_IsBold()
    IL_0073: brfalse.s IL_0087

    IL_0075: ldarg.3 // styleDict
    IL_0076: ldstr "font-weight"
    IL_007b: ldstr "bold"

```

```

IL_0080: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)
IL_0085: br.s IL_0097
IL_0087: ldarg.3 // styleDict
IL_0088: ldstr "font-weight"
IL_008d: ldstr "normal"
IL_0092: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [306 7 - 306 40]
IL_0097: ldloc.0 // fieldVisualSettings
IL_0098: callvirt instance bool [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings::get_IsItalic()
IL_009d: brfalse.s IL_00af

// [307 9 - 307 43]
IL_009f: ldarg.3 // styleDict
IL_00a0: ldstr "font-style"
IL_00a5: ldstr "italic"
IL_00aa: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [308 7 - 308 43]
IL_00af: ldloc.0 // fieldVisualSettings
IL_00b0: callvirt instance bool [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings::get_IsUnderline()
IL_00b5: brfalse.s IL_00c7

// [309 9 - 309 51]
IL_00b7: ldarg.3 // styleDict
IL_00b8: ldstr "text-decoration"
IL_00bd: ldstr "underline"
IL_00c2: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [310 7 - 310 44]
IL_00c7: ldarg.2 // tagBuilder
IL_00c8: ldarg.3 // styleDict
IL_00c9: call void CivicPlus.CMS.MvcControls.Html.HtmlTagBuilderExtensions::SetInlineStyles(class [System.Web.WebPages]
System.Web.Mvc.TagBuilder, class [System]System.Collections.Specialized.NameValueCollection)

IL_00ce: ret

} // end of method FieldRenderExtensions::FieldApplyStyles

.method public hidebysig static void
FieldApplyStyles(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field 'field',
    valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType styleType,
    class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder
) cil managed
{
    .maxstack 8

    // [318 7 - 318 102]
    IL_0000: ldarg.0 // 'field'
    IL_0001: ldarg.1 // styleType
    IL_0002: ldarg.2 // tagBuilder
    IL_0003: newobj instance void [System]System.Collections.Specialized.NameValueCollection::.ctor()
    IL_0008: call void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldApplyStyles(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType,
class [System.Web.WebPages]System.Web.Mvc.TagBuilder, class [System]System.Collections.Specialized.NameValueCollection)
    IL_000d: ret

} // end of method FieldRenderExtensions::FieldApplyStyles

.method public hidebysig static class [System.Web.WebPages]System.Web.Mvc.TagBuilder
FieldCreateStandardLabel(
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard 'field',
    string inputElemID
) cil managed
{
    .maxstack 3
    .locals init (
        [0] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder,
        [1] bool flag,
        [2] valuetype [mscorlib]System.Collections.Generic.List`1/Enumerator<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings> V_2,
        [3] class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings condition,
        [4] class [System]System.Collections.Specialized.NameValueCollection V_4
    )

    IL_0000: ldnull

```

```

IL_0001: stloc.0    // V_0

// [326 7 - 326 24]
IL_0002: ldc.i4.0
IL_0003: stloc.1    // flag

// [327 7 - 327 36]
IL_0004: ldarg.1    // 'field'
IL_0005: callvirt   instance class [mscorlib]System.Collections.Generic.List`1<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Conditions()
IL_000a: brfalse.s  IL_0059

// [329 54 - 329 70]
IL_000c: ldarg.1    // 'field'
IL_000d: callvirt   instance class [mscorlib]System.Collections.Generic.List`1<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Conditions()
IL_0012: callvirt   instance valuetype [mscorlib]System.Collections.Generic.List`1/Enumerator<!0/*class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings*/> class [mscorlib]System.Collections.Generic.List`1<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>::GetEnumerator()
IL_0017: stloc.2    // V_2
.try
{

IL_0018: br.s       IL_0040
// start of loop, entry point: IL_0040

// [329 18 - 329 50]
IL_001a: ldloc.s    V_2
IL_001c: call       instance !0/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings*/ valuetype [mscorlib]
System.Collections.Generic.List`1/Enumerator<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>::get_Current()
IL_0021: stloc.3    // condition

// [331 11 - 331 97]
IL_0022: ldloc.3    // condition
IL_0023: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.ConditionActions [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_Action()
IL_0028: ldc.i4.3
IL_0029: bne.un.s   IL_0040

IL_002b: ldloc.3    // condition
IL_002c: callvirt   instance valuetype [CivicPlus.CMS.Library]CivicPlus.CMS.Library.Common.Enums.Status [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_Status()
IL_0031: ldc.i4.s    40 // 0x28
IL_0033: bne.un.s   IL_0040

// [333 13 - 333 36]
IL_0035: ldarg.1    // 'field'
IL_0036: ldc.i4.1
IL_0037: callvirt   instance void [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard::set_IsRequired(bool)

// [334 13 - 334 24]
IL_003c: ldc.i4.1
IL_003d: stloc.1    // flag

// [335 13 - 335 19]
IL_003e: leave.s    IL_0059

IL_0040: ldloc.s    V_2
IL_0042: call       instance bool valuetype [mscorlib]System.Collections.Generic.List`1/Enumerator<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>::MoveNext()
IL_0047: brtrue.s   IL_001a
// end of loop
IL_0049: leave.s    IL_0059
} // end of .try
finally
{
IL_004b: ldloc.s    V_2
IL_004d: constrained. valuetype [mscorlib]System.Collections.Generic.List`1/Enumerator<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>
IL_0053: callvirt   instance void [mscorlib]System.IDisposable::Dispose()
IL_0058: endfinally
} // end of finally

// [340 7 - 340 68]
IL_0059: ldarg.0    // viewModel

```

```

IL_005a: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_005f: call bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_0064: brfalse IL_0170

// [342 9 - 342 42]
IL_0069: ldstr "td"
IL_006e: newobj instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::ctor(string)
IL_0073: stloc.0 // tagBuilder

// [343 9 - 343 47]
IL_0074: ldloc.0 // tagBuilder
IL_0075: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_007a: ldstr "scope"
IL_007f: ldstr "row"
IL_0084: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::set_Item(!0/*string*/, !1/*string*/)

// [344 9 - 344 48]
IL_0089: ldloc.0 // tagBuilder
IL_008a: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_008f: ldstr "align"
IL_0094: ldstr "left"
IL_0099: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::set_Item(!0/*string*/, !1/*string*/)

// [345 9 - 345 37]
IL_009e: ldloc.0 // tagBuilder
IL_009f: ldstr "th"
IL_00a4: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [346 9 - 346 43]
IL_00a9: ldloc.0 // tagBuilder
IL_00aa: ldarg.1 // 'field'
IL_00ab: callvirt instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard::get_Label()
IL_00b0: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [347 9 - 389 11]
IL_00b5: newobj instance void [System]System.Collections.Specialized.NameValueCollection::ctor()
IL_00ba: stloc.s V_4

IL_00bc: ldloc.s V_4
IL_00be: ldstr "border-bottom-style"
IL_00c3: ldstr "solid"
IL_00c8: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_00cd: ldloc.s V_4
IL_00cf: ldstr "border-bottom-color"
IL_00d4: ldstr "#ccc"
IL_00d9: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_00de: ldloc.s V_4
IL_00e0: ldstr "border-bottom-width"
IL_00e5: ldstr "1px"
IL_00ea: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_00ef: ldloc.s V_4
IL_00f1: ldstr "padding-top"
IL_00f6: ldstr "0.5em"
IL_00fb: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0100: ldloc.s V_4
IL_0102: ldstr "padding-bottom"
IL_0107: ldstr "0.5em"
IL_010c: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0111: ldloc.s V_4
IL_0113: ldstr "font-weight"
IL_0118: ldstr "normal"
IL_011d: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0122: ldloc.s V_4
IL_0124: ldstr "padding-right"
IL_0129: ldstr "1em"
IL_012e: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0133: ldloc.s V_4
IL_0135: ldstr "padding-left"
IL_013a: ldstr "0px"
IL_013f: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0144: ldloc.s V_4
IL_0146: ldstr "text-align"
IL_014b: ldstr "left"
IL_0150: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)

```

```

IL_0155: ldloc.s    V_4
IL_0157: ldstr     "width"
IL_015c: ldstr     "33%"
IL_0161: callvirt  instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0166: ldloc.0     // tagBuilder
IL_0167: ldloc.s    V_4
IL_0169: call      void CivicPlus.CMS.MvcControls.Html.HtmlTagBuilderExtensions::SetInlineStyles(class [System.Web.WebPages]
System.Web.Mvc.TagBuilder, class [System]System.Collections.Specialized.NameValueCollection)
IL_016e: br.s       IL_01e3

// [393 9 - 393 45]
IL_0170: ldstr     "label"
IL_0175: newobj     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::ctor(string)
IL_017a: stloc.0     // tagBuilder

// [394 9 - 394 54]
IL_017b: ldloc.0     // tagBuilder
IL_017c: callvirt  instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0181: ldstr     "for"
IL_0186: ldarg.2     // inputElemID
IL_0187: callvirt  instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [395 9 - 395 221]
IL_018c: ldloc.1     // flag
IL_018d: brfalse.s  IL_01b6

IL_018f: ldloc.0     // tagBuilder
IL_0190: ldarg.1     // 'field'
IL_0191: callvirt  instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard::get_Label()
IL_0196: ldarg.1     // 'field'
IL_0197: callvirt  instance bool [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard::get_IsRequired()
IL_019c: brtrue.s    IL_01a5
IL_019e: ldstr     ""
IL_01a3: br.s       IL_01aa
IL_01a5: ldstr     "<span style=\"color: #FF0000;display:none;\|\" >*</span>"
IL_01aa: call      string [mscorlib]System.String::Concat(string, string)
IL_01af: callvirt  instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)
IL_01b4: br.s       IL_01db
IL_01b6: ldloc.0     // tagBuilder
IL_01b7: ldarg.1     // 'field'
IL_01b8: callvirt  instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard::get_Label()
IL_01bd: ldarg.1     // 'field'
IL_01be: callvirt  instance bool [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard::get_IsRequired()
IL_01c3: brtrue.s  IL_01cc
IL_01c5: ldstr     ""
IL_01ca: br.s       IL_01d1
IL_01cc: ldstr     "<span style=\"color: #FF0000;\|\" >*</span>"
IL_01d1: call      string [mscorlib]System.String::Concat(string, string)
IL_01d6: callvirt  instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [396 9 - 396 96]
IL_01db: ldarg.1     // 'field'
IL_01dc: ldc.i4.1
IL_01dd: ldloc.0     // tagBuilder
IL_01de: call      void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldApplyStyles(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType,
class [System.Web.WebPages]System.Web.Mvc.TagBuilder)

// [398 7 - 398 25]
IL_01e3: ldloc.0     // tagBuilder
IL_01e4: ret

} // end of method FieldRenderExtensions::FieldCreateStandardLabel

.method public hidebySig static class [System.Web.WebPages]System.Web.Mvc.TagBuilder
FieldSerializationHelper(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field 'field',
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
    [out] string& fieldName
) cil managed
{
    .maxstack 6
    .locals init (
        [0] int32 V_0
    )

    // [406 7 - 406 54]

```

```

IL_0000: ldstr      "input"
IL_0005: newobj     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_000a: dup

// [407 7 - 407 66]
IL_000b: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0010: ldstr      "id"
IL_0015: ldstr      "h_"
IL_001a: ldarg.0     // 'field'
IL_001b: callvirt   instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
IL_0020: stloc.0      // V_0
IL_0021: ldloc.s    V_0
IL_0023: call      instance string [mscorlib]System.Int32::ToString()
IL_0028: call      string [mscorlib]System.String::Concat(string, string)
IL_002d: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)
IL_0032: dup

// [408 7 - 408 50]
IL_0033: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0038: ldstr      "type"
IL_003d: ldstr      "hidden"
IL_0042: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)
IL_0047: dup

// [409 7 - 409 96]
IL_0048: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_004d: ldstr      "name"
IL_0052: ldstr      "fields["
IL_0057: ldarg.1     // viewModel
IL_0058: callvirt   instance int32 CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderIndex()
IL_005d: stloc.0      // V_0
IL_005e: ldloc.s    V_0
IL_0060: call      instance string [mscorlib]System.Int32::ToString()
IL_0065: ldstr      "].Key"
IL_006a: call      string [mscorlib]System.String::Concat(string, string, string)
IL_006f: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)
IL_0074: dup

// [410 7 - 410 62]
IL_0075: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_007a: ldstr      "value"
IL_007f: ldarg.0     // 'field'
IL_0080: callvirt   instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
IL_0085: stloc.0      // V_0
IL_0086: ldloc.s    V_0
IL_0088: call      instance string [mscorlib]System.Int32::ToString()
IL_008d: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [411 7 - 411 75]
IL_0092: ldarg.2     // fieldName
IL_0093: ldstr      "fields["
IL_0098: ldarg.1     // viewModel
IL_0099: callvirt   instance int32 CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderIndex()
IL_009e: stloc.0      // V_0
IL_009f: ldloc.s    V_0
IL_00a1: call      instance string [mscorlib]System.Int32::ToString()
IL_00a6: ldstr      "].Value"
IL_00ab: call      string [mscorlib]System.String::Concat(string, string, string)
IL_00b0: stind.ref

// [412 7 - 412 30]
IL_00b1: ldarg.1     // viewModel
IL_00b2: dup
IL_00b3: callvirt   instance int32 CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderIndex()
IL_00b8: ldc.i4.1
IL_00b9: add
IL_00ba: stloc.0     // V_0
IL_00bb: ldloc.0   // V_0
IL_00bc: callvirt   instance void CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::set_RenderIndex(int32)

// [413 7 - 413 25]
IL_00c1: ret

} // end of method FieldRenderExtensions::FieldSerializationHelper

```

```

.method public hidebysig static class [System.Web.WebPages]System.Web.Mvc.TagBuilder
FieldCreateStandardInstructions(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard 'field'
) cil managed
{
    .maxstack 3
    .locals init (
        [0] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder
    )

    // [418 7 - 418 150]
    IL_0000: call     class [CivicPlus.CMS.Library]CivicPlus.CMS.Library.FeatureToggles.Base.IFeatureToggles [CivicPlus.CMS.Library]
CivicPlus.CMS.Library.FeatureToggles.FeatureToggles::get_Current()
    IL_0005: callvirt instance class [CivicPlus.CMS.Library]CivicPlus.CMS.Library.FeatureToggles.Groups.FormCenter [CivicPlus.CMS.Library]
CivicPlus.CMS.Library.FeatureToggles.Base.IFeatureToggles::get_FormCenter()
    IL_000a: callvirt instance bool [CivicPlus.CMS.Library]CivicPlus.CMS.Library.FeatureToggles.Groups.FormCenter::get_FroalaInstructions()
    IL_000f: brtrue.s   IL_0018

    IL_0011: ldstr     "p"
    IL_0016: br.s      IL_001d
    IL_0018: ldstr     "div"
    IL_001d: newobj   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
    IL_0022: stloc.0    // tagBuilder

    // [419 7 - 419 36]
    IL_0023: ldloc.0    // tagBuilder
    IL_0024: ldstr     "tip"
    IL_0029: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

    // [420 7 - 420 101]
    IL_002e: call     class [CivicPlus.CMS.Library]CivicPlus.CMS.Library.FeatureToggles.Base.IFeatureToggles [CivicPlus.CMS.Library]
CivicPlus.CMS.Library.FeatureToggles.FeatureToggles::get_Current()
    IL_0033: callvirt instance class [CivicPlus.CMS.Library]CivicPlus.CMS.Library.FeatureToggles.Groups.FormCenter [CivicPlus.CMS.Library]
CivicPlus.CMS.Library.FeatureToggles.Base.IFeatureToggles::get_FormCenter()
    IL_0038: callvirt instance bool [CivicPlus.CMS.Library]CivicPlus.CMS.Library.FeatureToggles.Groups.FormCenter::get_FroalaInstructions()
    IL_003d: brfalse.s IL_004a

    // [421 9 - 421 42]
    IL_003f: ldloc.0    // tagBuilder
    IL_0040: ldstr     "fr-view"
    IL_0045: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

    // [422 7 - 422 48]
    IL_004a: ldloc.0    // tagBuilder
    IL_004b: ldarg.0    // 'field'
    IL_004c: callvirt instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard::get_Instructions()
    IL_0051: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

    // [423 7 - 423 101]
    IL_0056: ldarg.0    // 'field'
    IL_0057: ldc.i4.2
    IL_0058: ldloc.0    // tagBuilder
    IL_0059: call     void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldApplyStyles(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType,
class [System.Web.WebPages]System.Web.Mvc.TagBuilder)

    // [424 7 - 424 25]
    IL_005e: ldloc.0    // tagBuilder
    IL_005f: ret

} // end of method FieldRenderExtensions::FieldCreateStandardInstructions

.method public hidebysig static void
FieldRender(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field 'field',
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
    string extraCssClasses,
    class [mscorlib]System.Text.StringBuilder output
) cil managed
{
    .maxstack 8

    // [433 7 - 433 68]
    IL_0000: ldarg.1    // viewModel
    IL_0001: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
    IL_0006: call     bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]

```

```

CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_000b: brfalse.s IL_0017

// [434 9 - 434 90]
IL_000d: ldarg.0 // 'field'
IL_000e: ldarg.1 // viewModel
IL_000f: ldarg.2 // extraCssClasses
IL_0010: ldarg.3 // output
IL_0011: call void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldRenderEmail(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, string, class
[mscorlib]System.Text.StringBuilder)
IL_0016: ret

// [436 9 - 436 88]
IL_0017: ldarg.0 // 'field'
IL_0018: ldarg.1 // viewModel
IL_0019: ldarg.2 // extraCssClasses
IL_001a: ldarg.3 // output
IL_001b: call void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldRenderWeb(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, string, class
[mscorlib]System.Text.StringBuilder)
IL_0020: ret

} // end of method FieldRenderExtensions::FieldRender

.method private hidebysig static void
FieldRenderEmail(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field 'field',
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
    string extraCssClasses,
    class [mscorlib]System.Text.StringBuilder output
) cil managed
{
    .maxstack 5
    .locals init (
        [0] class [mscorlib]System.Collections.Generic.List`1<class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>
all1,
        [1] class [mscorlib]System.Collections.Generic.List`1<class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>
all2,
        [2] class [System.Web.WebPages]System.Web.Mvc.TagBuilder emailTr,
        [3] valuetype [mscorlib]System.Collections.Generic.List`1/Enumerator<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings> V_3,
        [4] class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings conditionSettings,
        [5] class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/<>c__DisplayClass30_0' V_5,
        [6] object source,
        [7] int32 result1,
        [8] valuetype [mscorlib]System.Decimal result2,
        [9] valuetype [mscorlib]System.Nullable`1<valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation>
formatValidation,
        [10] bool flag,
        [11] class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings conditionSettings_V_11,
        [12] class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/<>c__DisplayClass30_1' V_12,
        [13] object source_V_13,
        [14] int32 result3,
        [15] valuetype [mscorlib]System.Decimal result4,
        [16] class [System.Web.WebPages]System.Web.Mvc.TagBuilder emailTd,
        [17] class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldPageBreak fieldPageBreak,
        [18] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder,
        [19] class [System]System.Collections.Specialized.NameValueCollection V_19,
        [20] class [System.Web.WebPages]System.Web.Mvc.TagBuilder emailTd_V_20,
        [21] class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldReadOnly fieldReadOnly,
        [22] class [System.Web.WebPages]System.Web.Mvc.TagBuilder emailTd_V_22,
        [23] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder1,
        [24] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder3,
        [25] class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldHeaderInstructions headerInstructions,
        [26] class [System]System.Collections.Specialized.NameValueCollection cssAttributes,
        [27] class [System.Web.WebPages]System.Web.Mvc.TagBuilder emailTd_V_27,
        [28] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder5,
        [29] class [mscorlib]System.Text.StringBuilder output1
    )

// [445 7 - 445 150]
IL_0000: ldarg.0 // 'field'
IL_0001: ldarg.1 // viewModel
IL_0002: call bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsFieldShown(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel)
IL_0007: brtrue.s IL_0012

```

```

IL_0009: ldarg.1    // viewModel
IL_000a: callvirt   instance bool
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderInternalFieldsForBackendEmails()
IL_000f: brtrue.s   IL_0012

// [446 9 - 446 16]
IL_0011: ret

IL_0012: ldarg.0    // 'field'
IL_0013: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldType [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Type()
IL_0018: ldc.i4.s   9 // 0x09
IL_001a: bne.un.s   IL_001d
IL_001c: ret

// [447 7 - 447 176]
IL_001d: ldarg.0    // 'field'
IL_001e: callvirt   instance class [mscorlib]System.Collections.Generic.List`1<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Conditions()
IL_0023: ldsfld     class [mscorlib]System.Predicate`1<class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c'::'<>9__30_0'
IL_0028: dup

IL_0029: brtrue.s   IL_0042
IL_002b: pop
IL_002c: ldsfld     class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c'
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c'::'<>9'
IL_0031: ldftn      instance bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c'::'<FieldRenderEmail>b__30_
0'(class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings)
IL_0037: newobj     instance void class [mscorlib]System.Predicate`1<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>::ctor(object, native int)
IL_003c: dup
IL_003d: stsfld     class [mscorlib]System.Predicate`1<class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c'::'<>9__30_0'
IL_0042: callvirt   instance class [mscorlib]System.Collections.Generic.List`1<!/*class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings*/> class [mscorlib]System.Collections.Generic.List`1<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>::FindAll(class [mscorlib]System.Predicate`1<!/*class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings*/>)
IL_0047: stloc.0    // all1

// [448 7 - 448 26]
IL_0048: ldloc.0    // all1
IL_0049: callvirt   instance int32 class [mscorlib]System.Collections.Generic.List`1<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>::get_Count()
IL_004e: ldc.i4.0
IL_004f: ble      IL_02fa

// [450 62 - 450 66]
IL_0054: ldloc.0    // all1
IL_0055: callvirt   instance valuetype [mscorlib]System.Collections.Generic.List`1/Enumerator<!/*class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings*/> class [mscorlib]System.Collections.Generic.List`1<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>::GetEnumerator()
IL_005a: stloc.3    // V_3
.try
{

IL_005b: br      IL_02de
// start of loop, entry point: IL_02de

// [450 18 - 450 58]
IL_0060: ldloc.s   V_3
IL_0062: call     instance !/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings*/ valuetype [mscorlib]
System.Collections.Generic.List`1/Enumerator<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>::get_Current()
IL_0067: stloc.s   conditionSettings
IL_0069: newobj     instance void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass30_0'::ctor()
IL_006e: stloc.s   V_5

// [452 11 - 452 38]
IL_0070: ldstr     ""
IL_0075: stloc.s   source

// [453 11 - 453 26]
IL_0077: ldc.i4.0
IL_0078: stloc.s   result1

// [454 11 - 454 121]

```

```

IL_007a: ldloc.s    V_5
IL_007c: ldloc.s    conditionSettings
IL_007e: callvirt  instance string [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisionValue()
IL_0083: ldstr     "_comma_"
IL_0088: ldstr     ""
IL_008d: callvirt  instance string [mscorlib]System.String::Replace(string, string)
IL_0092: stfld     string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass30_
0'::applyingFieldComparisionValue

// [455 11 - 455 84]
IL_0097: ldarg.1    // viewModel
IL_0098: callvirt  instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FormSubmissionData
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_Data()
IL_009d: ldloc.s    conditionSettings
IL_009f: callvirt  instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldId()
IL_00a4: ldloc.s    source
IL_00a6: callvirt  instance bool class [mscorlib]System.Collections.Generic.Dictionary`2<int32, object>::TryGetValue(!0/*int32*/, !1/
*object*/&)
IL_00ab: pop

// [456 11 - 456 30]
IL_00ac: ldloc.s    source
IL_00ae: brfalse   IL_02de

// [458 13 - 458 34]
IL_00b3: ldloc.s    source
IL_00b5: isinst    [mscorlib]System.String
IL_00ba: brfalse.s  IL_00ca

// [459 15 - 459 74]
IL_00bc: ldloc.s    source
IL_00be: callvirt  instance string [mscorlib]System.Object::ToString()
IL_00c3: call     string [System.Web]System.Web.HttpUtility::HtmlDecode(string)
IL_00c8: stloc.s    source

// [462 13 - 462 36]
IL_00ca: ldloc.s    source
IL_00cc: isinst    string[]
IL_00d1: brfalse.s  IL_00f6

// [464 15 - 464 148]
IL_00d3: ldloc.s    source
IL_00d5: isinst    string[]
IL_00da: ldloc.s    V_5
IL_00dc: ldftn    instance bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass30_
0'::<FieldRenderEmail>b__2'(string)
IL_00e2: newobj    instance void class [mscorlib]System.Func`2<string, bool>::ctor(object, native int)
IL_00e7: call     bool [System.Core]System.Linq.Enumerable::Any<string>(class [mscorlib]System.Collections.Generic.IEnumerable`1<!!0/
*string*/>, class [mscorlib]System.Func`2<!!0/*string*/, bool>)
IL_00ec: brfalse   IL_02de

// [465 17 - 465 24]
IL_00f1: leave     IL_0b97

// [467 18 - 467 100]
IL_00f6: ldloc.s    conditionSettings
IL_00f8: callvirt  instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.ConditionComparison
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisionText()
IL_00fd: ldc.i4.3
IL_00fe: bne.un.s  IL_015b

// [469 15 - 469 81]
IL_0100: ldloc.s    conditionSettings
IL_0102: callvirt  instance valuetype [mscorlib]System.Nullable`1<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldFormatValidation()
IL_0107: stloc.s    formatValidation

// [470 15 - 470 84]
IL_0109: ldloc.s    formatValidation
IL_010b: call     instance !0/*valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation*/ valuetype
[mscorlib]System.Nullable`1<valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation>::GetValueOrDefault()
IL_0110: ldc.i4.7
IL_0111: bne.un.s  IL_013e

// [472 17 - 472 89]
IL_0113: ldloc.s    source

```

```

IL_0115: callvirt instance string [mscorlib]System.Object::ToString()
IL_011a: ldloc.s result2
IL_011c: call void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::ParseCurrencyField(string, valueType
[mscorlib]System.Decimal&)

// [473 17 - 473 95]
IL_0121: ldloc.s result2
IL_0123: ldloc.s conditionSettings
IL_0125: callvirt instance string [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisionValue()
IL_012a: call valueType [mscorlib]System.Decimal [mscorlib]System.Decimal::Parse(string)
IL_012f: call bool [mscorlib]System.Decimal::op_Equality(valueType [mscorlib]System.Decimal, valueType [mscorlib]System.Decimal)
IL_0134: brfalse IL_02de

// [474 19 - 474 26]
IL_0139: leave IL_0b97

// [476 20 - 476 75]
IL_013e: ldloc.s source
IL_0140: callvirt instance string [mscorlib]System.Object::ToString()
IL_0145: ldloc.s V_5
IL_0147: ldfl string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass30_
0::applyingFieldComparisionValue
IL_014c: call bool [mscorlib]System.String::op_Equality(string, string)
IL_0151: brfalse IL_02de

// [477 17 - 477 24]
IL_0156: leave IL_0b97

// [479 18 - 479 104]
IL_015b: ldloc.s conditionSettings
IL_015d: callvirt instance valueType [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.ConditionComparison
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisonText()
IL_0162: ldc.i4.1
IL_0163: bne.un.s IL_01ce

// [481 15 - 481 81]
IL_0165: ldloc.s conditionSettings
IL_0167: callvirt instance valueType [mscorlib]System.Nullable`1<valueType [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldFormatValidation()
IL_016c: stloc.s formatValidation

// [482 15 - 482 84]
IL_016e: ldloc.s formatValidation
IL_0170: call instance !0/*valueType [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation*/ valueType
[mscorlib]System.Nullable`1<valueType [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation>::GetValueOrDefault()
IL_0175: ldc.i4.7
IL_0176: bne.un.s IL_01a3

// [484 17 - 484 89]
IL_0178: ldloc.s source
IL_017a: callvirt instance string [mscorlib]System.Object::ToString()
IL_017f: ldloc.s result2
IL_0181: call void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::ParseCurrencyField(string, valueType
[mscorlib]System.Decimal&)

// [485 17 - 485 94]
IL_0186: ldloc.s result2
IL_0188: ldloc.s conditionSettings
IL_018a: callvirt instance string [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisionValue()
IL_018f: call valueType [mscorlib]System.Decimal [mscorlib]System.Decimal::Parse(string)
IL_0194: call bool [mscorlib]System.Decimal::op_GreaterThan(valueType [mscorlib]System.Decimal, valueType [mscorlib]System.Decimal)
IL_0199: brfalse IL_02de

// [486 19 - 486 26]
IL_019e: leave IL_0b97

// [488 20 - 488 141]
IL_01a3: ldloc.s source
IL_01a5: callvirt instance string [mscorlib]System.Object::ToString()
IL_01aa: ldloc.s result1
IL_01ac: call bool [mscorlib]System.Int32::TryParse(string, int32&)
IL_01b1: brfalse IL_02de

IL_01b6: ldloc.s result1
IL_01b8: ldloc.s conditionSettings

```

```

IL_01ba: callvirt instance string [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisionValue()
IL_01bf: call int32 [mscorlib]System.Int32::Parse(string)
IL_01c4: ble IL_02de

// [489 17 - 489 24]
IL_01c9: leave IL_0b97

// [491 18 - 491 101]
IL_01ce: ldloc.s conditionSettings
IL_01d0: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.ConditionComparison
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisionText()
IL_01d5: ldc.i4.2
IL_01d6: bne.un.s IL_0241

// [493 15 - 493 81]
IL_01d8: ldloc.s conditionSettings
IL_01da: callvirt instance valuetype [mscorlib]System.Nullable`1<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldFormatValidation()
IL_01df: stloc.s formatValidation

// [494 15 - 494 84]
IL_01e1: ldloc.s formatValidation
IL_01e3: call instance !0/*valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation*/ valuetype
[mscorlib]System.Nullable`1<valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation>::GetValueOrDefault()
IL_01e8: ldc.i4.7
IL_01e9: bne.un.s IL_0216

// [496 17 - 496 89]
IL_01eb: ldloc.s source
IL_01ed: callvirt instance string [mscorlib]System.Object::ToString()
IL_01f2: ldloc.s result2
IL_01f4: call void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::ParseCurrencyField(string, valuetype [mscorlib]
System.Decimal&)

// [497 17 - 497 94]
IL_01f9: ldloc.s result2
IL_01fb: ldloc.s conditionSettings
IL_01fd: callvirt instance string [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisionValue()
IL_0202: call valuetype [mscorlib]System.Decimal [mscorlib]System.Decimal::Parse(string)
IL_0207: call bool [mscorlib]System.Decimal::op_LessThan(valuetype [mscorlib]System.Decimal, valuetype [mscorlib]System.Decimal)
IL_020c: brfalse IL_02de

// [498 19 - 498 26]
IL_0211: leave IL_0b97

// [500 20 - 500 141]
IL_0216: ldloc.s source
IL_0218: callvirt instance string [mscorlib]System.Object::ToString()
IL_021d: ldloc.s result1
IL_021f: call bool [mscorlib]System.Int32::TryParse(string, int32&)
IL_0224: brfalse IL_02de

IL_0229: ldloc.s result1
IL_022b: ldloc.s conditionSettings
IL_022d: callvirt instance string [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisionValue()
IL_0232: call int32 [mscorlib]System.Int32::Parse(string)
IL_0237: bge IL_02de

// [501 17 - 501 24]
IL_023c: leave IL_0b97

// [503 18 - 503 103]
IL_0241: ldloc.s conditionSettings
IL_0243: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.ConditionComparison
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisionText()
IL_0248: ldc.i4.4
IL_0249: bne.un.s IL_02a0

// [505 15 - 505 81]
IL_024b: ldloc.s conditionSettings
IL_024d: callvirt instance valuetype [mscorlib]System.Nullable`1<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldFormatValidation()
IL_0252: stloc.s formatValidation

```

```

// [506 15 - 506 84]
IL_0254: ldloc.s    formatValidation
IL_0256: call      instance !0/*valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation*/ valuetype
[mscorlib]System.Nullable`1<valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation>::GetValueOrDefault()
IL_025b: ldc.i4.7
IL_025c: bne.un.s   IL_0286

// [508 17 - 508 89]
IL_025e: ldloc.s    source
IL_0260: callvirt   instance string [mscorlib]System.Object::ToString()
IL_0265: ldloc.s    result2
IL_0267: call      void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::ParseCurrencyField(string, valuetype
[mscorlib]System.Decimal&)

// [509 17 - 509 95]
IL_026c: ldloc.s    result2
IL_026e: ldloc.s    conditionSettings
IL_0270: callvirt   instance string [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisonValue()
IL_0275: call      valuetype [mscorlib]System.Decimal [mscorlib]System.Decimal::Parse(string)
IL_027a: call      bool [mscorlib]System.Decimal::op_Inequality(valuetype [mscorlib]System.Decimal, valuetype [mscorlib]System.Decimal)
IL_027f: brfalse.s   IL_02de

// [510 19 - 510 26]
IL_0281: leave     IL_0b97

// [512 20 - 512 75]
IL_0286: ldloc.s    source
IL_0288: callvirt   instance string [mscorlib]System.Object::ToString()
IL_028d: ldloc.s    V_5
IL_028f: ldld      string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass30_
0::applyingFieldComparisonValue
IL_0294: call      bool [mscorlib]System.String::op_Inequality(string, string)
IL_0299: brfalse.s   IL_02de

// [513 17 - 513 24]
IL_029b: leave     IL_0b97

// [515 18 - 515 216]
IL_02a0: ldloc.s    conditionSettings
IL_02a2: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.ConditionComparison
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisonText()
IL_02a7: ldc.i4.5
IL_02a8: bne.un.s   IL_02c4

IL_02aa: ldloc.s    source
IL_02ac: callvirt   instance string [mscorlib]System.Object::ToString()
IL_02b1: ldloc.s    V_5
IL_02b3: ldld      string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass30_
0::applyingFieldComparisonValue
IL_02b8: callvirt   instance bool [mscorlib]System.String::Contains(string)
IL_02bd: brfalse.s   IL_02c4

// [516 15 - 516 22]
IL_02bf: leave     IL_0b97

IL_02c4: ldloc.s    source
IL_02c6: callvirt   instance string [mscorlib]System.Object::ToString()
IL_02cb: ldloc.s    V_5
IL_02cd: ldld      string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass30_
0::applyingFieldComparisonValue
IL_02d2: call      bool [mscorlib]System.String::op_Equality(string, string)
IL_02d7: brfalse.s   IL_02de
IL_02d9: leave     IL_0b97
IL_02de: ldloc.s    V_3
IL_02e0: call      instance bool valuetype [mscorlib]System.Collections.Generic.List`1/Enumerator<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>::MoveNext()
IL_02e5: brtrue     IL_0060
// end of loop
IL_02ea: leave.s    IL_02fa
} // end of .try
finally
{
IL_02ec: ldloc.s    V_3
IL_02ee: constrained. valuetype [mscorlib]System.Collections.Generic.List`1/Enumerator<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>
IL_02f4: callvirt   instance void [mscorlib]System.IDisposable::Dispose()

```

```

    IL_02f9: endfinally
} // end of finally

// [520 7 - 520 176]
IL_02fa: ldarg.0 // 'field'
IL_02fb: callvirt instance class [mscorlib]System.Collections.Generic.List`1<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Conditions()
IL_0300: ldsfld class [mscorlib]System.Predicate`1<class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c'::'<>9__30_1'
IL_0305: dup

IL_0306: brtrue.s IL_031f
IL_0308: pop
IL_0309: ldsfld class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c'
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c'::'<>9'
IL_030e: ldftn instance bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c'::'<FieldRenderEmail>b__30_
1'(class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings)
IL_0314: newobj instance void class [mscorlib]System.Predicate`1<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>::ctor(object, native int)
IL_0319: dup
IL_031a: stsfld class [mscorlib]System.Predicate`1<class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c'::'<>9__30_1'
IL_031f: callvirt instance class [mscorlib]System.Collections.Generic.List`1<!0/*class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings*/> class [mscorlib]System.Collections.Generic.List`1<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>::FindAll(class [mscorlib]System.Predicate`1<!0/*class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings*/>)
IL_0324: stloc.1 // all2

// [521 7 - 521 26]
IL_0325: ldloc.1 // all2
IL_0326: callvirt instance int32 class [mscorlib]System.Collections.Generic.List`1<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>::get_Count()
IL_032b: ldc.i4.0
IL_032c: ble IL_05f2

// [523 9 - 523 26]
IL_0331: ldc.i4.0
IL_0332: stloc.s flag

// [524 62 - 524 66]
IL_0334: ldloc.1 // all2
IL_0335: callvirt instance valuetype [mscorlib]System.Collections.Generic.List`1/Enumerator<!0/*class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings*/> class [mscorlib]System.Collections.Generic.List`1<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>::GetEnumerator()
IL_033a: stloc.3 // V_3
.try
{

IL_033b: br IL_05d1
// start of loop, entry point: IL_05d1

// [524 18 - 524 58]
IL_0340: ldloc.s V_3
IL_0342: call instance !0/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings*/ valuetype [mscorlib]
System.Collections.Generic.List`1/Enumerator<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>::get_Current()
IL_0347: stloc.s conditionSettings_V_11
IL_0349: newobj instance void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass30_1'::ctor()
IL_034e: stloc.s V_12

// [526 11 - 526 38]
IL_0350: ldstr ""
IL_0355: stloc.s source_V_13

// [527 11 - 527 26]
IL_0357: ldc.i4.0
IL_0358: stloc.s result3

// [528 11 - 528 121]
IL_035a: ldloc.s V_12
IL_035c: ldloc.s conditionSettings_V_11
IL_035e: callvirt instance string [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisionValue()
IL_0363: ldstr "comma_"
IL_0368: ldstr ","
IL_036d: callvirt instance string [mscorlib]System.String::Replace(string, string)
IL_0372: stfld string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass30_

```

1'::applyingFieldComparisionValue

```
// [529 11 - 529 84]
IL_0377: ldarg.1 // viewModel
IL_0378: callvirt instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FormSubmissionData
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_Data()
IL_037d: ldloc.s conditionSettings_V_11
IL_037f: callvirt instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldId()
IL_0384: ldloc.s source_V_13
IL_0386: callvirt instance bool class [mscorlib]System.Collections.Generic.Dictionary`2<int32, object>::TryGetValue(!0/*int32*/, !1/
*object*/&)
IL_038b: pop

// [530 11 - 530 30]
IL_038c: ldloc.s source_V_13
IL_038e: brfalse IL_05d1

// [532 13 - 532 34]
IL_0393: ldloc.s source_V_13
IL_0395: isinst [mscorlib]System.String
IL_039a: brfalse.s IL_03aa

// [533 15 - 533 74]
IL_039c: ldloc.s source_V_13
IL_039e: callvirt instance string [mscorlib]System.Object::ToString()
IL_03a3: call string [System.Web]System.Web.HttpUtility::HtmlDecode(string)
IL_03a8: stloc.s source_V_13

// [536 13 - 536 36]
IL_03aa: ldloc.s source_V_13
IL_03ac: isinst string[]
IL_03b1: brfalse.s IL_03d9

// [538 15 - 538 148]
IL_03b3: ldloc.s source_V_13
IL_03b5: isinst string[]
IL_03ba: ldloc.s V_12
IL_03bc: ldftn instance bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/`<>c__DisplayClass30_
1'::<FieldRenderEmail>b__3'(string)
IL_03c2: newobj instance void class [mscorlib]System.Func`2<string, bool>::ctor(object, native int)
IL_03c7: call bool [System.Core]System.Linq.Enumerable::Any<string>(class [mscorlib]System.Collections.Generic.IEnumerable`1<!!0/
*string*/>, class [mscorlib]System.Func`2<!!0/*string*/, bool>)
IL_03cc: brfalse IL_05d1

// [539 17 - 539 28]
IL_03d1: ldc.i4.1
IL_03d2: stloc.s flag

IL_03d4: br IL_05d1

// [541 18 - 541 100]
IL_03d9: ldloc.s conditionSettings_V_11
IL_03db: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.ConditionComparison
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisionText()
IL_03e0: ldc.i4.3
IL_03e1: bne.un.s IL_0444

// [543 15 - 543 81]
IL_03e3: ldloc.s conditionSettings_V_11
IL_03e5: callvirt instance valuetype [mscorlib]System.Nullable`1<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldFormatValidation()
IL_03ea: stloc.s formatValidation

// [544 15 - 544 84]
IL_03ec: ldloc.s formatValidation
IL_03ee: call instance !0/*valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation*/ valuetype
[mscorlib]System.Nullable`1<valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation>::GetValueOrDefault()
IL_03f3: ldc.i4.7
IL_03f4: bne.un.s IL_0424

// [546 17 - 546 89]
IL_03f6: ldloc.s source_V_13
IL_03f8: callvirt instance string [mscorlib]System.Object::ToString()
IL_03fd: ldloc.s result4
IL_03ff: call void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::ParseCurrencyField(string, valuetype [mscorlib]
System.Decimal&)
```

```

// [547 17 - 547 95]
IL_0404: ldloc.s    result4
IL_0406: ldloc.s    conditionSettings_V_11
IL_0408: callvirt   instance string [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisionValue()
IL_040d: call      valuetype [mscorlib]System.Decimal [mscorlib]System.Decimal::Parse(string)
IL_0412: call      bool [mscorlib]System.Decimal::op_Equality(valuetype [mscorlib]System.Decimal, valuetype [mscorlib]System.Decimal)
IL_0417: brfalse    IL_05d1

// [548 19 - 548 30]
IL_041c: ldc.i4.1
IL_041d: stloc.s    flag

IL_041f: br        IL_05d1

// [550 20 - 550 75]
IL_0424: ldloc.s    source_V_13
IL_0426: callvirt   instance string [mscorlib]System.Object::ToString()
IL_042b: ldloc.s    V_12
IL_042d: ldld      string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/"<>c__DisplayClass30_
1::applyingFieldComparisionValue
IL_0432: call      bool [mscorlib]System.String::op_Equality(string, string)
IL_0437: brfalse    IL_05d1

// [551 17 - 551 28]
IL_043c: ldc.i4.1
IL_043d: stloc.s    flag

IL_043f: br        IL_05d1

// [553 18 - 553 104]
IL_0444: ldloc.s    conditionSettings_V_11
IL_0446: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.ConditionComparison
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisionText()
IL_044b: ldc.i4.1
IL_044c: bne.un.s    IL_04bd

// [555 15 - 555 81]
IL_044e: ldloc.s    conditionSettings_V_11
IL_0450: callvirt   instance valuetype [mscorlib]System.Nullable`1<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldFormatValidation()
IL_0455: stloc.s    formatValidation

// [556 15 - 556 84]
IL_0457: ldloc.s    formatValidation
IL_0459: call      instance !0/*valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation*/ valuetype
[mscorlib]System.Nullable`1<valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation>::GetValueOrDefault()
IL_045e: ldc.i4.7
IL_045f: bne.un.s    IL_048f

// [558 17 - 558 89]
IL_0461: ldloc.s    source_V_13
IL_0463: callvirt   instance string [mscorlib]System.Object::ToString()
IL_0468: ldloc.s    result4
IL_046a: call      void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::ParseCurrencyField(string, valuetype
[mscorlib]System.Decimal&)

// [559 17 - 559 94]
IL_046f: ldloc.s    result4
IL_0471: ldloc.s    conditionSettings_V_11
IL_0473: callvirt   instance string [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisionValue()
IL_0478: call      valuetype [mscorlib]System.Decimal [mscorlib]System.Decimal::Parse(string)
IL_047d: call      bool [mscorlib]System.Decimal::op_GreaterThan(valuetype [mscorlib]System.Decimal, valuetype [mscorlib]System.Decimal)
IL_0482: brfalse    IL_05d1

// [560 19 - 560 30]
IL_0487: ldc.i4.1
IL_0488: stloc.s    flag

IL_048a: br        IL_05d1

// [562 20 - 562 141]
IL_048f: ldloc.s    source_V_13
IL_0491: callvirt   instance string [mscorlib]System.Object::ToString()
IL_0496: ldloc.s    result3
IL_0498: call      bool [mscorlib]System.Int32::TryParse(string, int32&)

```

```

IL_049d: brfalse    IL_05d1

IL_04a2: ldloc.s    result3
IL_04a4: ldloc.s    conditionSettings_V_11
IL_04a6: callvirt   instance string [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisionValue()
IL_04ab: call       int32 [mscorlib]System.Int32::Parse(string)
IL_04b0: ble        IL_05d1

// [563 17 - 563 28]
IL_04b5: ldc.i4.1
IL_04b6: stloc.s     flag

IL_04b8: br        IL_05d1

// [565 18 - 565 101]
IL_04bd: ldloc.s    conditionSettings_V_11
IL_04bf: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.ConditionComparison
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisionText()
IL_04c4: ldc.i4.2
IL_04c5: bne.un.s   IL_0536

// [567 15 - 567 81]
IL_04c7: ldloc.s    conditionSettings_V_11
IL_04c9: callvirt   instance valuetype [mscorlib]System.Nullable`1<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldFormatValidation()
IL_04ce: stloc.s    formatValidation

// [568 15 - 568 84]
IL_04d0: ldloc.s    formatValidation
IL_04d2: call       instance !0/*valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation*/ valuetype
[mscorlib]System.Nullable`1<valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation>::GetValueOrDefault()
IL_04d7: ldc.i4.7
IL_04d8: bne.un.s   IL_0508

// [570 17 - 570 89]
IL_04da: ldloc.s    source_V_13
IL_04dc: callvirt   instance string [mscorlib]System.Object::ToString()
IL_04e1: ldloc.s    result4
IL_04e3: call       void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::ParseCurrencyField(string, valuetype
[mscorlib]System.Decimal&)

// [571 17 - 571 94]
IL_04e8: ldloc.s    result4
IL_04ea: ldloc.s    conditionSettings_V_11
IL_04ec: callvirt   instance string [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisionValue()
IL_04f1: call       valuetype [mscorlib]System.Decimal [mscorlib]System.Decimal::Parse(string)
IL_04f6: call       bool [mscorlib]System.Decimal::op_LessThan(valuetype [mscorlib]System.Decimal, valuetype [mscorlib]System.Decimal)
IL_04fb: brfalse   IL_05d1

// [572 19 - 572 30]
IL_0500: ldc.i4.1
IL_0501: stloc.s     flag

IL_0503: br        IL_05d1

// [574 20 - 574 141]
IL_0508: ldloc.s    source_V_13
IL_050a: callvirt   instance string [mscorlib]System.Object::ToString()
IL_050f: ldloc.s    result3
IL_0511: call       bool [mscorlib]System.Int32::TryParse(string, int32&)
IL_0516: brfalse   IL_05d1

IL_051b: ldloc.s    result3
IL_051d: ldloc.s    conditionSettings_V_11
IL_051f: callvirt   instance string [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisionValue()
IL_0524: call       int32 [mscorlib]System.Int32::Parse(string)
IL_0529: bge        IL_05d1

// [575 17 - 575 28]
IL_052e: ldc.i4.1
IL_052f: stloc.s     flag

IL_0531: br        IL_05d1

```

```

// [577 18 - 577 103]
IL_0536: ldloc.s    conditionSettings_V_11
IL_0538: callvirt  instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.ConditionComparison
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisionText()
IL_053d: ldc.i4.4
IL_053e: bne.un.s   IL_0595

// [579 15 - 579 81]
IL_0540: ldloc.s    conditionSettings_V_11
IL_0542: callvirt  instance valuetype [mscorlib]System.Nullable`1<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldFormatValidation()
IL_0547: stloc.s    formatValidation

// [580 15 - 580 84]
IL_0549: ldloc.s    formatValidation
IL_054b: call     instance !0/*valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation*/ valuetype
[mscorlib]System.Nullable`1<valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldValidation>::GetValueOrDefault()
IL_0550: ldc.i4.7
IL_0551: bne.un.s   IL_057b

// [582 17 - 582 89]
IL_0553: ldloc.s    source_V_13
IL_0555: callvirt  instance string [mscorlib]System.Object::ToString()
IL_055a: ldloc.s    result4
IL_055c: call     void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::ParseCurrencyField(string, valuetype
[mscorlib]System.Decimal&)

// [583 17 - 583 95]
IL_0561: ldloc.s    result4
IL_0563: ldloc.s    conditionSettings_V_11
IL_0565: callvirt  instance string [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisionValue()
IL_056a: call     valuetype [mscorlib]System.Decimal [mscorlib]System.Decimal::Parse(string)
IL_056f: call     bool [mscorlib]System.Decimal::op_Inequality(valuetype [mscorlib]System.Decimal, valuetype [mscorlib]System.Decimal)
IL_0574: brfalse.s  IL_05d1

// [584 19 - 584 30]
IL_0576: ldc.i4.1
IL_0577: stloc.s    flag

IL_0579: br.s     IL_05d1

// [586 20 - 586 75]
IL_057b: ldloc.s    source_V_13
IL_057d: callvirt  instance string [mscorlib]System.Object::ToString()
IL_0582: ldloc.s    V_12
IL_0584: ldflld  string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass30_
1'::applyingFieldComparisionValue
IL_0589: call     bool [mscorlib]System.String::op_Inequality(string, string)
IL_058e: brfalse.s  IL_05d1

// [587 17 - 587 28]
IL_0590: ldc.i4.1
IL_0591: stloc.s    flag

IL_0593: br.s     IL_05d1

// [589 18 - 589 162]
IL_0595: ldloc.s    conditionSettings_V_11
IL_0597: callvirt  instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.ConditionComparison
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings::get_ApplyingFieldComparisionText()
IL_059c: ldc.i4.5
IL_059d: bne.un.s   IL_05b9

IL_059f: ldloc.s    source_V_13
IL_05a1: callvirt  instance string [mscorlib]System.Object::ToString()
IL_05a6: ldloc.s    V_12
IL_05a8: ldflld  string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass30_
1'::applyingFieldComparisionValue
IL_05ad: callvirt  instance bool [mscorlib]System.String::Contains(string)
IL_05b2: brfalse.s  IL_05b9

// [590 15 - 590 26]
IL_05b4: ldc.i4.1
IL_05b5: stloc.s    flag

IL_05b7: br.s     IL_05d1

```

```

// [591 18 - 591 73]
IL_05b9: ldloc.s    source_V_13
IL_05bb: callvirt    instance string [mscorlib]System.Object::ToString()
IL_05c0: ldloc.s    V_12
IL_05c2: ldftd      string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass30_
1::applyingFieldComparisionValue
IL_05c7: call      bool [mscorlib]System.String::op_Equality(string, string)
IL_05cc: brfalse.s   IL_05d1

// [592 15 - 592 26]
IL_05ce: ldc.i4.1
IL_05cf: stloc.s    flag

IL_05d1: ldloc.s    V_3
IL_05d3: call      instance bool valuetype [mscorlib]System.Collections.Generic.List`1/Enumerator<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>::MoveNext()
IL_05d8: brtrue    IL_0340
// end of loop
IL_05dd: leave.s   IL_05ed
} // end of .try
finally
{
IL_05df: ldloc.s    V_3
IL_05e1: constrained. valuetype [mscorlib]System.Collections.Generic.List`1/Enumerator<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldConditionSettings>
IL_05e7: callvirt    instance void [mscorlib]System.IDisposable::Dispose()
IL_05ec: endfinally
} // end of finally

// [595 9 - 595 19]
IL_05ed: ldloc.s    flag
IL_05ef: brtrue.s   IL_05f2

// [596 11 - 596 18]
IL_05f1: ret

// [598 7 - 598 65]
IL_05f2: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::CreateEmailTr()
IL_05f7: stloc.2    // emailTr

// [599 7 - 599 48]
IL_05f8: ldarg.0    // 'field'
IL_05f9: callvirt    instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldType [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Type()
IL_05fe: ldc.i4.s   12 // 0x0c
IL_0600: bne.un    IL_0693

// [601 9 - 601 40]
IL_0605: ldarg.0    // 'field'
IL_0606: isinst     [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldSectionBreak
IL_060b: brfalse   IL_0b89

// [603 11 - 613 13]
IL_0610: newobj     instance void [System]System.Collections.Specialized.NameValueCollection::ctor()
IL_0615: dup
IL_0616: ldstr      "text-align"
IL_061b: ldstr      "center"
IL_0620: callvirt    instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0625: dup
IL_0626: ldstr      "color"
IL_062b: ldstr      "#ccc"
IL_0630: callvirt    instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0635: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::CreateEmailTd(class [System]
System.Collections.Specialized.NameValueCollection)
IL_063a: stloc.s    emailTd

// [614 11 - 614 46]
IL_063c: ldloc.s    emailTd
IL_063e: callvirt    instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0643: ldstr      "colspan"
IL_0648: ldstr      "2"
IL_064d: callvirt    instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::set_Item(!0/*string*/, !1/*string*/)

// [615 11 - 615 46]

```

```

IL_0652: ldloc.s    emailTd
IL_0654: ldstr      "sectionBreak"
IL_0659: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [616 11 - 616 48]
IL_065e: ldloc.s    emailTd
IL_0660: ldstr      "(Section Break)"
IL_0665: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [617 11 - 617 49]
IL_066a: ldloc.s    emailTd
IL_066c: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0671: ldstr      "align"
IL_0676: ldstr      "center"
IL_067b: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::set_Item(!0/*string*/, !1/*string*/)

// [618 11 - 618 69]
IL_0680: ldloc.2     // emailTr
IL_0681: ldloc.s    emailTd
IL_0683: ldc.i4.0
IL_0684: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0689: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

IL_068e: br         IL_0b89

// [621 12 - 621 50]
IL_0693: ldarg.0     // 'field'
IL_0694: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldType [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Type()
IL_0699: ldc.i4.s    13 // 0x0d
IL_069b: bne.un     IL_0804

// [623 9 - 623 52]
IL_06a0: ldarg.0     // 'field'
IL_06a1: isinst     [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldPageBreak
IL_06a6: stloc.s    fieldPageBreak

IL_06a8: ldloc.s    fieldPageBreak
IL_06aa: brfalse   IL_0b89

// [625 11 - 625 51]
IL_06af: ld sfld     int32 CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::WizardStepNumber
IL_06b4: ldc.i4.1
IL_06b5: add
IL_06b6: st sfld     int32 CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::WizardStepNumber

// [626 11 - 626 55]
IL_06bb: ldstr      "h2"
IL_06c0: newobj     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::ctor(string)
IL_06c5: stloc.s    tagBuilder

// [627 11 - 665 13]
IL_06c7: newobj     instance void [System]System.Collections.Specialized.NameValueCollection::ctor()
IL_06cc: stloc.s    V_19
IL_06ce: ldloc.s    V_19
IL_06d0: ldstr      "color"
IL_06d5: ldstr      "#222222"
IL_06da: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_06df: ldloc.s    V_19
IL_06e1: ldstr      "font-family"
IL_06e6: ldstr      "'Helvetica', 'Arial', sans-serif"
IL_06eb: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_06f0: ldloc.s    V_19
IL_06f2: ldstr      "font-weight"
IL_06f7: ldstr      "bold"
IL_06fc: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0701: ldloc.s    V_19
IL_0703: ldstr      "text-align"
IL_0708: ldstr      "left"
IL_070d: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0712: ldloc.s    V_19
IL_0714: ldstr      "line-height"
IL_0719: ldstr      "1.3"
IL_071e: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0723: ldloc.s    V_19
IL_0725: ldstr      "word-break"

```

```

IL_072a: ldstr      "normal"
IL_072f: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0734: ldloc.s    V_19
IL_0736: ldstr      "font-size"
IL_073b: ldstr      "11pt"
IL_0740: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0745: ldloc.s    V_19
IL_0747: ldstr      "margin"
IL_074c: ldstr      "0"
IL_0751: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0756: ldloc.s    V_19
IL_0758: ldstr      "padding"
IL_075d: ldstr      "0"
IL_0762: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0767: ldloc.s    tagBuilder
IL_0769: ldloc.s    V_19
IL_076b: call      void CivicPlus.CMS.MvcControls.Html.HtmlTagBuilderExtensions::SetInlineStyles(class [System.Web.WebPages]
System.Web.Mvc.TagBuilder, class [System]System.Collections.Specialized.NameValueCollection)

// [666 11 - 666 53]
IL_0770: ldloc.s    tagBuilder
IL_0772: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0777: ldstr      "align"
IL_077c: ldstr      "left"
IL_0781: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [667 11 - 667 161]
IL_0786: ldloc.s    tagBuilder
IL_0788: ldloc.s    fieldPageBreak
IL_078a: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldPageBreak::get_Title()
IL_078f: call      bool [mscorlib]System.String::IsNullOrEmpty(string)
IL_0794: brtrue.s    IL_079f

IL_0796: ldloc.s    fieldPageBreak
IL_0798: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldPageBreak::get_Title()
IL_079d: br.s      IL_07b3
IL_079f: ldstr      "Step "
IL_07a4: ldsflda   int32 CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::WizardStepNumber
IL_07a9: call      instance string [mscorlib]System.Int32::ToString()
IL_07ae: call      string [mscorlib]System.String::Concat(string, string)
IL_07b3: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [668 11 - 668 69]
IL_07b8: ldnull
IL_07b9: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::CreateEmailTd(class [System]
System.Collections.Specialized.NameValueCollection)
IL_07be: stloc.s    emailTd_V_20

// [669 11 - 669 43]
IL_07c0: ldloc.s    emailTd_V_20
IL_07c2: ldstr      "pageBreak"
IL_07c7: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [670 11 - 670 46]
IL_07cc: ldloc.s    emailTd_V_20
IL_07ce: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_07d3: ldstr      "colspan"
IL_07d8: ldstr      "2"
IL_07dd: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::set_Item(!0/*string*/, !1/*string*/)

// [671 11 - 671 72]
IL_07e2: ldloc.s    emailTd_V_20
IL_07e4: ldloc.s    tagBuilder
IL_07e6: ldc.i4.0
IL_07e7: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_07ec: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [672 11 - 672 69]
IL_07f1: ldloc.2      // emailTr
IL_07f2: ldloc.s    emailTd_V_20
IL_07f4: ldc.i4.0
IL_07f5: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_07fa: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

```

```

IL_07ff: br      IL_0b89

// [675 12 - 675 49]
IL_0804: ldarg.0 // 'field'
IL_0805: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldType [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Type()
IL_080a: ldc.i4.s 15 // 0x0f
IL_080c: bne.un  IL_0999

// [677 9 - 677 50]
IL_0811: ldarg.0 // 'field'
IL_0812: isinst [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldReadOnly
IL_0817: stloc.s fieldReadOnly

IL_0819: ldloc.s fieldReadOnly
IL_081b: brfalse IL_0b89

// [679 11 - 709 13]
IL_0820: newobj instance void [System]System.Collections.Specialized.NameValueCollection::ctor()
IL_0825: dup
IL_0826: ldstr "color"
IL_082b: ldstr "#222222"
IL_0830: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0835: dup
IL_0836: ldstr "font-family"
IL_083b: ldstr "'Helvetica', 'Arial', sans-serif"
IL_0840: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0845: dup
IL_0846: ldstr "text-align"
IL_084b: ldstr "left"
IL_0850: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0855: dup
IL_0856: ldstr "word-break"
IL_085b: ldstr "normal"
IL_0860: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0865: dup
IL_0866: ldstr "font-size"
IL_086b: ldstr "11pt"
IL_0870: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0875: dup
IL_0876: ldstr "font-weight"
IL_087b: ldstr "normal"
IL_0880: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0885: dup
IL_0886: ldstr "align"
IL_088b: ldstr "left"
IL_0890: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0895: call class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::CreateEmailTd(class [System]
System.Collections.Specialized.NameValueCollection)
IL_089a: stloc.s emailTd_V_22

// [710 11 - 710 36]
IL_089c: ldloc.s emailTd_V_22
IL_089e: ldstr "th"
IL_08a3: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [711 11 - 711 46]
IL_08a8: ldloc.s emailTd_V_22
IL_08aa: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_08af: ldstr "colspan"
IL_08b4: ldstr "2"
IL_08b9: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::set_Item(!0/*string*/, !1/*string*/)

// [712 11 - 712 47]
IL_08be: ldloc.s emailTd_V_22
IL_08c0: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_08c5: ldstr "align"
IL_08ca: ldstr "left"
IL_08cf: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::set_Item(!0/*string*/, !1/*string*/)

// [713 11 - 713 46]
IL_08d4: ldloc.s emailTd_V_22
IL_08d6: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()

```

```

IL_08db: ldstr      "scope"
IL_08e0: ldstr      "row"
IL_08e5: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::set_Item(!0/*string*/, !1/*string*/)

// [714 11 - 714 50]
IL_08ea: ldloc.s     emailTd_V_22
IL_08ec: ldloc.s     fieldReadOnly
IL_08ee: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard::get_Label()
IL_08f3: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [715 11 - 715 63]
IL_08f8: ldloc.s     fieldReadOnly
IL_08fa: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldReadOnly::get_Value()
IL_08ff: call      bool [mscorlib]System.String::IsNullOrEmpty(string)
IL_0904: brtrue.s    IL_093f

// [717 13 - 717 57]
IL_0906: ldstr      "i"
IL_090b: newobj     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_0910: stloc.s    tagBuilder1

// [718 13 - 718 56]
IL_0912: ldloc.s    tagBuilder1
IL_0914: ldloc.s    fieldReadOnly
IL_0916: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldReadOnly::get_Value()
IL_091b: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [719 13 - 719 45]
IL_0920: ldloc.s    emailTd_V_22
IL_0922: dup

// [720 13 - 720 113]
IL_0923: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::get_InnerHtml()
IL_0928: ldstr      "<br/>"
IL_092d: ldloc.s    tagBuilder1
IL_092f: ldc.i4.0
IL_0930: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0935: call      string [mscorlib]System.String::Concat(string, string, string)
IL_093a: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [722 11 - 722 70]
IL_093f: ldloc.s    fieldReadOnly
IL_0941: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard::get_Instructions()
IL_0946: call      bool [mscorlib]System.String::IsNullOrEmpty(string)
IL_094b: brtrue.s    IL_0986

// [724 13 - 724 57]
IL_094d: ldstr      "i"
IL_0952: newobj     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_0957: stloc.s    tagBuilder3

// [725 13 - 725 63]
IL_0959: ldloc.s    tagBuilder3
IL_095b: ldloc.s    fieldReadOnly
IL_095d: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard::get_Instructions()
IL_0962: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [726 13 - 726 45]
IL_0967: ldloc.s    emailTd_V_22
IL_0969: dup

// [727 13 - 727 113]
IL_096a: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::get_InnerHtml()
IL_096f: ldstr      "<br/>"
IL_0974: ldloc.s    tagBuilder3
IL_0976: ldc.i4.0
IL_0977: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_097c: call      string [mscorlib]System.String::Concat(string, string, string)
IL_0981: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [729 11 - 729 69]
IL_0986: ldloc.2     // emailTr
IL_0987: ldloc.s    emailTd_V_22
IL_0989: ldc.i4.0
IL_098a: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)

```

```

IL_098f: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

IL_0994: br IL_0b89

// [732 12 - 732 59]
IL_0999: ldarg.0 // 'field'
IL_099a: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldType [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Type()
IL_099f: ldc.i4.8
IL_09a0: bne.un IL_0b5c

// [734 9 - 734 65]
IL_09a5: ldarg.0 // 'field'
IL_09a6: isinst [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldHeaderInstructions
IL_09ab: stloc.s headerInstructions

IL_09ad: ldloc.s headerInstructions
IL_09af: brfalse IL_0b89

// [736 11 - 736 72]
IL_09b4: newobj instance void [System]System.Collections.Specialized.NameValueCollection::ctor()
IL_09b9: stloc.s cssAttributes

// [737 11 - 737 48]
IL_09bb: ldloc.s cssAttributes
IL_09bd: ldstr "color"
IL_09c2: ldstr "#222222"
IL_09c7: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)

// [738 11 - 738 79]
IL_09cc: ldloc.s cssAttributes
IL_09ce: ldstr "font-family"
IL_09d3: ldstr "'Helvetica', 'Arial', sans-serif"
IL_09d8: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)

// [739 11 - 739 50]
IL_09dd: ldloc.s cssAttributes
IL_09df: ldstr "text-align"
IL_09e4: ldstr "left"
IL_09e9: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)

// [740 11 - 740 52]
IL_09ee: ldloc.s cssAttributes
IL_09f0: ldstr "word-break"
IL_09f5: ldstr "normal"
IL_09fa: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)

// [741 11 - 741 49]
IL_09ff: ldloc.s cssAttributes
IL_0a01: ldstr "font-size"
IL_0a06: ldstr "11pt"
IL_0a0b: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)

// [742 11 - 742 53]
IL_0a10: ldloc.s cssAttributes
IL_0a12: ldstr "font-weight"
IL_0a17: ldstr "normal"
IL_0a1c: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)

// [743 11 - 743 60]
IL_0a21: ldloc.s cssAttributes
IL_0a23: ldstr "border-bottom-style"
IL_0a28: ldstr "solid"
IL_0a2d: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)

// [744 11 - 744 59]
IL_0a32: ldloc.s cssAttributes
IL_0a34: ldstr "border-bottom-color"
IL_0a39: ldstr "#ccc"
IL_0a3e: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)

// [745 11 - 745 58]
IL_0a43: ldloc.s cssAttributes
IL_0a45: ldstr "border-bottom-width"
IL_0a4a: ldstr "1px"
IL_0a4f: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)

// [746 11 - 746 52]

```

```

IL_0a54: ldloc.s    cssAttributes
IL_0a56: ldstr        "padding-top"
IL_0a5b: ldstr        "0.5em"
IL_0a60: callvirt    instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)

// [747 11 - 747 55]
IL_0a65: ldloc.s    cssAttributes
IL_0a67: ldstr        "padding-bottom"
IL_0a6c: ldstr        "0.5em"
IL_0a71: callvirt    instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)

// [748 11 - 748 52]
IL_0a76: ldloc.s    cssAttributes
IL_0a78: ldstr        "padding-right"
IL_0a7d: ldstr        "1em"
IL_0a82: callvirt    instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)

// [749 11 - 749 51]
IL_0a87: ldloc.s    cssAttributes
IL_0a89: ldstr        "padding-left"
IL_0a8e: ldstr        "0px"
IL_0a93: callvirt    instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)

// [750 11 - 750 69]
IL_0a98: ldnull
IL_0a99: call        class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::CreateEmailTd(class [System]
System.Collections.Specialized.NameValueCollection)
IL_0a9e: stloc.s    emailTd_V_27

// [751 11 - 751 49]
IL_0aa0: ldloc.s    emailTd_V_27
IL_0aa2: ldloc.s    cssAttributes
IL_0aa4: call        void CivicPlus.CMS.MvcControls.Html.HtmlTagBuilderExtensions::SetInlineStyles(class [System.Web.WebPages]
System.Web.Mvc.TagBuilder, class [System]System.Collections.Specialized.NameValueCollection)

// [752 11 - 752 36]
IL_0aa9: ldloc.s    emailTd_V_27
IL_0aab: ldstr        "th"
IL_0ab0: callvirt    instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [753 11 - 753 47]
IL_0ab5: ldloc.s    emailTd_V_27
IL_0ab7: callvirt    instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0abc: ldstr        "align"
IL_0ac1: ldstr        "left"
IL_0ac6: callvirt    instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::set_Item(!0/*string*/, !1/*string*/)

// [754 11 - 754 46]
IL_0acb: ldloc.s    emailTd_V_27
IL_0acd: callvirt    instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0ad2: ldstr        "scope"
IL_0ad7: ldstr        "row"
IL_0adc: callvirt    instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::set_Item(!0/*string*/, !1/*string*/)

// [755 11 - 755 46]
IL_0ae1: ldloc.s    emailTd_V_27
IL_0ae3: callvirt    instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0ae8: ldstr        "colspan"
IL_0aed: ldstr        "2"
IL_0af2: callvirt    instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::set_Item(!0/*string*/, !1/*string*/)

// [756 11 - 756 55]
IL_0af7: ldloc.s    emailTd_V_27
IL_0af9: ldloc.s    headerInstructions
IL_0afb: callvirt    instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard::get_Label()
IL_0b00: callvirt    instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [757 11 - 757 75]
IL_0b05: ldloc.s    headerInstructions
IL_0b07: callvirt    instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard::get_Instructions()
IL_0b0c: call        bool [mscorlib]System.String::IsNullOrEmpty(string)
IL_0b11: brtrue.s    IL_0b4c

// [759 13 - 759 57]

```

```

IL_0b13: ldstr      ""
IL_0b18: newobj      instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_0b1d: stloc.s     tagBuilder5

// [760 13 - 760 68]
IL_0b1f: ldloc.s     tagBuilder5
IL_0b21: ldloc.s     headerInstructions
IL_0b23: callvirt    instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard::get_Instructions()
IL_0b28: callvirt    instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [761 13 - 761 45]
IL_0b2d: ldloc.s     emailTd_V_27
IL_0b2f: dup

// [762 13 - 762 113]
IL_0b30: callvirt    instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::get_InnerHtml()
IL_0b35: ldstr      "<br/>"
IL_0b3a: ldloc.s     tagBuilder5
IL_0b3c: ldc.i4.0
IL_0b3d: callvirt    instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0b42: call       string [mscorlib]System.String::Concat(string, string, string)
IL_0b47: callvirt    instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [764 11 - 764 69]
IL_0b4c: ldloc.2     // emailTr
IL_0b4d: ldloc.s     emailTd_V_27
IL_0b4f: ldc.i4.0
IL_0b50: callvirt    instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0b55: callvirt    instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

IL_0b5a: br.s      IL_0b89

// [769 9 - 769 52]
IL_0b5c: newobj      instance void [mscorlib]System.Text.StringBuilder::.ctor()
IL_0b61: stloc.s     output1

// [770 9 - 770 88]
IL_0b63: call       class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::get_RendererDictionary()
IL_0b68: ldarg.0     // 'field'
IL_0b69: callvirt    instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldType [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Type()
IL_0b6e: callvirt    instance !1/*class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer*/ class
[mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>::get_Item(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType*/)
IL_0b73: ldarg.0     // 'field'
IL_0b74: ldarg.1     // viewModel
IL_0b75: ldloc.s     output1
IL_0b77: callvirt    instance void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer::Invoke(class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [mscorlib]System.Text.StringBuilder)

// [771 9 - 771 47]
IL_0b7c: ldloc.2     // emailTr
IL_0b7d: ldloc.s     output1
IL_0b7f: callvirt    instance string [mscorlib]System.Object::ToString()
IL_0b84: callvirt    instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [773 7 - 773 60]
IL_0b89: ldarg.3     // output
IL_0b8a: ldloc.2     // emailTr
IL_0b8b: ldc.i4.0
IL_0b8c: callvirt    instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0b91: callvirt    instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0b96: pop

IL_0b97: ret

} // end of method FieldRenderExtensions::FieldRenderEmail

.method private hidebysig static void
FieldRenderWeb(

```

```

class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field 'field',
class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
string extraCssClasses,
class [mscorlib]System.Text.StringBuilder output
) cil managed
{
.maxstack 6
.locals init (
[0] string str,
[1] int32 V_1,
[2] class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldSectionBreak fieldSectionBreak,
[3] string str_V_3
)

// [782 7 - 782 65]
IL_0000: ldarg.0 // 'field'
IL_0001: ldarg.1 // viewModel
IL_0002: call bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsFieldShown(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel)
IL_0007: brtrue.s IL_000a

// [783 9 - 783 16]
IL_0009: ret

// [784 7 - 784 45]
IL_000a: ldarg.0 // 'field'
IL_000b: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldType [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Type()
IL_0010: ldc.i4.s 13 // 0x0d
IL_0012: bne.un IL_01df

// [786 9 - 786 178]
IL_0017: ldarg.1 // viewModel
IL_0018: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_001d: call bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_0022: brtrue IL_03a6

IL_0027: ldarg.1 // viewModel
IL_0028: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_002d: ldc.i4.4
IL_002e: beq IL_03a6
IL_0033: ldarg.1 // viewModel
IL_0034: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_0039: ldc.i4.5
IL_003a: beq IL_03a6

// [788 9 - 788 49]
IL_003f: ld sfld int32 CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::WizardStepNumber
IL_0044: ldc.i4.1
IL_0045: add
IL_0046: st sfld int32 CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::WizardStepNumber

// [789 9 - 789 53]
IL_004b: ldarg.0 // 'field'
IL_004c: isinst [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldPageBreak
IL_0051: callvirt instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldPageBreak::get_Title()
IL_0056: stloc.0 // str

// [790 9 - 790 38]
IL_0057: ldloc.0 // str
IL_0058: ldstr ""
IL_005d: call bool [mscorlib]System.String::op_Equality(string, string)
IL_0062: brtrue.s IL_0067

IL_0064: ldloc.0 // str
IL_0065: brtrue.s IL_007d

// [791 11 - 791 113]
IL_0067: ldstr "Step "
IL_006c: ld sfld int32 CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::WizardStepNumber
IL_0071: conv.r8
IL_0072: call string [CivicPlus.CMS.Library]CivicPlus.CMS.Library.Common.Utilities.ConversionHelper::ChangeNumericToWords(float64)
IL_0077: call string [mscorlib]System.String::Concat(string, string)
IL_007c: stloc.0 // str

```

```

// [792 9 - 792 56]
IL_007d: ldsfld      int32 CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::WizardStepNumber
IL_0082: ldc.i4.2
IL_0083: bne.un.s     IL_00da

// [808 13 - 808 56]
IL_0085: ldarg.3      // output
IL_0086: ldstr        "<li class=\"buttons\">\r\n"
IL_008b: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0090: pop

// [809 13 - 809 43]
IL_0091: ldarg.3      // output
IL_0092: ldstr        "\t\t<div>\r\n"
IL_0097: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_009c: pop

// [810 13 - 810 229]
IL_009d: ldarg.3      // output
IL_009e: ldstr        "\t\t\t<a href=\"javascript:void(0);\" class=\"modern-button nextAction\" onclick=\"displayStep("
IL_00a3: ldsflda      int32 CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::WizardStepNumber
IL_00a8: call         instance string [mscorlib]System.Int32::ToString()
IL_00ad: ldstr        ");return false;\"><span>Continue</span></a>\r\n"
IL_00b2: call         string [mscorlib]System.String::Concat(string, string, string)
IL_00b7: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_00bc: pop

// [811 13 - 811 44]
IL_00bd: ldarg.3      // output
IL_00be: ldstr        "\t\t</div>\r\n"
IL_00c3: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_00c8: pop

// [812 13 - 812 41]
IL_00c9: ldarg.3      // output
IL_00ca: ldstr        "\t</li>\r\n"
IL_00cf: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_00d4: pop

// [813 13 - 813 25]
IL_00d5: br          IL_015b

IL_00da: ldsfld      int32 CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::WizardStepNumber
IL_00df: ldc.i4.1
IL_00e0: beq.s        IL_015b

// [815 13 - 815 56]
IL_00e2: ldarg.3      // output
IL_00e3: ldstr        "<li class=\"buttons\">\r\n"
IL_00e8: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_00ed: pop

// [816 13 - 816 43]
IL_00ee: ldarg.3      // output
IL_00ef: ldstr        "\t\t<div>\r\n"
IL_00f4: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_00f9: pop

// [817 13 - 817 399]
IL_00fa: ldarg.3      // output
IL_00fb: ldc.i4.5
IL_00fc: newarr     [mscorlib]System.String
IL_0101: dup
IL_0102: ldc.i4.0
IL_0103: ldstr        "\t\t\t<a href=\"javascript:void(0);\" class=\"button nextAction\" onclick=\"displayStep("
IL_0108: stelem.ref
IL_0109: dup
IL_010a: ldc.i4.1
IL_010b: ldsflda      int32 CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::WizardStepNumber
IL_0110: call         instance string [mscorlib]System.Int32::ToString()
IL_0115: stelem.ref
IL_0116: dup
IL_0117: ldc.i4.2
IL_0118: ldstr        ");return false;\"><span>Continue</span></a><span class=\"goBack\"><a href=\"javascript:void(0);\" onclick=
\"displayStep("
IL_011d: stelem.ref
IL_011e: dup

```

```

IL_011f: ldc.i4.3
IL_0120: ldsfld      int32 CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::WizardStepNumber
IL_0125: ldc.i4.2
IL_0126: sub
IL_0127: stloc.1      // V_1
IL_0128: ldloc.s      V_1
IL_012a: call        instance string [mscorlib]System.Int32::ToString()
IL_012f: stelem.ref
IL_0130: dup
IL_0131: ldc.i4.4
IL_0132: ldstr        ");return false;\">Go Back</a></span>\r\n"
IL_0137: stelem.ref
IL_0138: call        string [mscorlib]System.String::Concat(string[])
IL_013d: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0142: pop

// [818 13 - 818 44]
IL_0143: ldarg.3      // output
IL_0144: ldstr        "\t\t</div>\r\n"
IL_0149: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_014e: pop

// [819 13 - 819 41]
IL_014f: ldarg.3      // output
IL_0150: ldstr        "\t</li>\r\n"
IL_0155: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_015a: pop

// [795 13 - 795 61]
IL_015b: ldsfld      int32 CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::WizardStepNumber
IL_0160: ldc.i4.1
IL_0161: beq.s        IL_017b

// [797 15 - 797 45]
IL_0163: ldarg.3      // output
IL_0164: ldstr        "\t\t</ol>\r\n"
IL_0169: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_016e: pop

// [798 15 - 798 42]
IL_016f: ldarg.3      // output
IL_0170: ldstr        "</div>\r\n"
IL_0175: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_017a: pop

// [800 13 - 800 133]
IL_017b: ldarg.3      // output
IL_017c: ldstr        "<div class=\"section selfClear\" id=\"wizard\"
IL_0181: ldsflda      int32 CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::WizardStepNumber
IL_0186: call        instance string [mscorlib]System.Int32::ToString()
IL_018b: ldstr        "\""
IL_0190: call        string [mscorlib]System.String::Concat(string, string, string)
IL_0195: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_019a: pop

// [801 13 - 801 61]
IL_019b: ldsfld      int32 CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::WizardStepNumber
IL_01a0: ldc.i4.1
IL_01a1: beq.s        IL_01af

// [802 15 - 802 55]
IL_01a3: ldarg.3      // output
IL_01a4: ldstr        "style=\"display:none;\""
IL_01a9: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_01ae: pop

// [803 13 - 803 35]
IL_01af: ldarg.3      // output
IL_01b0: ldstr        ">\r\n"
IL_01b5: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_01ba: pop

// [804 13 - 804 58]
IL_01bb: ldarg.3      // output
IL_01bc: ldstr        "\t\t<h2>"
IL_01c1: ldloc.0      // str
IL_01c2: ldstr        "</h2>\r\n"
IL_01c7: call        string [mscorlib]System.String::Concat(string, string, string)

```

```

IL_01cc: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_01d1: pop

// [805 13 - 805 71]
IL_01d2: ldarg.3 // output
IL_01d3: ldstr "\t\t\t<ol class=\"selfClear cpForm\">\r\n"
IL_01d8: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_01dd: pop

// [806 13 - 806 19]
IL_01de: ret

// [823 12 - 823 53]
IL_01df: ldarg.0 // 'field'
IL_01e0: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldType [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Type()
IL_01e5: ldc.i4.s 12 // 0x0c
IL_01e7: bne.un IL_02b9

// [825 9 - 825 61]
IL_01ec: ldarg.0 // 'field'
IL_01ed: isinst [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldSectionBreak
IL_01f2: stloc.2 // fieldSectionBreak

IL_01f3: ldloc.2 // fieldSectionBreak
IL_01f4: brfalse IL_03a6

// [827 9 - 827 57]
IL_01f9: ldarg.3 // output
IL_01fa: ldstr "<li class=\"whole sectionBreak \"
IL_01ff: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0204: pop

// [828 9 - 828 39]
IL_0205: ldarg.3 // output
IL_0206: ldarg.2 // extraCssClasses
IL_0207: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_020c: pop

// [829 9 - 829 37]
IL_020d: ldarg.3 // output
IL_020e: ldstr "\" style=\"\"
IL_0213: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0218: pop

// [830 9 - 830 176]
IL_0219: ldloc.2 // fieldSectionBreak
IL_021a: callvirt instance class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType, class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings>
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Visual()
IL_021f: brfalse.s IL_0272

IL_0221: ldloc.2 // fieldSectionBreak
IL_0222: callvirt instance class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType, class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings>
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Visual()
IL_0227: ldc.i4.0
IL_0228: callvirt instance bool class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType, class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings>::ContainsKey(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType*/)
IL_022d: brfalse.s IL_0272
IL_022f: ldloc.2 // fieldSectionBreak
IL_0230: callvirt instance class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType, class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings>
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Visual()
IL_0235: ldc.i4.0
IL_0236: callvirt instance !1/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings*/ class [mscorlib]
System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType, class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings>::get_Item(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType*/)
IL_023b: callvirt instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings::get_BackColor()
IL_0240: brfalse.s IL_0272

// [832 11 - 832 47]
IL_0242: ldarg.3 // output
IL_0243: ldstr " border-top-color: "
IL_0248: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)

```

```

IL_024d: pop

// [833 11 - 833 82]
IL_024e: ldarg.3 // output
IL_024f: ldloc.2 // fieldSectionBreak
IL_0250: callvirt instance class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType, class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings>
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Visual()
IL_0255: ldc.i4.0
IL_0256: callvirt instance !1/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings*/ class [mscorlib]
System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType, class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings>::get_Item(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType*/)
IL_025b: callvirt instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings::get_BackColor()
IL_0260: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0265: pop

// [834 11 - 834 30]
IL_0266: ldarg.3 // output
IL_0267: ldstr "; "
IL_026c: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0271: pop

// [836 9 - 836 66]
IL_0272: ldloc.2 // fieldSectionBreak
IL_0273: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.LineStyle [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldSectionBreak::get_LineStyle()
IL_0278: ldc.i4.3
IL_0279: beq.s IL_0294

// [837 11 - 837 95]
IL_027b: ldarg.3 // output
IL_027c: ldstr " border-top-style: {0} "
IL_0281: ldloc.2 // fieldSectionBreak
IL_0282: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.LineStyle [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldSectionBreak::get_LineStyle()
IL_0287: box [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.LineStyle
IL_028c: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::AppendFormat(string, object)
IL_0291: pop

IL_0292: br.s IL_02a0

// [839 11 - 839 53]
IL_0294: ldarg.3 // output
IL_0295: ldstr " border-top-style: none; "
IL_029a: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_029f: pop

// [840 9 - 840 29]
IL_02a0: ldarg.3 // output
IL_02a1: ldstr ">"
IL_02a6: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_02ab: pop

// [841 9 - 841 31]
IL_02ac: ldarg.3 // output
IL_02ad: ldstr "</li>"
IL_02b2: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_02b7: pop
IL_02b8: ret

// [845 9 - 845 38]
IL_02b9: ldarg.3 // output
IL_02ba: ldstr "<li class=\""
IL_02bf: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_02c4: pop

// [846 9 - 846 80]
IL_02c5: ldarg.3 // output
IL_02c6: call class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize, string>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::get_SizeCSSClassDictionary()
IL_02cb: ldarg.0 // 'field'
IL_02cc: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Size()
IL_02d1: callvirt instance !1/*string*/ class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize, string>::get_Item(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize*/)

```

```

IL_02d6: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_02db: pop

// [847 9 - 847 27]
IL_02dc: ldarg.3 // output
IL_02dd: ldstr ""
IL_02e2: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_02e7: pop

// [848 9 - 848 39]
IL_02e8: ldarg.3 // output
IL_02e9: ldarg.2 // extraCssClasses
IL_02ea: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_02ef: pop

// [849 9 - 849 28]
IL_02f0: ldarg.3 // output
IL_02f1: ldstr "\""
IL_02f6: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_02fb: pop

// [850 9 - 850 84]
IL_02fc: ldarg.0 // 'field'
IL_02fd: callvirt instance class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType, class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings>
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Visual()
IL_0302: brfalse.s IL_035a

IL_0304: ldarg.0 // 'field'
IL_0305: callvirt instance class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType, class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings>
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Visual()
IL_030a: ldc.i4.0
IL_030b: callvirt instance bool class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType, class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings>::ContainsKey(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType*/)
IL_0310: brfalse.s IL_035a

// [852 11 - 852 74]
IL_0312: ldarg.0 // 'field'
IL_0313: callvirt instance class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType, class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings>
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Visual()
IL_0318: ldc.i4.0
IL_0319: callvirt instance !1/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings*/ class [mscorlib]
System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType, class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings>::get_Item(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType*/)
IL_031e: callvirt instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldVisualSettings::get_BackColor()
IL_0323: dup

IL_0324: brtrue.s IL_032c
IL_0326: pop
IL_0327: ldstr ""
IL_032c: stloc.3 // str_V_3

// [853 11 - 853 25]
IL_032d: ldloc.3 // str_V_3
IL_032e: ldstr ""
IL_0333: call bool [mscorlib]System.String::op_Inequality(string, string)
IL_0338: brfalse.s IL_035a

// [855 13 - 855 56]
IL_033a: ldarg.3 // output
IL_033b: ldstr " style=\"background-color:"
IL_0340: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0345: pop

// [856 13 - 856 31]
IL_0346: ldarg.3 // output
IL_0347: ldloc.3 // str_V_3
IL_0348: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_034d: pop

// [857 13 - 857 32]
IL_034e: ldarg.3 // output
IL_034f: ldstr "\""

```

```

IL_0354: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0359: pop

// [860 9 - 860 27]
IL_035a: ldarg.3 // output
IL_035b: ldstr ">"
IL_0360: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0365: pop

// [861 9 - 861 40]
IL_0366: call int32 [CivicPlus.CMS.Library]CivicPlus.CMS.Library.BusinessLogic.Core.CommonFunctions::get_UserID()
IL_036b: ldc.i4.0
IL_036c: ble.s IL_0382

// [862 11 - 862 150]
IL_036e: newobj instance void [CivicPlus.BusinessLogic]CivicPlus.BusinessLogic.Modules.EPayment.Contact::ctor()
IL_0373: call int32 [CivicPlus.CMS.Library]CivicPlus.CMS.Library.BusinessLogic.Core.CommonFunctions::get_UserID()
IL_0378: call instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.EPayment.Contact [CivicPlus.BusinessLogic]
CivicPlus.BusinessLogic.Modules.EPayment.Contact::GetDefaultContact(int32)
IL_037d: stsfld class [CivicPlus.Entities]CivicPlus.Entities.Modules.EPayment.Contact
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::userDefaultContact

// [863 9 - 863 87]
IL_0382: call class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::get_RendererDictionary()
IL_0387: ldarg.0 // 'field'
IL_0388: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldType [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Type()
IL_038d: callvirt instance !1/*class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer*/ class
[mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>::get_Item(!0/*valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType*/)
IL_0392: ldarg.0 // 'field'
IL_0393: ldarg.1 // viewModel
IL_0394: ldarg.3 // output
IL_0395: callvirt instance void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer::Invoke(class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [mscorlib]System.Text.StringBuilder)

// [864 9 - 864 31]
IL_039a: ldarg.3 // output
IL_039b: ldstr "</li>"
IL_03a0: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_03a5: pop

IL_03a6: ret

} // end of method FieldRenderExtensions::FieldRenderWeb

.method private hidebysig static !!0/*T*/
FieldContentRenderInit<class T>(  
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field fieldArg,  
    class [mscorlib]System.Text.StringBuilder output  
) cil managed
{
    .maxstack 3

// [870 7 - 870 28]
IL_0000: ldarg.0 // fieldArg
IL_0001: brtrue.s IL_000e

// [871 9 - 871 60]
IL_0003: ldstr "fieldArg"
IL_0008: newobj instance void [mscorlib]System.ArgumentNullException::ctor(string)
IL_000d: throw

// [872 7 - 872 26]
IL_000e: ldarg.1 // output
IL_000f: brtrue.s IL_001c

// [873 9 - 873 58]
IL_0011: ldstr "output"
IL_0016: newobj instance void [mscorlib]System.ArgumentNullException::ctor(string)
IL_001b: throw

// [874 7 - 874 136]

```

```

IL_001c: ldarg.0    // fieldArg
IL_001d: isinst     !!0/*T*/
IL_0022: unbox.any  !!0/*T*/
IL_0027: dup

IL_0028: box        !!0/*T*/
IL_002d: brtrue.s   IL_003f
IL_002f: ldstr      "Incorrect render method for field type given."
IL_0034: ldstr      "fieldArg"
IL_0039: newobj     instance void [mscorlib]System.ArgumentException::.ctor(string, string)
IL_003e: throw
IL_003f: ret

} // end of method FieldRenderExtensions::FieldContentRenderInit

.method private hidebysig static void
FieldContentRenderShortAnswer(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field fieldArg,
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
    class [mscorlib]System.Text.StringBuilder output
) cil managed
{
    .maxstack 4
    .locals init (
        [0] class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldShortAnswer 'field',
        [1] string inputElemID,
        [2] string fieldName,
        [3] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardLabel,
        [4] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardInstructions,
        [5] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder1,
        [6] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder2,
        [7] valuetype [System.Web.WebPages]System.Web.Mvc.TagRenderMode renderMode,
        [8] class [System]System.Collections.Specialized.NameValueCollection styleDict,
        [9] string str1,
        [10] string str2,
        [11] int32 V_11,
        [12] valuetype [mscorlib]System.Nullable`1<int32> maxLength
    )

    // [882 7 - 882 112]
    IL_0000: ldarg.0    // fieldArg
    IL_0001: ldarg.2    // output
    IL_0002: call       !!0/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldShortAnswer*/
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderInit<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldShortAnswer>(class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
[mscorlib]System.Text.StringBuilder)
    IL_0007: stloc.0    // 'field'

    // [883 7 - 883 54]
    IL_0008: ldstr      "e_"
    IL_000d: ldloc.0    // 'field'
    IL_000e: callvirt   instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
    IL_0013: stloc.s    V_11
    IL_0015: ldloc.s    V_11
    IL_0017: call       instance string [mscorlib]System.Int32::ToString()
    IL_001c: call       string [mscorlib]System.String::Concat(string, string)
    IL_0021: stloc.1    // inputElemID

    // [884 7 - 884 39]
    IL_0022: ldnull
    IL_0023: stloc.2    // fieldName

    // [885 7 - 885 127]
    IL_0024: ldarg.1    // viewModel
    IL_0025: ldloc.0    // 'field'
    IL_0026: ldloc.1    // inputElemID
    IL_0027: call       class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardLabel(class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard, string)
    IL_002c: stloc.3    // standardLabel

    // [886 7 - 886 117]
    IL_002d: ldloc.0    // 'field'
    IL_002e: call       class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardInstructions(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard)
    IL_0033: stloc.s    standardInstructions

```

```

// [887 7 - 887 119]
IL_0035: ldloc.0 // 'field'
IL_0036: ldarg.1 // viewModel
IL_0037: ldloc.s fieldName
IL_0039: call class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldSerializationHelper(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, string&)
IL_003e: stloc.s tagBuilder1
IL_0040: ldnull
IL_0041: stloc.s V_6

// [888 7 - 888 64]
IL_0043: newobj instance void [System]System.Collections.Specialized.NameValueCollection::.ctor()
IL_0048: stloc.s styleDict

// [889 7 - 889 23]
IL_004a: ldstr ""
IL_004f: stloc.s str1

// [890 7 - 890 34]
IL_0051: ldarg.1 // viewModel
IL_0052: callvirt instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FormSubmissionData
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_Data()
IL_0057: brtrue.s IL_0066

// [891 9 - 891 101]
IL_0059: ldloc.0 // 'field'
IL_005a: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.DefaultValueOptions [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldShortAnswer::get_DefaultValueOption()
IL_005f: call string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::GetUserDetailsForDefaultDisplayValues
(valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.DefaultValueOptions)
IL_0064: stloc.s str1

IL_0066: ldstr ""
IL_006b: stloc.s V_10

// [892 7 - 892 145]
IL_006d: ldloc.s str1
IL_006f: ldstr ""
IL_0074: call bool [mscorlib]System.String::op_Equality(string, string)
IL_0079: brfalse.s IL_0086

IL_007b: ldloc.0 // 'field'
IL_007c: ldarg.1 // viewModel
IL_007d: call string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::GetFieldStandardValue(class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard, class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel)
IL_0082: stloc.s V_10
IL_0084: br.s IL_008a
IL_0086: ldloc.s str1
IL_0088: stloc.s V_10
IL_008a: ldloc.s V_10
IL_008c: call string [System.Web]System.Web.HttpUtility::HtmlDecode(string)
IL_0091: stloc.s str2

// [895 7 - 895 68]
IL_0093: ldarg.1 // viewModel
IL_0094: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_0099: call bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_009e: brfalse.s IL_00d6

// [897 9 - 897 42]
IL_00a0: ldc.i4.0
IL_00a1: stloc.s renderMode

// [898 9 - 898 60]
IL_00a3: ldnull
IL_00a4: call class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::CreateEmailTd(class [System]
System.Collections.Specialized.NameValueCollection)
IL_00a9: stloc.s tagBuilder2

// [899 9 - 899 45]
IL_00ab: ldloc.s tagBuilder2
IL_00ad: ldloc.s str2

```

```

IL_00af: call      void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::SetEmailInputValue(class
[System.Web.WebPages]System.Web.Mvc.TagBuilder, string)

// [900 9 - 900 68]
IL_00b4: ldarg.2    // output
IL_00b5: ldloc.3     // standardLabel
IL_00b6: ldc.i4.0
IL_00b7: callvirt instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_00bc: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_00c1: pop

// [901 9 - 901 66]
IL_00c2: ldarg.2    // output
IL_00c3: ldloc.s    tagBuilder2
IL_00c5: ldc.i4.0
IL_00c6: callvirt instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_00cb: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_00d0: pop

IL_00d1: br        IL_02f3

// [903 12 - 903 66]
IL_00d6: ldarg.1    // viewModel
IL_00d7: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_00dc: ldc.i4.4
IL_00dd: bne.un.s  IL_015a

// [905 9 - 905 44]
IL_00df: ldstr    "div"
IL_00e4: newobj instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::ctor(string)
IL_00e9: stloc.s    tagBuilder2

// [906 9 - 906 42]
IL_00eb: ldc.i4.0
IL_00ec: stloc.s    renderMode

// [907 9 - 907 50]
IL_00ee: ldloc.s    styleDict
IL_00f0: ldstr    "border"
IL_00f5: ldstr    "1px solid #BBBBBB"
IL_00fa: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [908 9 - 908 37]
IL_00ff: ldloc.s    styleDict
IL_0101: ldstr    "padding"
IL_0106: ldstr    "4px"
IL_010b: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [909 9 - 909 46]
IL_0110: ldloc.s    styleDict
IL_0112: ldstr    "white-space"
IL_0117: ldstr    "pre-wrap"
IL_011c: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [910 9 - 910 41]
IL_0121: ldloc.s    styleDict
IL_0123: ldstr    "overflow"
IL_0128: ldstr    "hidden"
IL_012d: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [911 9 - 911 40]
IL_0132: ldloc.s    str2
IL_0134: call      bool [mscorlib]System.String::IsNullOrEmpty(string)
IL_0139: brfalse.s IL_014c

// [912 11 - 912 43]
IL_013b: ldloc.s    tagBuilder2
IL_013d: ldstr    "&nbsp;"
IL_0142: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

IL_0147: br        IL_02f3

// [914 11 - 914 41]
IL_014c: ldloc.s    tagBuilder2
IL_014e: ldloc.s    str2

```

```

IL_0150: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::SetInnerText(string)

IL_0155: br IL_02f3

// [918 9 - 918 46]
IL_015a: ldstr "input"
IL_015f: newobj instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_0164: stloc.s tagBuilder2

// [919 9 - 919 47]
IL_0166: ldc.i4.3
IL_0167: stloc.s renderMode

// [920 9 - 920 54]
IL_0169: ldloc.s tagBuilder2
IL_016b: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0170: ldstr "id"
IL_0175: ldloc.1 // inputElemID
IL_0176: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [921 9 - 921 54]
IL_017b: ldloc.s tagBuilder2
IL_017d: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0182: ldstr "name"
IL_0187: ldloc.2 // fieldName
IL_0188: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [922 9 - 922 51]
IL_018d: ldloc.s tagBuilder2
IL_018f: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0194: ldstr "type"
IL_0199: ldstr "text"
IL_019e: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [923 9 - 923 123]
IL_01a3: ldarg.1 // viewModel
IL_01a4: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_01a9: ldc.i4.4
IL_01aa: beq.s IL_01b9

IL_01ac: ldarg.1 // viewModel
IL_01ad: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_01b2: call bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_01b7: brfalse.s IL_01c5

// [924 11 - 924 44]
IL_01b9: ldloc.s tagBuilder2
IL_01bb: ldstr "hidden"
IL_01c0: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [925 9 - 925 77]
IL_01c5: ldloc.0 // 'field'
IL_01c6: ldarg.1 // viewModel
IL_01c7: call bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsFieldReadOnly(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel)
IL_01cc: brfalse.s IL_01e6

// [926 11 - 926 61]
IL_01ce: ldloc.s tagBuilder2
IL_01d0: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_01d5: ldstr "disabled"
IL_01da: ldstr "disabled"
IL_01df: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

IL_01e4: br.s IL_022e

// [927 14 - 927 50]
IL_01e6: ldloc.0 // 'field'
IL_01e7: callvirt instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldShortAnswer::get_Placeholder()
IL_01ec: dup

```

```

IL_01ed: brtrue.s    IL_01f5
IL_01ef: pop
IL_01f0: ldstr      ""
IL_01f5: ldstr      ""
IL_01fa: call      bool [mscorlib]System.String::op_Inequality(string, string)
IL_01ff: brfalse.s   IL_022e

// [929 11 - 929 71]
IL_0201: ldloc.s    tagBuilder2
IL_0203: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0208: ldstr      "placeholder"
IL_020d: ldloc.0    // 'field'
IL_020e: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldShortAnswer::get_Placeholder()
IL_0213: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [930 11 - 930 54]
IL_0218: ldloc.s    tagBuilder2
IL_021a: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_021f: ldstr      "cp5ph"
IL_0224: ldstr      "true"
IL_0229: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [932 9 - 932 41]
IL_022e: ldloc.s    str2
IL_0230: call      bool [mscorlib]System.String::IsNullOrEmpty(string)
IL_0235: brtrue.s    IL_024a

// [933 11 - 933 52]
IL_0237: ldloc.s    tagBuilder2
IL_0239: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_023e: ldstr      "value"
IL_0243: ldloc.s    str2
IL_0245: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [934 9 - 934 41]
IL_024a: ldloc.0    // 'field'
IL_024b: callvirt   instance valuetype [mscorlib]System.Nullable`1<int32> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldShortAnswer::get_MaxLength()
IL_0250: stloc.s    maxLength

// [935 9 - 935 32]
IL_0252: ldloc.s    maxLength
IL_0254: call      instance bool valuetype [mscorlib]System.Nullable`1<int32>::get_HasValue()
IL_0259: brfalse.s   IL_0284
IL_025b: ldloc.s    tagBuilder2
IL_025d: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0262: ldstr      "maxlength"
IL_0267: ldloc.0    // 'field'
IL_0268: callvirt   instance valuetype [mscorlib]System.Nullable`1<int32> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldShortAnswer::get_MaxLength()
IL_026d: stloc.s    maxLength
IL_026f: ldloc.s    maxLength
IL_0271: call      instance !0/*int32*/ valuetype [mscorlib]System.Nullable`1<int32>::get_Value()
IL_0276: stloc.s    V_11
IL_0278: ldloc.s    V_11
IL_027a: call      instance string [mscorlib]System.Int32::ToString()
IL_027f: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [942 9 - 942 34]
IL_0284: ldloc.0    // 'field'
IL_0285: callvirt   instance bool [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldShortAnswer::get_IsWidthLimited()
IL_028a: brfalse.s   IL_02c5

// [944 11 - 944 38]
IL_028c: ldloc.s    styleDict
IL_028e: ldstr      "width"
IL_0293: ldstr      "auto"
IL_0298: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

IL_029d: ldloc.s    tagBuilder2
IL_029f: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_02a4: ldstr      "size"
IL_02a9: ldloc.0    // 'field'

```

```

IL_02aa: callvirt instance valuetype [mscorlib]System.Nullable`1<int32> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldShortAnswer::get_MaxLength()
IL_02af: stloc.s     maxLength
IL_02b1: ldloc.s     maxLength
IL_02b3: constrained. valuetype [mscorlib]System.Nullable`1<int32>
IL_02b9: callvirt instance string [mscorlib]System.Object::ToString()
IL_02be: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)
IL_02c3: br.s         IL_02e8

// [950 14 - 950 76]
IL_02c5: ldarg.1      // viewModel
IL_02c6: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_02cb: call bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_02d0: brtrue.s     IL_02e8

// [951 11 - 951 52]
IL_02d2: ldloc.s     tagBuilder2
IL_02d4: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_02d9: ldstr      "size"
IL_02de: ldstr      "200"
IL_02e3: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [952 9 - 952 108]
IL_02e8: ldloc.0     // 'field'
IL_02e9: ldc.i4.3
IL_02ea: ldloc.s     tagBuilder2
IL_02ec: ldloc.s     styleDict
IL_02ee: call void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldApplyStyles(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType,
class [System.Web.WebPages]System.Web.Mvc.TagBuilder, class [System]System.Collections.Specialized.NameValueCollection)

// [954 7 - 954 225]
IL_02f3: ldloc.0     // 'field'
IL_02f4: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldPurpose [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Purpose()
IL_02f9: ldc.i4.3
IL_02fa: bne.un.s     IL_030e

IL_02fc: ldloc.0     // 'field'
IL_02fd: callvirt instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.IFieldPurposeData [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field::get_PurposeData()
IL_0302: castclass [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldPurposeDataEPaymentShipping
IL_0307: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.ShippingOptions [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldPurposeDataEPaymentShipping::get_ShippingOptions()
IL_030c: brfalse.s     IL_035d
IL_030e: ldarg.1      // viewModel
IL_030f: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_0314: call bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_0319: brtrue.s     IL_035d

// [956 7 - 956 44]
IL_031b: ldarg.2      // output
IL_031c: ldloc.3      // standardLabel
IL_031d: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_0322: pop

// [957 7 - 957 29]
IL_0323: ldarg.2      // output
IL_0324: ldstr      "<div>"
IL_0329: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_032e: pop

// [958 7 - 958 42]
IL_032f: ldarg.2      // output
IL_0330: ldloc.s     tagBuilder1
IL_0332: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_0337: pop

// [959 7 - 959 54]
IL_0338: ldarg.2      // output
IL_0339: ldloc.s     tagBuilder2
IL_033b: ldloc.s     renderMode
IL_033d: callvirt instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]

```

System.Web.Mvc.TagRenderMode)

```
IL_0342: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0347: pop

// [960 7 - 960 51]
IL_0348: ldarg.2 // output
IL_0349: ldloc.s standardInstructions
IL_034b: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_0350: pop

// [961 7 - 961 30]
IL_0351: ldarg.2 // output
IL_0352: ldstr "</div>"
IL_0357: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_035c: pop

IL_035d: ret

} // end of method FieldRenderExtensions::FieldContentRenderShortAnswer

.method private hidebysig static string
  GetUserDetailsForDefaultDisplayValues(
    valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.DefaultValueOptions defaultValueOption
  ) cil managed
{
  .maxstack 2
  .locals init (
    [0] string str
  )

  // [967 7 - 967 22]
  IL_0000: ldstr ""
  IL_0005: stloc.0 // str

  // [968 7 - 968 161]
  IL_0006: ldarg.0 // defaultValueOption
  IL_0007: ldc.i4.s 10 // 0x0a
  IL_0009: beq IL_00ba

  IL_000e: ldarg.0 // defaultValueOption
  IL_000f: brfalse IL_00ba
  IL_0014: ldsfld class [CivicPlus.Entities]CivicPlus.Entities.Modules.EPayment.Contact
  CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::userDefaultContact
  IL_0019: brfalse IL_00ba

  // [970 9 - 970 36]
  IL_001e: ldarg.0 // defaultValueOption
  IL_001f: ldc.i4.1
  IL_0020: sub
  IL_0021: switch (IL_004c, IL_0059, IL_0066, IL_0073, IL_0080, IL_008d, IL_009a, IL_00a7, IL_00b4)

  IL_004a: br.s IL_00ba

  // [973 13 - 973 69]
  IL_004c: ldsfld class [CivicPlus.Entities]CivicPlus.Entities.Modules.EPayment.Contact
  CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::userDefaultContact
  IL_0051: callvirt instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.EPayment.Contact::get_FirstName()
  IL_0056: stloc.0 // str

  // [974 13 - 974 19]
  IL_0057: br.s IL_00ba

  // [976 13 - 976 68]
  IL_0059: ldsfld class [CivicPlus.Entities]CivicPlus.Entities.Modules.EPayment.Contact
  CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::userDefaultContact
  IL_005e: callvirt instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.EPayment.Contact::get_LastName()
  IL_0063: stloc.0 // str

  // [977 13 - 977 19]
  IL_0064: br.s IL_00ba

  // [979 13 - 979 68]
  IL_0066: ldsfld class [CivicPlus.Entities]CivicPlus.Entities.Modules.EPayment.Contact
  CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::userDefaultContact
  IL_006b: callvirt instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.EPayment.Contact::get_Address1()
  IL_0070: stloc.0 // str

  // [980 13 - 980 19]
```

```

IL_0071: br.s      IL_00ba

// [982 13 - 982 68]
IL_0073: ldsfld     class [CivicPlus.Entities]CivicPlus.Entities.Modules.EPayment.Contact
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::userDefaultContact
IL_0078: callvirt    instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.EPayment.Contact::get_Address2()
IL_007d: stloc.0      // str

// [983 13 - 983 19]
IL_007e: br.s      IL_00ba

// [985 13 - 985 64]
IL_0080: ldsfld     class [CivicPlus.Entities]CivicPlus.Entities.Modules.EPayment.Contact
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::userDefaultContact
IL_0085: callvirt    instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.EPayment.Contact::get_City()
IL_008a: stloc.0      // str

// [986 13 - 986 19]
IL_008b: br.s      IL_00ba

// [988 13 - 988 65]
IL_008d: ldsfld     class [CivicPlus.Entities]CivicPlus.Entities.Modules.EPayment.Contact
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::userDefaultContact
IL_0092: callvirt    instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.EPayment.Contact::get_State()
IL_0097: stloc.0      // str

// [989 13 - 989 19]
IL_0098: br.s      IL_00ba

// [991 13 - 991 70]
IL_009a: ldsfld     class [CivicPlus.Entities]CivicPlus.Entities.Modules.EPayment.Contact
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::userDefaultContact
IL_009f: callvirt    instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.EPayment.Contact::get_PostalCode()
IL_00a4: stloc.0      // str

// [992 13 - 992 19]
IL_00a5: br.s      IL_00ba

// [994 13 - 994 65]
IL_00a7: ldsfld     class [CivicPlus.Entities]CivicPlus.Entities.Modules.EPayment.Contact
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::userDefaultContact
IL_00ac: callvirt    instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.EPayment.Contact::get_Phone()
IL_00b1: stloc.0      // str

// [995 13 - 995 19]
IL_00b2: br.s      IL_00ba

// [997 13 - 997 47]
IL_00b4: call       string [CivicPlus.CMS.Library]CivicPlus.CMS.Library.BusinessLogic.Core.CommonFunctions::get_EmailAddress()
IL_00b9: stloc.0      // str

// [1001 7 - 1001 24]
IL_00ba: ldloc.0      // str
IL_00bb: dup

IL_00bc: brtrue.s    IL_00c4
IL_00be: pop
IL_00bf: ldstr    ""
IL_00c4: ret

} // end of method FieldRenderExtensions::GetUserDetailsForDefaultDisplayValues

.method private hidebysig static void
FieldContentRenderLongAnswer(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field fieldArg,
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
    class [mscorlib]System.Text.StringBuilder output
) cil managed
{
    .maxstack 5
    .locals init (
        [0] class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldLongAnswer 'field',
        [1] string inputElemID,
        [2] string fieldName,
        [3] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardLabel,
        [4] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardInstructions,
        [5] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder1,
        [6] class [System]System.Collections.Specialized.NameValueCollection styleDict,

```

```

[7] class [System.Web.WebPages]System.Web.Mvc.TagBuilder 'emailTd[181-209], tagBuilder2[244-411], tagBuilder2[411-792], tagBuilder2
[792-834]',
[8] string str1,
[9] string str2,
[10] int32 V_10,
[11] valuetype [mscorlib]System.Nullable`1<int32> nullable
)

// [1009 7 - 1009 110]
IL_0000: ldarg.0 // fieldArg
IL_0001: ldarg.2 // output
IL_0002: call !!0/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldLongAnswer*/
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderInit<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldLongAnswer>(class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
[mscorlib]System.Text.StringBuilder)
IL_0007: stloc.0 // 'field'

// [1010 7 - 1010 54]
IL_0008: ldstr "e_"
IL_000d: ldloc.0 // 'field'
IL_000e: callvirt instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
IL_0013: stloc.s V_10
IL_0015: ldloc.s V_10
IL_0017: call instance string [mscorlib]System.Int32::ToString()
IL_001c: call string [mscorlib]System.String::Concat(string, string)
IL_0021: stloc.1 // inputElemID

// [1011 7 - 1011 39]
IL_0022: ldnull
IL_0023: stloc.2 // fieldName

// [1012 7 - 1012 127]
IL_0024: ldarg.1 // viewModel
IL_0025: ldloc.0 // 'field'
IL_0026: ldloc.1 // inputElemID
IL_0027: call class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardLabel(class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard, string)
IL_002c: stloc.3 // standardLabel

// [1013 7 - 1013 117]
IL_002d: ldloc.0 // 'field'
IL_002e: call class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardInstructions(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard)
IL_0033: stloc.s standardInstructions

// [1014 7 - 1014 119]
IL_0035: ldloc.0 // 'field'
IL_0036: ldarg.1 // viewModel
IL_0037: ldloc.s fieldName
IL_0039: call class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldSerializationHelper(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, string&)
IL_003e: stloc.s tagBuilder1

// [1015 7 - 1015 64]
IL_0040: newobj instance void [System]System.Collections.Specialized.NameValueCollection::ctor()
IL_0045: stloc.s styleDict
IL_0047: ldnull
IL_0048: stloc.s V_7

// [1016 7 - 1016 23]
IL_004a: ldstr ""
IL_004f: stloc.s str1

// [1017 7 - 1017 34]
IL_0051: ldarg.1 // viewModel
IL_0052: callvirt instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FormSubmissionData
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_Data()
IL_0057: brtrue.s IL_0066

// [1018 9 - 1018 101]
IL_0059: ldloc.0 // 'field'
IL_005a: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.DefaultValueOptions [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldLongAnswer::get_DefaultValueOption()
IL_005f: call string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::GetUserDetailsForDefaultDisplayValues

```

```

(valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.DefaultValueOptions)
IL_0064: stloc.s    str1

IL_0066: ldstr      ""
IL_006b: stloc.s    V_9

// [1019 7 - 1019 184]
IL_006d: ldloc.s    str1
IL_006f: ldstr      ""
IL_0074: call       bool [mscorlib]System.String::op_Equality(string, string)
IL_0079: brfalse.s    IL_0086

IL_007b: ldloc.0      // 'field'
IL_007c: ldarg.1      // viewModel
IL_007d: call       string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::GetFieldStandardValue(class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard, class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel)
IL_0082: stloc.s    V_9
IL_0084: br.s       IL_008a
IL_0086: ldloc.s    str1
IL_0088: stloc.s    V_9
IL_008a: ldloc.s    V_9
IL_008c: call       string [mscorlib]System.Environment::get_NewLine()
IL_0091: ldstr      "<br>"
IL_0096: callvirt    instance string [mscorlib]System.String::Replace(string, string)
IL_009b: call       string [System.Web]System.Web.HttpUtility::HtmlDecode(string)
IL_00a0: stloc.s    str2

// [1020 7 - 1020 68]
IL_00a2: ldarg.1      // viewModel
IL_00a3: callvirt    instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_00a8: call       bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_00ad: brfalse.s    IL_00de

// [1022 9 - 1022 67]
IL_00af: ldnull
IL_00b0: call       class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::CreateEmailTd(class [System]
System.Collections.Specialized.NameValueCollection)
IL_00b5: stloc.s    emailTd

// [1023 9 - 1023 41]
IL_00b7: ldloc.s    emailTd
IL_00b9: ldloc.s    str2
IL_00bb: call       void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::SetEmailInputValue(class
[System.Web.WebPages]System.Web.Mvc.TagBuilder, string)

// [1024 9 - 1024 68]
IL_00c0: ldarg.2      // output
IL_00c1: ldloc.3      // standardLabel
IL_00c2: ldc.i4.0
IL_00c3: callvirt    instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_00c8: callvirt    instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_00cd: pop

// [1025 9 - 1025 62]
IL_00ce: ldarg.2      // output
IL_00cf: ldloc.s    emailTd
IL_00d1: ldc.i4.0
IL_00d2: callvirt    instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_00d7: callvirt    instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_00dc: pop
IL_00dd: ret

// [1030 9 - 1030 63]
IL_00de: ldarg.1      // viewModel
IL_00df: callvirt    instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_00e4: ldc.i4.4
IL_00e5: bne.un      IL_0182

// [1032 11 - 1032 46]
IL_00ea: ldstr      "div"
IL_00ef: newobj      instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)

```

```

IL_00f4: stloc.s    tagBuilder2

// [1033 11 - 1033 52]
IL_00f6: ldloc.s    styleDict
IL_00f8: ldstr     "border"
IL_00fd: ldstr     "1px solid #BBBBBB"
IL_0102: callvirt  instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [1034 11 - 1034 39]
IL_0107: ldloc.s    styleDict
IL_0109: ldstr     "padding"
IL_010e: ldstr     "4px"
IL_0113: callvirt  instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [1035 11 - 1035 48]
IL_0118: ldloc.s    styleDict
IL_011a: ldstr     "white-space"
IL_011f: ldstr     "pre-wrap"
IL_0124: callvirt  instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [1036 11 - 1036 41]
IL_0129: ldloc.s    styleDict
IL_012b: ldstr     "overflow"
IL_0130: ldstr     "auto"
IL_0135: callvirt  instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [1037 11 - 1037 38]
IL_013a: ldloc.s    styleDict
IL_013c: ldstr     "width"
IL_0141: ldstr     "100%"
IL_0146: callvirt  instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [1038 11 - 1038 105]
IL_014b: ldloc.s    str2
IL_014d: call      bool [mscorlib]System.String::IsNullOrEmpty(string)
IL_0152: brtrue.s   IL_0171

IL_0154: ldloc.s    tagBuilder2
IL_0156: ldloc.s    str2
IL_0158: ldstr     "\r\n"
IL_015d: ldstr     "<br />"
IL_0162: callvirt  instance string [mscorlib]System.String::Replace(string, string)
IL_0167: callvirt  instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)
IL_016c: br        IL_02f8
IL_0171: ldloc.s    tagBuilder2
IL_0173: ldstr     "&nbsp;"
IL_0178: callvirt  instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)
IL_017d: br        IL_02f8

// [1042 11 - 1042 51]
IL_0182: ldstr     "textarea"
IL_0187: newobj    instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_018c: stloc.s    tagBuilder2

// [1043 11 - 1043 56]
IL_018e: ldloc.s    tagBuilder2
IL_0190: callvirt  instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0195: ldstr     "id"
IL_019a: ldloc.1    // inputElemID
IL_019b: callvirt  instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1044 11 - 1044 56]
IL_01a0: ldloc.s    tagBuilder2
IL_01a2: callvirt  instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_01a7: ldstr     "name"
IL_01ac: ldloc.2    // fieldName
IL_01ad: callvirt  instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1045 11 - 1045 125]
IL_01b2: ldarg.1    // viewModel
IL_01b3: callvirt  instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_01b8: ldc.i4.4
IL_01b9: beq.s     IL_01c8

IL_01bb: ldarg.1    // viewModel

```

```

IL_01bc: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_01c1: call bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_01c6: brfalse.s IL_01d4

// [1046 13 - 1046 46]
IL_01c8: ldloc.s tagBuilder2
IL_01ca: ldstr "hidden"
IL_01cf: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [1047 11 - 1047 42]
IL_01d4: ldloc.0 // 'field'
IL_01d5: callvirt instance valuetype [mscorlib]System.Nullable`1<int32> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldLongAnswer::get_MaxLength()
IL_01da: stloc.s nullable

// [1048 11 - 1048 33]
IL_01dc: ldloc.s nullable
IL_01de: call instance bool valuetype [mscorlib]System.Nullable`1<int32>::get_HasValue()
IL_01e3: brfalse.s IL_0255
IL_01e5: ldloc.s tagBuilder2
IL_01e7: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_01ec: ldstr "onKeyPress"
IL_01f1: ldstr "return maxLength(this,"
IL_01f6: ldloc.0 // 'field'
IL_01f7: callvirt instance valuetype [mscorlib]System.Nullable`1<int32> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldLongAnswer::get_MaxLength()
IL_01fc: stloc.s nullable
IL_01fe: ldloc.s nullable
IL_0200: call instance !0/*int32*/ valuetype [mscorlib]System.Nullable`1<int32>::get_Value()
IL_0205: stloc.s V_10
IL_0207: ldloc.s V_10
IL_0209: call instance string [mscorlib]System.Int32::ToString()
IL_020e: ldstr ");"
IL_0213: call string [mscorlib]System.String::Concat(string, string, string)
IL_0218: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)
IL_021d: ldloc.s tagBuilder2
IL_021f: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0224: ldstr "onpaste"
IL_0229: ldstr "return maxLengthPaste(this,"
IL_022e: ldloc.0 // 'field'
IL_022f: callvirt instance valuetype [mscorlib]System.Nullable`1<int32> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldLongAnswer::get_MaxLength()
IL_0234: stloc.s nullable
IL_0236: ldloc.s nullable
IL_0238: call instance !0/*int32*/ valuetype [mscorlib]System.Nullable`1<int32>::get_Value()
IL_023d: stloc.s V_10
IL_023f: ldloc.s V_10
IL_0241: call instance string [mscorlib]System.Int32::ToString()
IL_0246: ldstr ");"
IL_024b: call string [mscorlib]System.String::Concat(string, string, string)
IL_0250: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1059 11 - 1059 34]
IL_0255: ldloc.0 // 'field'
IL_0256: callvirt instance valuetype [mscorlib]System.Nullable`1<int32> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldLongAnswer::get_Height()
IL_025b: stloc.s nullable

// [1060 11 - 1060 33]
IL_025d: ldloc.s nullable
IL_025f: call instance bool valuetype [mscorlib]System.Nullable`1<int32>::get_HasValue()
IL_0264: brfalse.s IL_028f
IL_0266: ldloc.s tagBuilder2
IL_0268: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_026d: ldstr "rows"
IL_0272: ldloc.0 // 'field'
IL_0273: callvirt instance valuetype [mscorlib]System.Nullable`1<int32> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldLongAnswer::get_Height()
IL_0278: stloc.s nullable
IL_027a: ldloc.s nullable
IL_027c: call instance !0/*int32*/ valuetype [mscorlib]System.Nullable`1<int32>::get_Value()
IL_0281: stloc.s V_10
IL_0283: ldloc.s V_10

```

```

IL_0285: call      instance string [mscorlib]System.Int32::ToString()
IL_028a: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1067 11 - 1067 79]
IL_028f: ldloc.0     // 'field'
IL_0290: ldarg.1     // viewModel
IL_0291: call      bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsFieldReadOnly(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel)
IL_0296: brfalse.s   IL_02b0

// [1068 13 - 1068 63]
IL_0298: ldloc.s       tagBuilder2
IL_029a: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_029f: ldstr      "disabled"
IL_02a4: ldstr      "disabled"
IL_02a9: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

IL_02ae: br.s      IL_02f8

// [1069 16 - 1069 52]
IL_02b0: ldloc.0     // 'field'
IL_02b1: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldLongAnswer::get_Placeholder()
IL_02b6: dup

IL_02b7: brtrue.s    IL_02bf
IL_02b9: pop
IL_02ba: ldstr     ""
IL_02bf: ldstr     ""
IL_02c4: call      bool [mscorlib]System.String::op_Inequality(string, string)
IL_02c9: brfalse.s   IL_02f8

// [1071 13 - 1071 73]
IL_02cb: ldloc.s       tagBuilder2
IL_02cd: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_02d2: ldstr      "placeholder"
IL_02d7: ldloc.0     // 'field'
IL_02d8: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldLongAnswer::get_Placeholder()
IL_02dd: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1072 13 - 1072 56]
IL_02e2: ldloc.s       tagBuilder2
IL_02e4: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_02e9: ldstr      "cp5ph"
IL_02ee: ldstr      "true"
IL_02f3: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1075 9 - 1075 70]
IL_02f8: ldarg.1     // viewModel
IL_02f9: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_02fe: call      bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_0303: brtrue.s    IL_0363

// [1077 9 - 1077 41]
IL_0305: ldloc.s       str2
IL_0307: call      bool [mscorlib]System.String::IsNullOrEmpty(string)
IL_030c: brtrue.s    IL_0317

// [1078 11 - 1078 41]
IL_030e: ldloc.s       tagBuilder2
IL_0310: ldloc.s       str2
IL_0312: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::SetInnerText(string)

// [1079 9 - 1079 108]
IL_0317: ldloc.0     // 'field'
IL_0318: ldc.i4.3
IL_0319: ldloc.s       tagBuilder2
IL_031b: ldloc.s       styleDict
IL_031d: call      void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldApplyStyles(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType,
class [System.Web.WebPages]System.Web.Mvc.TagBuilder, class [System]System.Collections.Specialized.NameValueCollection)

// [1080 9 - 1080 46]
IL_0322: ldarg.2     // output

```

```

IL_0323: ldloc.3    // standardLabel
IL_0324: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_0329: pop

// [1081 9 - 1081 31]
IL_032a: ldarg.2    // output
IL_032b: ldstr     "<div>"
IL_0330: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0335: pop

// [1082 9 - 1082 44]
IL_0336: ldarg.2    // output
IL_0337: ldloc.s    tagBuilder1
IL_0339: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_033e: pop

// [1083 9 - 1083 66]
IL_033f: ldarg.2    // output
IL_0340: ldloc.s    tagBuilder2
IL_0342: ldc.i4.0
IL_0343: callvirt instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0348: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_034d: pop

// [1084 9 - 1084 53]
IL_034e: ldarg.2    // output
IL_034f: ldloc.s    standardInstructions
IL_0351: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_0356: pop

// [1085 9 - 1085 32]
IL_0357: ldarg.2    // output
IL_0358: ldstr     "</div>"
IL_035d: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0362: pop

IL_0363: ret

} // end of method FieldRenderExtensions::FieldContentRenderLongAnswer

.method private hidebysig static void
FieldContentRenderListCheckbox(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field fieldArg,
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
    class [mscorlib]System.Text.StringBuilder output
) cil managed
{
    .maxstack 5
    .locals init (
        [0] class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldListCheckbox 'field',
        [1] string inputElemID,
        [2] string fieldName,
        [3] class CivicPlus.CMS.Areas.FormCenter.Helpers.FormDataHelper formDataHelper,
        [4] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardLabel,
        [5] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardInstructions,
        [6] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder1,
        [7] bool flag,
        [8] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder2,
        [9] int32 key,
        [10] class [mscorlib]System.Text.StringBuilder stringBuilder1,
        [11] class [mscorlib]System.Collections.Generic.List`1<string> fieldCheckValue,
        [12] int32 V_12,
        [13] class [System.Web.WebPages]System.Web.Mvc.TagBuilder emailTd,
        [14] class [mscorlib]System.Text.StringBuilder[] stringBuilderArray,
        [15] class [mscorlib]System.Text.StringBuilder 'stringBuilder2[558-664], stringBuilder3[1043-1068], stringBuilder3[1068-1098]',
        [16] string str,
        [17] int32 num1,
        [18] int32 num2,
        [19] int32[] numArray,
        [20] int32 index1,
        [21] int32 index,
        [22] int32 index_V_22,
        [23] int32 index2,
        [24] int32 num3,
        [25] int32 index3,
        [26] class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<c__DisplayClass36_0' V_26,
        [27] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder3,

```

```

[28] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder4,
[29] int32 index4
)

// [1094 7 - 1094 114]
IL_0000: ldarg.0    // fieldArg
IL_0001: ldarg.2    // output
IL_0002: call      !!0/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldListCheckbox*/
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderInit<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldListCheckbox>(class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
[mscorlib]System.Text.StringBuilder)
IL_0007: stloc.0    // 'field'

// [1095 7 - 1095 54]
IL_0008: ldstr     "e_"
IL_000d: ldloc.0    // 'field'
IL_000e: callvirt  instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
IL_0013: stloc.s    V_12
IL_0015: ldloc.s    V_12
IL_0017: call      instance string [mscorlib]System.Int32::ToString()
IL_001c: call      string [mscorlib]System.String::Concat(string, string)
IL_0021: stloc.1    // inputElemID

// [1096 7 - 1096 39]
IL_0022: ldnull
IL_0023: stloc.2    // fieldName

// [1097 7 - 1097 59]
IL_0024: newobj    instance void CivicPlus.CMS.Areas.FormCenter.Helpers.FormDataHelper::.ctor()
IL_0029: stloc.3    // formDataHelper

// [1098 7 - 1098 127]
IL_002a: ldarg.1    // viewModel
IL_002b: ldloc.0    // 'field'
IL_002c: ldloc.1    // inputElemID
IL_002d: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardLabel(class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard, string)
IL_0032: stloc.s    standardLabel

// [1099 7 - 1099 117]
IL_0034: ldloc.0    // 'field'
IL_0035: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardInstructions(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard)
IL_003a: stloc.s    standardInstructions

// [1100 7 - 1100 119]
IL_003c: ldloc.0    // 'field'
IL_003d: ldarg.1    // viewModel
IL_003e: ldloc.s    fieldName
IL_0040: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldSerializationHelper(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, string&)
IL_0045: stloc.s    tagBuilder1

// [1101 7 - 1101 82]
IL_0047: ldloc.0    // 'field'
IL_0048: ldarg.1    // viewModel
IL_0049: call      bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsFieldReadOnly(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel)
IL_004e: stloc.s    flag

// [1102 7 - 1102 55]
IL_0050: ldstr     "input"
IL_0055: newobj    instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_005a: stloc.s    tagBuilder2

// [1103 7 - 1103 51]
IL_005c: ldloc.s    tagBuilder2
IL_005e: callvirt  instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0063: ldstr     "type"
IL_0068: ldstr     "hidden"
IL_006d: callvirt  instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1104 7 - 1104 52]

```

```

IL_0072: ldloc.s    tagBuilder2
IL_0074: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0079: ldstr      "name"
IL_007e: ldloc.2    // fieldName
IL_007f: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1105 7 - 1105 52]
IL_0084: ldloc.s    tagBuilder2
IL_0086: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_008b: ldstr      "id"
IL_0090: ldloc.1    // inputElemID
IL_0091: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1106 7 - 1106 63]
IL_0096: ldloc.0    // 'field'
IL_0097: callvirt   instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldListCheckbox::get_ColumnCount()
IL_009c: brfalse.s  IL_00a6

IL_009e: ldloc.0    // 'field'
IL_009f: callvirt   instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldListCheckbox::get_ColumnCount()
IL_00a4: br.s      IL_00a7
IL_00a6: ldc.i4.1
IL_00a7: stloc.s    key

// [1107 7 - 1107 57]
IL_00a9: newobj     instance void [mscorlib]System.Text.StringBuilder::ctor()
IL_00ae: stloc.s    stringBuilder1

// [1108 7 - 1108 96]
IL_00b0: ldloc.0    // 'field'
IL_00b1: ldarg.1    // viewModel
IL_00b2: call     class [mscorlib]System.Collections.Generic.List`1<string>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::GetFieldCheckValue(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldListCheckbox, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel)
IL_00b7: stloc.s    fieldCheckValue

// [1109 7 - 1109 68]
IL_00b9: ldarg.1    // viewModel
IL_00ba: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_00bf: call     bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_00c4: brfalse.s  IL_0129

// [1113 9 - 1113 326]
IL_00c6: ldloc.s    fieldCheckValue
IL_00c8: ldsfld    class [mscorlib]System.Func`2<string, string> CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>
O::'<14>__ReplaceEmptyValuePlaceholder'
IL_00cd: dup

IL_00ce: brtrue.s   IL_00e3
IL_00d0: pop
IL_00d1: ldnull
IL_00d2: ldftn    string [CivicPlus.BusinessLogic]
CivicPlus.BusinessLogic.Modules.FormCenter.Helper.FormCenterHelper::ReplaceEmptyValuePlaceholder(string)
IL_00d8: newobj     instance void class [mscorlib]System.Func`2<string, string>::ctor(object, native int)
IL_00dd: dup
IL_00de: stsfld    class [mscorlib]System.Func`2<string, string> CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>
O::'<14>__ReplaceEmptyValuePlaceholder'
IL_00e3: call     class [mscorlib]System.Collections.Generic.IEnumerable`1<!!1/*string*/> [System.Core]System.Linq.Enumerable::Select
<string, string>(class [mscorlib]System.Collections.Generic.IEnumerable`1<!!0/*string*/>, class [mscorlib]System.Func`2<!!0/*string*/, !!1/*string*/>)
IL_00e8: call     class [mscorlib]System.Collections.Generic.List`1<!!0/*string*/> [System.Core]System.Linq.Enumerable::ToList<string>(class
[mscorlib]System.Collections.Generic.IEnumerable`1<!!0/*string*/>)
IL_00ed: stloc.s    fieldCheckValue

// [1114 9 - 1114 67]
IL_00ef: ldnull
IL_00f0: call     class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::CreateEmailTd(class [System]
System.Collections.Specialized.NameValueCollection)
IL_00f5: stloc.s    emailTd

// [1115 9 - 1115 82]
IL_00f7: ldloc.s    emailTd
IL_00f9: ldstr      ", "
IL_00fe: ldloc.s    fieldCheckValue

```

```

IL_0100: call      string [mscorlib]System.String::Join(string, class [mscorlib]System.Collections.Generic.IEnumerable`1<string>)
IL_0105: call      void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::SetEmailInputValue(class
[System.Web.WebPages]System.Web.Mvc.TagBuilder, string)

// [1116 9 - 1116 68]
IL_010a: ldarg.2    // output
IL_010b: ldloc.s      standardLabel
IL_010d: ldc.i4.0
IL_010e: callvirt      instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0113: callvirt      instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0118: pop

// [1117 9 - 1117 62]
IL_0119: ldarg.2    // output
IL_011a: ldloc.s      emailTd
IL_011c: ldc.i4.0
IL_011d: callvirt      instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0122: callvirt      instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0127: pop
IL_0128: ret

// [1121 9 - 1121 68]
IL_0129: ldloc.s      key
IL_012b: newarr      [mscorlib]System.Text.StringBuilder
IL_0130: stloc.s      stringBuilderArray
IL_0132: ldnull
IL_0133: stloc.s      V_15
IL_0135: ldnull
IL_0136: stloc.s      V_16

// [1122 9 - 1122 49]
IL_0138: ldloc.0    // 'field'
IL_0139: callvirt      instance class [mscorlib]System.Collections.Generic.List`1<string> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldListCheckbox::get_OptionsText()
IL_013e: callvirt      instance int32 class [mscorlib]System.Collections.Generic.List`1<string>::get_Count()
IL_0143: ldloc.s      key
IL_0145: rem
IL_0146: stloc.s      num1

// [1123 9 - 1123 49]
IL_0148: ldloc.0    // 'field'
IL_0149: callvirt      instance class [mscorlib]System.Collections.Generic.List`1<string> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldListCheckbox::get_OptionsText()
IL_014e: callvirt      instance int32 class [mscorlib]System.Collections.Generic.List`1<string>::get_Count()
IL_0153: ldloc.s      key
IL_0155: div
IL_0156: stloc.s      num2

// [1124 9 - 1124 38]
IL_0158: ldloc.s      key
IL_015a: newarr      [mscorlib]System.Int32
IL_015f: stloc.s      numArray

// [1125 14 - 1125 27]
IL_0161: ldc.i4.0
IL_0162: stloc.s      index

IL_0164: br.s        IL_0173
// start of loop, entry point: IL_0173

// [1126 11 - 1126 33]
IL_0166: ldloc.s      numArray
IL_0168: ldloc.s      index
IL_016a: ldloc.s      num2
IL_016c: stelem.i4

// [1125 54 - 1125 61]
IL_016d: ldloc.s      index
IL_016f: ldc.i4.1
IL_0170: add
IL_0171: stloc.s      index

// [1125 29 - 1125 52]
IL_0173: ldloc.s      index
IL_0175: ldloc.s      numArray
IL_0177: ldlen

```

```

IL_0178: conv.i4
IL_0179: blt.s      IL_0166
// end of loop

// [1127 9 - 1127 21]
IL_017b: ldloc.s    key
IL_017d: ldc.i4.1
IL_017e: sub
IL_017f: switch     (IL_0224, IL_0199, IL_01a9, IL_01d5)

IL_0194: br         IL_0224

// [1130 13 - 1130 32]
IL_0199: ldloc.s    numArray
IL_019b: ldc.i4.0
IL_019c: ldelema    [mscorlib]System.Int32
IL_01a1: dup
IL_01a2: ldind.i4
IL_01a3: ldloc.s    num1
IL_01a5: add
IL_01a6: stind.i4

// [1131 13 - 1131 19]
IL_01a7: br.s      IL_0224

// [1133 13 - 1133 26]
IL_01a9: ldloc.s    num1
IL_01ab: ldc.i4.1
IL_01ac: bne.un.s   IL_01ba

// [1136 17 - 1136 46]
IL_01ae: ldloc.s    numArray
IL_01b0: ldc.i4.0
IL_01b1: ldloc.s    numArray
IL_01b3: ldc.i4.0
IL_01b4: ldelem.i4
IL_01b5: ldc.i4.1
IL_01b6: add
IL_01b7: stelem.i4

// [1137 17 - 1137 23]
IL_01b8: br.s      IL_0224

IL_01ba: ldloc.s    num1
IL_01bc: ldc.i4.2
IL_01bd: bne.un.s   IL_0224

// [1139 17 - 1139 46]
IL_01bf: ldloc.s    numArray
IL_01c1: ldc.i4.0
IL_01c2: ldloc.s    numArray
IL_01c4: ldc.i4.0
IL_01c5: ldelem.i4
IL_01c6: ldc.i4.1
IL_01c7: add
IL_01c8: stelem.i4

// [1140 17 - 1140 46]
IL_01c9: ldloc.s    numArray
IL_01cb: ldc.i4.1
IL_01cc: ldloc.s    numArray
IL_01ce: ldc.i4.1
IL_01cf: ldelem.i4
IL_01d0: ldc.i4.1
IL_01d1: add
IL_01d2: stelem.i4

// [1141 17 - 1141 23]
IL_01d3: br.s      IL_0224

// [1145 13 - 1145 26]
IL_01d5: ldloc.s    num1
IL_01d7: ldc.i4.1
IL_01d8: bne.un.s   IL_01e6

// [1148 17 - 1148 46]
IL_01da: ldloc.s    numArray
IL_01dc: ldc.i4.0

```

```

IL_01dd: ldloc.s    numArray
IL_01df: ldc.i4.0
IL_01e0: ldelem.i4
IL_01e1: ldc.i4.1
IL_01e2: add
IL_01e3: stelem.i4

// [1149 17 - 1149 23]
IL_01e4: br.s      IL_0224

IL_01e6: ldloc.s    num1
IL_01e8: ldc.i4.2
IL_01e9: bne.un.s  IL_0201

// [1151 17 - 1151 46]
IL_01eb: ldloc.s    numArray
IL_01ed: ldc.i4.0
IL_01ee: ldloc.s    numArray
IL_01f0: ldc.i4.0
IL_01f1: ldelem.i4
IL_01f2: ldc.i4.1
IL_01f3: add
IL_01f4: stelem.i4

// [1152 17 - 1152 46]
IL_01f5: ldloc.s    numArray
IL_01f7: ldc.i4.1
IL_01f8: ldloc.s    numArray
IL_01fa: ldc.i4.1
IL_01fb: ldelem.i4
IL_01fc: ldc.i4.1
IL_01fd: add
IL_01fe: stelem.i4

// [1153 17 - 1153 23]
IL_01ff: br.s      IL_0224

IL_0201: ldloc.s    num1
IL_0203: ldc.i4.3
IL_0204: bne.un.s  IL_0224

// [1155 17 - 1155 46]
IL_0206: ldloc.s    numArray
IL_0208: ldc.i4.0
IL_0209: ldloc.s    numArray
IL_020b: ldc.i4.0
IL_020c: ldelem.i4
IL_020d: ldc.i4.1
IL_020e: add
IL_020f: stelem.i4

// [1156 17 - 1156 46]
IL_0210: ldloc.s    numArray
IL_0212: ldc.i4.1
IL_0213: ldloc.s    numArray
IL_0215: ldc.i4.1
IL_0216: ldelem.i4
IL_0217: ldc.i4.1
IL_0218: add
IL_0219: stelem.i4

// [1157 17 - 1157 46]
IL_021a: ldloc.s    numArray
IL_021c: ldc.i4.2
IL_021d: ldloc.s    numArray
IL_021f: ldc.i4.2
IL_0220: ldelem.i4
IL_0221: ldc.i4.1
IL_0222: add
IL_0223: stelem.i4

// [1162 14 - 1162 27]
IL_0224: ldc.i4.0
IL_0225: stloc.s    index_V_22

IL_0227: br.s      IL_029f
// start of loop, entry point: IL_029f

```

```

// [1164 11 - 1164 61]
IL_0229: newobj     instance void [mscorlib]System.Text.StringBuilder::.ctor()
IL_022e: stloc.s     stringBuilder2

// [1165 11 - 1165 23]
IL_0230: ldloc.s     key
IL_0232: ldc.i4.1
IL_0233: ble.s       IL_0285

// [1167 13 - 1167 50]
IL_0235: ldloc.s     stringBuilder2
IL_0237: ldstr       "<ol class=\""
IL_023c: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0241: pop

// [1168 13 - 1168 86]
IL_0242: ldloc.s     stringBuilder2
IL_0244: call        class [mscorlib]System.Collections.Generic.Dictionary`2<int32, string[]>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::get_LineFieldClasses()
IL_0249: ldloc.s     key
IL_024b: callvirt     instance !1/*string[]*/ class [mscorlib]System.Collections.Generic.Dictionary`2<int32, string[]>::get_Item(!0/*int32*/)
IL_0250: ldloc.s     index_V_22
IL_0252: ldelem.ref
IL_0253: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0258: pop

// [1169 13 - 1169 39]
IL_0259: ldloc.s     stringBuilder2
IL_025b: ldstr       " "
IL_0260: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0265: pop

// [1170 13 - 1170 76]
IL_0266: ldloc.s     stringBuilder2
IL_0268: call        string[] CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::get_ColumnClasses()
IL_026d: ldloc.s     key
IL_026f: ldelem.ref
IL_0270: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0275: pop

// [1171 13 - 1171 41]
IL_0276: ldloc.s     stringBuilder2
IL_0278: ldstr       "\">"
IL_027d: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0282: pop

IL_0283: br.s       IL_0292

// [1174 13 - 1174 42]
IL_0285: ldloc.s     stringBuilder2
IL_0287: ldstr       "<ol>"
IL_028c: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0291: pop

// [1175 11 - 1175 53]
IL_0292: ldloc.s     stringBuilderArray
IL_0294: ldloc.s     index_V_22
IL_0296: ldloc.s     stringBuilder2
IL_0298: stelem.ref

// [1162 42 - 1162 49]
IL_0299: ldloc.s     index_V_22
IL_029b: ldc.i4.1
IL_029c: add
IL_029d: stloc.s     index_V_22

// [1162 29 - 1162 40]
IL_029f: ldloc.s     index_V_22
IL_02a1: ldloc.s     key
IL_02a3: blt.s     IL_0229
// end of loop

// [1177 9 - 1177 39]
IL_02a5: ldloc.s     stringBuilder1
IL_02a7: ldstr       "<div>"
IL_02ac: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_02b1: pop

```

```

// [1178 9 - 1178 23]
IL_02b2: ldc.i4.0
IL_02b3: stloc.s    index1

// [1179 14 - 1179 28]
IL_02b5: ldc.i4.1
IL_02b6: stloc.s    index2

IL_02b8: br        IL_046a
// start of loop, entry point: IL_046a

// [1181 11 - 1181 42]
IL_02bd: ldloc.s    numArray
IL_02bf: ldloc.s    index2
IL_02c1: ldc.i4.1
IL_02c2: sub
IL_02c3: ldelem.i4
IL_02c4: stloc.s    num3

// [1182 16 - 1182 30]
IL_02c6: ldc.i4.0
IL_02c7: stloc.s    index3

IL_02c9: br        IL_045b
// start of loop, entry point: IL_045b
IL_02ce: newobj     instance void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass36_0'::.ctor()
IL_02d3: stloc.s    V_26

// [1184 13 - 1184 63]
IL_02d5: ldloc.1    // inputElemID
IL_02d6: ldstr      " "
IL_02db: ldloc.s    index1
IL_02dd: call       instance string [mscorlib]System.Int32::ToString()
IL_02e2: call       string [mscorlib]System.String::Concat(string, string, string)
IL_02e7: stloc.s    str

// [1185 13 - 1185 61]
IL_02e9: ldstr      "input"
IL_02ee: newobj     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_02f3: stloc.s    tagBuilder3

// [1186 13 - 1186 59]
IL_02f5: ldloc.s    tagBuilder3
IL_02f7: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_02fc: ldstr      "type"
IL_0301: ldstr      "checkbox"
IL_0306: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1187 13 - 1187 50]
IL_030b: ldloc.s    tagBuilder3
IL_030d: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0312: ldstr      "id"
IL_0317: ldloc.s    str
IL_0319: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1188 13 - 1188 60]
IL_031e: ldloc.s    tagBuilder3
IL_0320: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0325: ldstr      "name"
IL_032a: ldloc.1    // inputElemID
IL_032b: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1189 13 - 1189 148]
IL_0330: ldloc.s    tagBuilder3
IL_0332: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0337: ldstr      "value"
IL_033c: ldloc.3    // formDataHelper
IL_033d: ldloc.0    // 'field'
IL_033e: callvirt   instance class [mscorlib]System.Collections.Generic.List`1<string> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldListCheckbox::get_OptionsText()
IL_0343: ldloc.s    index1
IL_0345: callvirt   instance !0/*string*/ class [mscorlib]System.Collections.Generic.List`1<string>::get_Item(int32)
IL_034a: callvirt   instance string CivicPlus.CMS.Areas.FormCenter.Helpers.FormDataHelper::EncodeFormValueDelimiter(string)
IL_034f: call       string [CivicPlus.BusinessLogic]CivicPlus.BusinessLogic.Modules.FormCenter.Helper.FormCenterHelper::FromCommaSafe

```

```

(string)
    IL_0354: callvirt     instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

    // [1190 13 - 1190 22]
    IL_0359: ldloc.s      flag
    IL_035b: brfalse.s     IL_0373

    // [1191 15 - 1191 65]
    IL_035d: ldloc.s      tagBuilder3
    IL_035f: callvirt     instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
    IL_0364: ldstr       "disabled"
    IL_0369: ldstr       "disabled"
    IL_036e: callvirt     instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

    // [1192 13 - 1192 93]
    IL_0373: ldloc.s      V_26
    IL_0375: ldloc.0      // 'field'
    IL_0376: callvirt     instance class [mscorlib]System.Collections.Generic.List`1<string> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldListCheckbox::get_OptionsText()
    IL_037b: ldloc.s      index1
    IL_037d: callvirt     instance !0/*string*/ class [mscorlib]System.Collections.Generic.List`1<string>::get_Item(int32)
    IL_0382: call        string [CivicPlus.BusinessLogic]CivicPlus.BusinessLogic.Modules.FormCenter.Helper.FormCenterHelper::FromCommaSafe
(string)
    IL_0387: stfld        string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass36_0'::checkboxValue

    // [1193 13 - 1193 93]
    IL_038c: ldloc.s      V_26
    IL_038e: ldloc.s      V_26
    IL_0390: ldffd        string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass36_0'::checkboxValue
    IL_0395: call        string [CivicPlus.BusinessLogic]
CivicPlus.BusinessLogic.Modules.FormCenter.Helper.FormCenterHelper::ReplaceEmptyValueWithPlaceholder(string)
    IL_039a: stfld        string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass36_0'::checkboxValue

    // [1194 13 - 1194 128]
    IL_039f: ldloc.s      fieldCheckValue
    IL_03a1: ldloc.s      V_26
    IL_03a3: ldftn        instance bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass36_
0'::<FieldContentRenderListCheckbox>b__0'(string)
    IL_03a9: newobj        instance void class [mscorlib]System.Predicate`1<string>::ctor(object, native int)
    IL_03ae: callvirt     instance bool class [mscorlib]System.Collections.Generic.List`1<string>::Exists(class [mscorlib]System.Predicate`1<0/
*string*/>)
    IL_03b3: brfalse.s   IL_03cb

    // [1195 15 - 1195 63]
    IL_03b5: ldloc.s      tagBuilder3
    IL_03b7: callvirt     instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
    IL_03bc: ldstr       "checked"
    IL_03c1: ldstr       "checked"
    IL_03c6: callvirt     instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

    // [1196 13 - 1196 61]
    IL_03cb: ldstr       "label"
    IL_03d0: newobj        instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::ctor(string)
    IL_03d5: stloc.s      tagBuilder4

    // [1197 13 - 1197 51]
    IL_03d7: ldloc.s      tagBuilder4
    IL_03d9: callvirt     instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
    IL_03de: ldstr       "for"
    IL_03e3: ldloc.s      str
    IL_03e5: callvirt     instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

    // [1198 13 - 1198 94]
    IL_03ea: ldloc.s      tagBuilder4
    IL_03ec: ldloc.0      // 'field'
    IL_03ed: callvirt     instance class [mscorlib]System.Collections.Generic.List`1<string> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldListCheckbox::get_OptionsText()
    IL_03f2: ldloc.s      index1
    IL_03f4: callvirt     instance !0/*string*/ class [mscorlib]System.Collections.Generic.List`1<string>::get_Item(int32)
    IL_03f9: call        string [CivicPlus.BusinessLogic]CivicPlus.BusinessLogic.Modules.FormCenter.Helper.FormCenterHelper::FromCommaSafe
(string)
    IL_03fe: callvirt     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

    // [1199 13 - 1199 101]
    IL_0403: ldloc.0      // 'field'

```

```

IL_0404: ldc.i4.3
IL_0405: ldloc.s    tagBuilder4
IL_0407: call      void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldApplyStyles(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType,
class [System.Web.WebPages]System.Web.Mvc.TagBuilder)

// [1200 13 - 1200 74]
IL_040c: ldloc.s    stringBuilderArray
IL_040e: ldloc.s    index2
IL_0410: ldc.i4.1
IL_0411: sub
IL_0412: ldelem.ref
IL_0413: stloc.s    stringBuilder3

// [1201 13 - 1201 21]
IL_0415: ldloc.s    index1
IL_0417: ldc.i4.1
IL_0418: add
IL_0419: stloc.s    index1

// [1202 13 - 1202 42]
IL_041b: ldloc.s    stringBuilder3
IL_041d: ldstr      "<li>"
IL_0422: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0427: pop

// [1203 13 - 1203 83]
IL_0428: ldloc.s    stringBuilder3
IL_042a: ldloc.s    tagBuilder3
IL_042c: ldc.i4.3
IL_042d: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0432: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0437: pop

// [1204 13 - 1204 78]
IL_0438: ldloc.s    stringBuilder3
IL_043a: ldloc.s    tagBuilder4
IL_043c: ldc.i4.0
IL_043d: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0442: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0447: pop

// [1205 13 - 1205 43]
IL_0448: ldloc.s    stringBuilder3
IL_044a: ldstr      "</li>"
IL_044f: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0454: pop

// [1182 47 - 1182 55]
IL_0455: ldloc.s    index3
IL_0457: ldc.i4.1
IL_0458: add
IL_0459: stloc.s    index3

// [1182 32 - 1182 45]
IL_045b: ldloc.s    index3
IL_045d: ldloc.s    num3
IL_045f: blt      IL_02ce
// end of loop

// [1179 81 - 1179 89]
IL_0464: ldloc.s    index2
IL_0466: ldc.i4.1
IL_0467: add
IL_0468: stloc.s    index2

// [1179 30 - 1179 79]
IL_046a: ldloc.s    index2
IL_046c: ldloc.s    key
IL_046e: bgt.s     IL_0482

IL_0470: ldloc.s    index1
IL_0472: ldloc.0    // 'field'
IL_0473: callvirt   instance class [mscorlib]System.Collections.Generic.List`1<string> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldListCheckbox::get_OptionsText()
IL_0478: callvirt   instance int32 class [mscorlib]System.Collections.Generic.List`1<string>::get_Count()

```

```

IL_047d: blt      IL_02bd
// end of loop

// [1208 14 - 1208 28]
IL_0482: ldc.i4.0
IL_0483: stloc.s   index4

IL_0485: br.s      IL_04aa
// start of loop, entry point: IL_04aa

// [1210 11 - 1210 53]
IL_0487: ldloc.s   stringBuilderArray
IL_0489: ldloc.s   index4
IL_048b: ldelem.ref
IL_048c: ldstr     "</ol>"
IL_0491: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0496: pop

// [1211 11 - 1211 69]
IL_0497: ldloc.s   stringBuilder1
IL_0499: ldloc.s   stringBuilderArray
IL_049b: ldloc.s   index4
IL_049d: ldelem.ref
IL_049e: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_04a3: pop

// [1208 44 - 1208 52]
IL_04a4: ldloc.s   index4
IL_04a6: ldc.i4.1
IL_04a7: add
IL_04a8: stloc.s   index4

// [1208 30 - 1208 42]
IL_04aa: ldloc.s   index4
IL_04ac: ldloc.s   key
IL_04ae: blt.s     IL_0487
// end of loop

// [1213 9 - 1213 44]
IL_04b0: ldarg.2    // output
IL_04b1: ldloc.s    tagBuilder1
IL_04b3: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_04b8: pop

// [1214 9 - 1214 44]
IL_04b9: ldarg.2    // output
IL_04ba: ldloc.s    tagBuilder2
IL_04bc: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_04c1: pop

// [1215 9 - 1215 46]
IL_04c2: ldarg.2    // output
IL_04c3: ldloc.s    standardLabel
IL_04c5: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_04ca: pop

// [1216 9 - 1216 40]
IL_04cb: ldloc.0    // 'field'
IL_04cc: callvirt instance bool [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldListCheckbox::get_InstructAboveOptions()
IL_04d1: brfalse.s  IL_04e7

// [1218 11 - 1218 55]
IL_04d3: ldarg.2    // output
IL_04d4: ldloc.s    standardInstructions
IL_04d6: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_04db: pop

// [1219 11 - 1219 49]
IL_04dc: ldarg.2    // output
IL_04dd: ldloc.s    stringBuilder1
IL_04df: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_04e4: pop

IL_04e5: br.s      IL_04f9

// [1223 11 - 1223 49]
IL_04e7: ldarg.2    // output
IL_04e8: ldloc.s    stringBuilder1

```

```

IL_04ea: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_04ef: pop

// [1224 11 - 1224 55]
IL_04f0: ldarg.2 // output
IL_04f1: ldloc.s standardInstructions
IL_04f3: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_04f8: pop

// [1226 9 - 1226 71]
IL_04f9: ldarg.1 // viewModel
IL_04fa: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_04ff: call bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_0504: brtrue.s IL_0512

// [1227 11 - 1227 34]
IL_0506: ldarg.2 // output
IL_0507: ldstr "</div>"
IL_050c: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0511: pop

// [1228 9 - 1228 57]
IL_0512: ldarg.2 // output
IL_0513: ldstr "<div class=\"selfClear\"></div>"
IL_0518: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_051d: pop
IL_051e: ret

} // end of method FieldRenderExtensions::FieldContentRenderListCheckbox

.method private hidebysig static void
FieldContentRenderListRadioButton(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field fieldArg,
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
    class [mscorlib]System.Text.StringBuilder output
) cil managed
{
    .maxstack 4
    .locals init (
        [0] class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldListRadioButton 'field',
        [1] string inputElemID,
        [2] string fieldName,
        [3] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardLabel,
        [4] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardInstructions,
        [5] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder1,
        [6] bool flag,
        [7] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder2,
        [8] string fieldStandardValue,
        [9] int32 key,
        [10] class [mscorlib]System.Text.StringBuilder stringBuilder1,
        [11] int32 V_11,
        [12] class [System.Web.WebPages]System.Web.Mvc.TagBuilder emailTd,
        [13] class [mscorlib]System.Text.StringBuilder[] stringBuilderArray,
        [14] class [mscorlib]System.Text.StringBuilder 'stringBuilder2[499-605], stringBuilder3[918-943], stringBuilder3[943-973]',
        [15] string str,
        [16] int32 num1,
        [17] int32 num2,
        [18] int32[] numArray,
        [19] int32 index1,
        [20] int32 index,
        [21] int32 index_V_21,
        [22] int32 index2,
        [23] int32 num3,
        [24] int32 index3,
        [25] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder3,
        [26] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder4,
        [27] int32 index4
    )

    // [1237 7 - 1237 120]
    IL_0000: ldarg.0 // fieldArg
    IL_0001: ldarg.2 // output
    IL_0002: call !!0/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldListRadioButton*/
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderInit<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldListRadioButton>(class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
[mscorlib]System.Text.StringBuilder)

```

```

IL_0007: stloc.0    // 'field'

// [1238 7 - 1238 54]
IL_0008: ldstr      "e_"
IL_000d: ldloc.0    // 'field'
IL_000e: callvirt   instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
IL_0013: stloc.s     V_11
IL_0015: ldloc.s     V_11
IL_0017: call       instance string [mscorlib]System.Int32::ToString()
IL_001c: call       string [mscorlib]System.String::Concat(string, string)
IL_0021: stloc.1     // inputElemID

// [1239 7 - 1239 39]
IL_0022: ldnull
IL_0023: stloc.2     // fieldName

// [1240 7 - 1240 127]
IL_0024: ldarg.1     // viewModel
IL_0025: ldloc.0     // 'field'
IL_0026: ldloc.1     // inputElemID
IL_0027: call       class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardLabel(class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard, string)
IL_002c: stloc.3     // standardLabel

// [1241 7 - 1241 117]
IL_002d: ldloc.0     // 'field'
IL_002e: call       class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardInstructions(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard)
IL_0033: stloc.s     standardInstructions

// [1242 7 - 1242 119]
IL_0035: ldloc.0     // 'field'
IL_0036: ldarg.1     // viewModel
IL_0037: ldloc.s     fieldName
IL_0039: call       class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldSerializationHelper(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, string&)
IL_003e: stloc.s     tagBuilder1

// [1243 7 - 1243 82]
IL_0040: ldloc.0     // 'field'
IL_0041: ldarg.1     // viewModel
IL_0042: call       bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsFieldReadOnly(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel)
IL_0047: stloc.s     flag

// [1244 7 - 1244 55]
IL_0049: ldstr      "input"
IL_004e: newobj      instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::ctor(string)
IL_0053: stloc.s     tagBuilder2

// [1245 7 - 1245 51]
IL_0055: ldloc.s     tagBuilder2
IL_0057: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_005c: ldstr      "type"
IL_0061: ldstr      "hidden"
IL_0066: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/!, !1/*string*/)

// [1246 7 - 1246 52]
IL_006b: ldloc.s     tagBuilder2
IL_006d: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0072: ldstr      "name"
IL_0077: ldloc.2     // fieldName
IL_0078: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/!, !1/*string*/)

// [1247 7 - 1247 52]
IL_007d: ldloc.s     tagBuilder2
IL_007f: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0084: ldstr      "id"
IL_0089: ldloc.1     // inputElemID
IL_008a: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/!, !1/*string*/)

```

```

// [1248 7 - 1248 112]
IL_008f: ldloc.0    // 'field'
IL_0090: ldarg.1    // viewModel
IL_0091: call      string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::GetFieldStandardValue(class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard, class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel)
IL_0096: stloc.s     fieldStandardValue

// [1249 7 - 1249 63]
IL_0098: ldloc.0    // 'field'
IL_0099: callvirt   instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldListRadioButton::get_ColumnCount()
IL_009e: brfalse.s   IL_00a8

IL_00a0: ldloc.0    // 'field'
IL_00a1: callvirt   instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldListRadioButton::get_ColumnCount()
IL_00a6: br.s       IL_00a9
IL_00a8: ldc.i4.1
IL_00a9: stloc.s     key

// [1250 7 - 1250 57]
IL_00ab: newobj      instance void [mscorlib]System.Text.StringBuilder::.ctor()
IL_00b0: stloc.s     stringBuilder1

// [1251 7 - 1251 68]
IL_00b2: ldarg.1    // viewModel
IL_00b3: callvirt   instance valueType [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_00b8: call      bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valueType [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_00bd: brfalse.s   IL_00ee

// [1253 9 - 1253 67]
IL_00bf: ldnull
IL_00c0: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::CreateEmailTd(class [System]
System.Collections.Specialized.NameValueCollection)
IL_00c5: stloc.s     emailTd

// [1254 9 - 1254 55]
IL_00c7: ldloc.s     emailTd
IL_00c9: ldloc.s     fieldStandardValue
IL_00cb: call      void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::SetEmailInputValue(class
[System.Web.WebPages]System.Web.Mvc.TagBuilder, string)

// [1255 9 - 1255 68]
IL_00d0: ldarg.2    // output
IL_00d1: ldloc.3    // standardLabel
IL_00d2: ldc.i4.0
IL_00d3: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valueType [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_00d8: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_00dd: pop

// [1256 9 - 1256 62]
IL_00de: ldarg.2    // output
IL_00df: ldloc.s     emailTd
IL_00e1: ldc.i4.0
IL_00e2: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valueType [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_00e7: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_00ec: pop
IL_00ed: ret

// [1260 9 - 1260 68]
IL_00ee: ldloc.s     key
IL_00f0: newarr      [mscorlib]System.Text.StringBuilder
IL_00f5: stloc.s     stringBuilderArray
IL_00f7: ldnull
IL_00f8: stloc.s     V_14
IL_00fa: ldnull
IL_00fb: stloc.s     V_15

// [1261 9 - 1261 49]
IL_00fd: ldloc.0    // 'field'
IL_00fe: callvirt   instance class [mscorlib]System.Collections.Generic.List`1<string> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldListRadioButton::get_OptionsText()
IL_0103: callvirt   instance int32 class [mscorlib]System.Collections.Generic.List`1<string>::get_Count()
IL_0108: ldloc.s     key

```

```

IL_010a: rem
IL_010b: stloc.s    num1

// [1262 9 - 1262 49]
IL_010d: ldloc.0    // 'field'
IL_010e: callvirt   instance class [mscorlib]System.Collections.Generic.List`1<string> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldListRadioButton::get_OptionsText()
IL_0113: callvirt   instance int32 class [mscorlib]System.Collections.Generic.List`1<string>::get_Count()
IL_0118: ldloc.s    key
IL_011a: div
IL_011b: stloc.s    num2

// [1263 9 - 1263 38]
IL_011d: ldloc.s    key
IL_011f: newarr     [mscorlib]System.Int32
IL_0124: stloc.s    numArray

// [1264 14 - 1264 27]
IL_0126: ldc.i4.0
IL_0127: stloc.s    index

IL_0129: br.s       IL_0138
// start of loop, entry point: IL_0138

// [1265 11 - 1265 33]
IL_012b: ldloc.s    numArray
IL_012d: ldloc.s    index
IL_012f: ldloc.s    num2
IL_0131: stelem.i4

// [1264 54 - 1264 61]
IL_0132: ldloc.s    index
IL_0134: ldc.i4.1
IL_0135: add
IL_0136: stloc.s    index

// [1264 29 - 1264 52]
IL_0138: ldloc.s    index
IL_013a: ldloc.s    numArray
IL_013c: ldlen
IL_013d: conv.i4
IL_013e: blt.s      IL_012b
// end of loop

// [1266 9 - 1266 21]
IL_0140: ldloc.s    key
IL_0142: ldc.i4.1
IL_0143: sub
IL_0144: switch     (IL_01e9, IL_015e, IL_016e, IL_019a)

IL_0159: br         IL_01e9

// [1269 13 - 1269 32]
IL_015e: ldloc.s    numArray
IL_0160: ldc.i4.0
IL_0161: ldelema    [mscorlib]System.Int32
IL_0166: dup
IL_0167: ldind.i4
IL_0168: ldloc.s    num1
IL_016a: add
IL_016b: stind.i4

// [1270 13 - 1270 19]
IL_016c: br.s      IL_01e9

// [1272 13 - 1272 26]
IL_016e: ldloc.s    num1
IL_0170: ldc.i4.1
IL_0171: bne.un.s  IL_017f

// [1275 17 - 1275 46]
IL_0173: ldloc.s    numArray
IL_0175: ldc.i4.0
IL_0176: ldloc.s    numArray
IL_0178: ldc.i4.0
IL_0179: ldelem.i4
IL_017a: ldc.i4.1
IL_017b: add

```

```

IL_017c: stelem.i4

// [1276 17 - 1276 23]
IL_017d: br.s      IL_01e9

IL_017f: ldloc.s    num1
IL_0181: ldc.i4.2
IL_0182: bne.un.s  IL_01e9

// [1278 17 - 1278 46]
IL_0184: ldloc.s    numArray
IL_0186: ldc.i4.0
IL_0187: ldloc.s    numArray
IL_0189: ldc.i4.0
IL_018a: ldelem.i4
IL_018b: ldc.i4.1
IL_018c: add
IL_018d: stelem.i4

// [1279 17 - 1279 46]
IL_018e: ldloc.s    numArray
IL_0190: ldc.i4.1
IL_0191: ldloc.s    numArray
IL_0193: ldc.i4.1
IL_0194: ldelem.i4
IL_0195: ldc.i4.1
IL_0196: add
IL_0197: stelem.i4

// [1280 17 - 1280 23]
IL_0198: br.s      IL_01e9

// [1284 13 - 1284 26]
IL_019a: ldloc.s    num1
IL_019c: ldc.i4.1
IL_019d: bne.un.s  IL_01ab

// [1287 17 - 1287 46]
IL_019f: ldloc.s    numArray
IL_01a1: ldc.i4.0
IL_01a2: ldloc.s    numArray
IL_01a4: ldc.i4.0
IL_01a5: ldelem.i4
IL_01a6: ldc.i4.1
IL_01a7: add
IL_01a8: stelem.i4

// [1288 17 - 1288 23]
IL_01a9: br.s      IL_01e9

IL_01ab: ldloc.s    num1
IL_01ad: ldc.i4.2
IL_01ae: bne.un.s  IL_01c6

// [1290 17 - 1290 46]
IL_01b0: ldloc.s    numArray
IL_01b2: ldc.i4.0
IL_01b3: ldloc.s    numArray
IL_01b5: ldc.i4.0
IL_01b6: ldelem.i4
IL_01b7: ldc.i4.1
IL_01b8: add
IL_01b9: stelem.i4

// [1291 17 - 1291 46]
IL_01ba: ldloc.s    numArray
IL_01bc: ldc.i4.1
IL_01bd: ldloc.s    numArray
IL_01bf: ldc.i4.1
IL_01c0: ldelem.i4
IL_01c1: ldc.i4.1
IL_01c2: add
IL_01c3: stelem.i4

// [1292 17 - 1292 23]
IL_01c4: br.s      IL_01e9

IL_01c6: ldloc.s    num1

```

```

IL_01c8: ldc.i4.3
IL_01c9: bne.un.s    IL_01e9

// [1294 17 - 1294 46]
IL_01cb: ldloc.s     numArray
IL_01cd: ldc.i4.0
IL_01ce: ldloc.s     numArray
IL_01d0: ldc.i4.0
IL_01d1: ldelem.i4
IL_01d2: ldc.i4.1
IL_01d3: add
IL_01d4: stelem.i4

// [1295 17 - 1295 46]
IL_01d5: ldloc.s     numArray
IL_01d7: ldc.i4.1
IL_01d8: ldloc.s     numArray
IL_01da: ldc.i4.1
IL_01db: ldelem.i4
IL_01dc: ldc.i4.1
IL_01dd: add
IL_01de: stelem.i4

// [1296 17 - 1296 46]
IL_01df: ldloc.s     numArray
IL_01e1: ldc.i4.2
IL_01e2: ldloc.s     numArray
IL_01e4: ldc.i4.2
IL_01e5: ldelem.i4
IL_01e6: ldc.i4.1
IL_01e7: add
IL_01e8: stelem.i4

// [1301 14 - 1301 27]
IL_01e9: ldc.i4.0
IL_01ea: stloc.s     index_V_21

IL_01ec: br.s        IL_0264
// start of loop, entry point: IL_0264

// [1303 11 - 1303 61]
IL_01ee: newobj       instance void [mscorlib]System.Text.StringBuilder::.ctor()
IL_01f3: stloc.s     stringBuilder2

// [1304 11 - 1304 23]
IL_01f5: ldloc.s     key
IL_01f7: ldc.i4.1
IL_01f8: ble.s        IL_024a

// [1306 13 - 1306 50]
IL_01fa: ldloc.s     stringBuilder2
IL_01fc: ldstr       "<ol class=\"\"
IL_0201: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0206: pop

// [1307 13 - 1307 86]
IL_0207: ldloc.s     stringBuilder2
IL_0209: call         class [mscorlib]System.Collections.Generic.Dictionary`2<int32, string[]>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::get_LineFieldClasses()
IL_020e: ldloc.s     key
IL_0210: callvirt     instance !1/*string[]*/ class [mscorlib]System.Collections.Generic.Dictionary`2<int32, string[]>::get_Item(!0/*int32*/)
IL_0215: ldloc.s     index_V_21
IL_0217: ldelem.ref
IL_0218: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_021d: pop

// [1308 13 - 1308 39]
IL_021e: ldloc.s     stringBuilder2
IL_0220: ldstr       " "
IL_0225: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_022a: pop

// [1309 13 - 1309 76]
IL_022b: ldloc.s     stringBuilder2
IL_022d: call         string[] CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::get_ColumnClasses()
IL_0232: ldloc.s     key
IL_0234: ldelem.ref
IL_0235: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)

```

```

IL_023a: pop

// [1310 13 - 1310 41]
IL_023b: ldloc.s    stringBuilder2
IL_023d: ldstr      "\">"
IL_0242: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0247: pop

IL_0248: br.s       IL_0257

// [1313 13 - 1313 42]
IL_024a: ldloc.s    stringBuilder2
IL_024c: ldstr      "<ol>"
IL_0251: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0256: pop

// [1314 11 - 1314 53]
IL_0257: ldloc.s    stringBuilderArray
IL_0259: ldloc.s    index_V_21
IL_025b: ldloc.s    stringBuilder2
IL_025d: stelem.ref

// [1301 42 - 1301 49]
IL_025e: ldloc.s    index_V_21
IL_0260: ldc.i4.1
IL_0261: add
IL_0262: stloc.s    index_V_21

// [1301 29 - 1301 40]
IL_0264: ldloc.s    index_V_21
IL_0266: ldloc.s    key
IL_0268: blt.s      IL_01ee
// end of loop

// [1316 9 - 1316 39]
IL_026a: ldloc.s    stringBuilder1
IL_026c: ldstr      "<div>"
IL_0271: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0276: pop

// [1317 9 - 1317 23]
IL_0277: ldc.i4.0
IL_0278: stloc.s    index1

// [1318 14 - 1318 28]
IL_027a: ldc.i4.1
IL_027b: stloc.s    index2

IL_027d: br         IL_03ed
// start of loop, entry point: IL_03ed

// [1320 11 - 1320 42]
IL_0282: ldloc.s    numArray
IL_0284: ldloc.s    index2
IL_0286: ldc.i4.1
IL_0287: sub
IL_0288: ldelem.i4
IL_0289: stloc.s    num3

// [1321 16 - 1321 30]
IL_028b: ldc.i4.0
IL_028c: stloc.s    index3

IL_028e: br         IL_03de
// start of loop, entry point: IL_03de

// [1323 13 - 1323 63]
IL_0293: ldloc.1    // inputElemID
IL_0294: ldstr      " "
IL_0299: ldloc.s    index1
IL_029b: call       instance string [mscorlib]System.Int32::ToString()
IL_02a0: call       string [mscorlib]System.String::Concat(string, string, string)
IL_02a5: stloc.s    str

// [1324 13 - 1324 61]
IL_02a7: ldstr      "input"
IL_02ac: newobj     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_02b1: stloc.s    tagBuilder3

```

```

// [1325 13 - 1325 56]
IL_02b3: ldloc.s    tagBuilder3
IL_02b5: callvirt    instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_02ba: ldstr      "type"
IL_02bf: ldstr      "radio"
IL_02c4: callvirt    instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1326 13 - 1326 50]
IL_02c9: ldloc.s    tagBuilder3
IL_02cb: callvirt    instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_02d0: ldstr      "id"
IL_02d5: ldloc.s    str
IL_02d7: callvirt    instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1327 13 - 1327 60]
IL_02dc: ldloc.s    tagBuilder3
IL_02de: callvirt    instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_02e3: ldstr      "name"
IL_02e8: ldloc.1    // inputElemID
IL_02e9: callvirt    instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1328 13 - 1328 75]
IL_02ee: ldloc.s    tagBuilder3
IL_02f0: callvirt    instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_02f5: ldstr      "value"
IL_02fa: ldloc.0    // 'field'
IL_02fb: callvirt    instance class [mscorlib]System.Collections.Generic.List`1<string> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldListRadioButton::get_OptionsText()
IL_0300: ldloc.s    index1
IL_0302: callvirt    instance !0/*string*/ class [mscorlib]System.Collections.Generic.List`1<string>::get_Item(int32)
IL_0307: callvirt    instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1329 13 - 1329 22]
IL_030c: ldloc.s    flag
IL_030e: brfalse.s  IL_0326

// [1330 15 - 1330 65]
IL_0310: ldloc.s    tagBuilder3
IL_0312: callvirt    instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0317: ldstr      "disabled"
IL_031c: ldstr      "disabled"
IL_0321: callvirt    instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1331 13 - 1331 104]
IL_0326: ldloc.0    // 'field'
IL_0327: callvirt    instance class [mscorlib]System.Collections.Generic.List`1<string> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldListRadioButton::get_OptionsText()
IL_032c: ldloc.s    index1
IL_032e: callvirt    instance !0/*string*/ class [mscorlib]System.Collections.Generic.List`1<string>::get_Item(int32)
IL_0333: ldloc.s    fieldStandardValue
IL_0335: ldc.i4.4
IL_0336: call     bool [mscorlib]System.String::Equals(string, string, valuetype [mscorlib]System.StringComparison)
IL_033b: brfalse.s  IL_0353

// [1332 15 - 1332 63]
IL_033d: ldloc.s    tagBuilder3
IL_033f: callvirt    instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0344: ldstr      "checked"
IL_0349: ldstr      "checked"
IL_034e: callvirt    instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1333 13 - 1333 61]
IL_0353: ldstr      "label"
IL_0358: newobj     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::ctor(string)
IL_035d: stloc.s    tagBuilder4

// [1334 13 - 1334 51]
IL_035f: ldloc.s    tagBuilder4
IL_0361: callvirt    instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0366: ldstr      "for"

```

```

IL_036b: ldloc.s    str
IL_036d: callvirt  instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1335 13 - 1335 62]
IL_0372: ldloc.s    tagBuilder4
IL_0374: ldloc.0     // 'field'
IL_0375: callvirt  instance class [mscorlib]System.Collections.Generic.List`1<string> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldListRadioButton::get_OptionsText()
IL_037a: ldloc.s    index1
IL_037c: callvirt  instance !0/*string*/ class [mscorlib]System.Collections.Generic.List`1<string>::get_Item(int32)
IL_0381: callvirt  instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [1336 13 - 1336 101]
IL_0386: ldloc.0     // 'field'
IL_0387: ldc.i4.3
IL_0388: ldloc.s    tagBuilder4
IL_038a: call      void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldApplyStyles(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType,
class [System.Web.WebPages]System.Web.Mvc.TagBuilder)

// [1337 13 - 1337 74]
IL_038f: ldloc.s    stringBuilderArray
IL_0391: ldloc.s    index2
IL_0393: ldc.i4.1
IL_0394: sub
IL_0395: ldelem.ref
IL_0396: stloc.s    stringBuilder3

// [1338 13 - 1338 21]
IL_0398: ldloc.s    index1
IL_039a: ldc.i4.1
IL_039b: add
IL_039c: stloc.s    index1

// [1339 13 - 1339 42]
IL_039e: ldloc.s    stringBuilder3
IL_03a0: ldstr    "<li>"
IL_03a5: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_03aa: pop

// [1340 13 - 1340 83]
IL_03ab: ldloc.s    stringBuilder3
IL_03ad: ldloc.s    tagBuilder3
IL_03af: ldc.i4.3
IL_03b0: callvirt  instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_03b5: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_03ba: pop

// [1341 13 - 1341 78]
IL_03bb: ldloc.s    stringBuilder3
IL_03bd: ldloc.s    tagBuilder4
IL_03bf: ldc.i4.0
IL_03c0: callvirt  instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_03c5: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_03ca: pop

// [1342 13 - 1342 43]
IL_03cb: ldloc.s    stringBuilder3
IL_03cd: ldstr    "</li>"
IL_03d2: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_03d7: pop

// [1321 47 - 1321 55]
IL_03d8: ldloc.s    index3
IL_03da: ldc.i4.1
IL_03db: add
IL_03dc: stloc.s    index3

// [1321 32 - 1321 45]
IL_03de: ldloc.s    index3
IL_03e0: ldloc.s    num3
IL_03e2: blt      IL_0293
// end of loop

// [1318 81 - 1318 89]
IL_03e7: ldloc.s    index2

```

```

IL_03e9: ldc.i4.1
IL_03ea: add
IL_03eb: stloc.s    index2

// [1318 30 - 1318 79]
IL_03ed: ldloc.s    index2
IL_03ef: ldloc.s    key
IL_03f1: bgt.s     IL_0405

IL_03f3: ldloc.s    index1
IL_03f5: ldloc.0    // 'field'
IL_03f6: callvirt   instance class [mscorlib]System.Collections.Generic.List`1<string> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldListRadioButton::get_OptionsText()
IL_03fb: callvirt   instance int32 class [mscorlib]System.Collections.Generic.List`1<string>::get_Count()
IL_0400: blt      IL_0282
// end of loop

// [1345 14 - 1345 28]
IL_0405: ldc.i4.0
IL_0406: stloc.s    index4

IL_0408: br.s      IL_042d
// start of loop, entry point: IL_042d

// [1347 11 - 1347 53]
IL_040a: ldloc.s    stringBuilderArray
IL_040c: ldloc.s    index4
IL_040e: ldelem.ref
IL_040f: ldstr     "</o>"
IL_0414: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0419: pop

// [1348 11 - 1348 69]
IL_041a: ldloc.s    stringBuilder1
IL_041c: ldloc.s    stringBuilderArray
IL_041e: ldloc.s    index4
IL_0420: ldelem.ref
IL_0421: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_0426: pop

// [1345 44 - 1345 52]
IL_0427: ldloc.s    index4
IL_0429: ldc.i4.1
IL_042a: add
IL_042b: stloc.s    index4

// [1345 30 - 1345 42]
IL_042d: ldloc.s    index4
IL_042f: ldloc.s    key
IL_0431: blt.s     IL_040a
// end of loop

// [1350 9 - 1350 167]
IL_0433: ldloc.0    // 'field'
IL_0434: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldPurpose [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Purpose()
IL_0439: ldc.i4.3
IL_043a: bne.un.s   IL_044e

IL_043c: ldloc.0    // 'field'
IL_043d: callvirt   instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.IFieldPurposeData [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field::get_PurposeData()
IL_0442: castclass   [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldPurposeDataEPaymentShipping
IL_0447: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.ShippingOptions [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldPurposeDataEPaymentShipping::get_ShippingOptions()
IL_044c: brfalse.s   IL_04af

// [1352 9 - 1352 44]
IL_044e: ldarg.2      // output
IL_044f: ldloc.s    tagBuilder1
IL_0451: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_0456: pop

// [1353 9 - 1353 44]
IL_0457: ldarg.2      // output
IL_0458: ldloc.s    tagBuilder2
IL_045a: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_045f: pop

```

```

// [1354 9 - 1354 46]
IL_0460: ldarg.2    // output
IL_0461: ldloc.3    // standardLabel
IL_0462: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_0467: pop

// [1355 9 - 1355 40]
IL_0468: ldloc.0    // 'field'
IL_0469: callvirt  instance bool [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldListRadioButton::get_InstructAboveOptions()
IL_046e: brfalse.s  IL_0484

// [1357 11 - 1357 55]
IL_0470: ldarg.2    // output
IL_0471: ldloc.s    standardInstructions
IL_0473: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_0478: pop

// [1358 11 - 1358 49]
IL_0479: ldarg.2    // output
IL_047a: ldloc.s    stringBuilder1
IL_047c: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_0481: pop

IL_0482: br.s      IL_0496

// [1362 11 - 1362 49]
IL_0484: ldarg.2    // output
IL_0485: ldloc.s    stringBuilder1
IL_0487: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_048c: pop

// [1363 11 - 1363 55]
IL_048d: ldarg.2    // output
IL_048e: ldloc.s    standardInstructions
IL_0490: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_0495: pop

// [1365 9 - 1365 70]
IL_0496: ldarg.1    // viewModel
IL_0497: callvirt  instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_049c: call     bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_04a1: brtrue.s   IL_04af

// [1367 9 - 1367 32]
IL_04a3: ldarg.2    // output
IL_04a4: ldstr     "</div>"
IL_04a9: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_04ae: pop

IL_04af: ret

} // end of method FieldRenderExtensions::FieldContentRenderListRadioButton

.method private hidebysig static void
FieldContentRenderDropdown(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field fieldArg,
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
    class [mscorlib]System.Text.StringBuilder output
) cil managed
{
    .maxstack 4
    .locals init (
        [0] class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDropdown 'field',
        [1] string inputElemID,
        [2] string fieldName,
        [3] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardLabel,
        [4] class [System.Web.WebPages]System.Web.Mvc.TagBuilder 'emailTd[114-142]', tagBuilder3[279-294], tagBuilder3[294-661], tagBuilder3
[661-745]',
        [5] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardInstructions,
        [6] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder1,
        [7] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder2,
        [8] class [System]System.Collections.Specialized.NameValueCollection styleDict,
        [9] string str,
        [10] class [mscorlib]System.Text.StringBuilder stringBuilder,
        [11] int32 V_11,

```

```

[12] int32 index,
[13] int32 count
)

// [1376 7 - 1376 106]
IL_0000: ldarg.0    // fieldArg
IL_0001: ldarg.2    // output
IL_0002: call      !!0/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDropdown*/
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderInit<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDropdown>(class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class [mscorlib]
System.Text.StringBuilder)
IL_0007: stloc.0    // 'field'

// [1377 7 - 1377 54]
IL_0008: ldstr     "e_"
IL_000d: ldloc.0    // 'field'
IL_000e: callvirt   instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
IL_0013: stloc.s    V_11
IL_0015: ldloc.s    V_11
IL_0017: call      instance string [mscorlib]System.Int32::ToString()
IL_001c: call      string [mscorlib]System.String::Concat(string, string)
IL_0021: stloc.1    // inputElemID

// [1378 7 - 1378 39]
IL_0022: ldnull
IL_0023: stloc.2    // fieldName

// [1379 7 - 1379 127]
IL_0024: ldarg.1    // viewModel
IL_0025: ldloc.0    // 'field'
IL_0026: ldloc.1    // inputElemID
IL_0027: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardLabel(class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard, string)
IL_002c: stloc.3    // standardLabel
IL_002d: ldnull
IL_002e: stloc.s    V_4

// [1380 7 - 1380 117]
IL_0030: ldloc.0    // 'field'
IL_0031: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardInstructions(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard)
IL_0036: stloc.s    standardInstructions

// [1381 7 - 1381 119]
IL_0038: ldloc.0    // 'field'
IL_0039: ldarg.1    // viewModel
IL_003a: ldloc.s    fieldName
IL_003c: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldSerializationHelper(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, string&)
IL_0041: stloc.s    tagBuilder1

// [1382 7 - 1382 49]
IL_0043: ldnull
IL_0044: stloc.s    tagBuilder2

// [1383 7 - 1383 64]
IL_0046: newobj     instance void [System]System.Collections.Specialized.NameValueCollection::ctor()
IL_004b: stloc.s    styleDict

// [1384 7 - 1384 121]
IL_004d: ldloc.0    // 'field'
IL_004e: ldarg.1    // viewModel
IL_004f: call      string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::GetFieldStandardValue(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel)
IL_0054: stloc.s    V_9
IL_0056: ldloc.s    V_9
IL_0058: call      string [System.Web]System.Web.HttpUtility::HtmlDecode(string)
IL_005d: stloc.s    str

// [1385 7 - 1385 68]
IL_005f: ldarg.1    // viewModel
IL_0060: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_0065: call      bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]

```

```

CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_006a: brfalse.s IL_009b

// [1387 9 - 1387 67]
IL_006c: ldnull
IL_006d: call class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::CreateEmailTd(class [System]
System.Collections.Specialized.NameValueCollection)
IL_0072: stloc.s emailTd

// [1388 9 - 1388 40]
IL_0074: ldloc.s emailTd
IL_0076: ldloc.s str
IL_0078: call void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::SetEmailInputValue(class
[System.Web.WebPages]System.Web.Mvc.TagBuilder, string)

// [1389 9 - 1389 68]
IL_007d: ldarg.2 // output
IL_007e: ldloc.3 // standardLabel
IL_007f: ldc.i4.0
IL_0080: callvirt instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0085: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_008a: pop

// [1390 9 - 1390 62]
IL_008b: ldarg.2 // output
IL_008c: ldloc.s emailTd
IL_008e: ldc.i4.0
IL_008f: callvirt instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0094: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0099: pop
IL_009a: ret

// [1394 9 - 1394 63]
IL_009b: ldarg.1 // viewModel
IL_009c: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_00a1: ldc.i4.4
IL_00a2: bne.un.s IL_010d

// [1396 11 - 1396 46]
IL_00a4: ldstr "div"
IL_00a9: newobj instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::ctor(string)
IL_00ae: stloc.s tagBuilder2

// [1397 11 - 1397 52]
IL_00b0: ldloc.s styleDict
IL_00b2: ldstr "border"
IL_00b7: ldstr "1px solid #BBBBBB"
IL_00bc: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [1398 11 - 1398 39]
IL_00c1: ldloc.s styleDict
IL_00c3: ldstr "padding"
IL_00c8: ldstr "4px"
IL_00cd: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [1399 11 - 1399 48]
IL_00d2: ldloc.s styleDict
IL_00d4: ldstr "white-space"
IL_00d9: ldstr "pre-wrap"
IL_00de: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [1400 11 - 1400 43]
IL_00e3: ldloc.s styleDict
IL_00e5: ldstr "overflow"
IL_00ea: ldstr "hidden"
IL_00ef: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [1401 11 - 1401 94]
IL_00f4: ldloc.s tagBuilder2
IL_00f6: ldloc.s str
IL_00f8: call bool [mscorlib]System.String::IsNullOrEmpty(string)
IL_00fd: brtrue.s IL_0103

IL_00ff: ldloc.s str

```

```

IL_0101: br.s      IL_0108
IL_0103: call      string FormCenterResources.SharedResources::get_SelectOne()
IL_0108: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [1403 9 - 1403 58]
IL_010d: ldstr     "select"
IL_0112: newobj     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::ctor(string)
IL_0117: stloc.s    tagBuilder3

// [1404 9 - 1404 54]
IL_0119: ldloc.s    tagBuilder3
IL_011b: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0120: ldstr     "id"
IL_0125: ldloc.1    // inputElemID
IL_0126: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1405 9 - 1405 54]
IL_012b: ldloc.s    tagBuilder3
IL_012d: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0132: ldstr     "name"
IL_0137: ldloc.2    // fieldName
IL_0138: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1406 9 - 1406 123]
IL_013d: ldarg.1    // viewModel
IL_013e: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_0143: ldc.i4.4
IL_0144: beq.s      IL_0153

IL_0146: ldarg.1    // viewModel
IL_0147: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_014c: call      bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_0151: brfalse.s   IL_015f

// [1407 11 - 1407 44]
IL_0153: ldloc.s    tagBuilder3
IL_0155: ldstr     "hidden"
IL_015a: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [1408 9 - 1408 77]
IL_015f: ldloc.0    // 'field'
IL_0160: ldarg.1    // viewModel
IL_0161: call      bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsFieldReadOnly(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel)
IL_0166: brfalse.s   IL_017e

// [1409 11 - 1409 61]
IL_0168: ldloc.s    tagBuilder3
IL_016a: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_016f: ldstr     "disabled"
IL_0174: ldstr     "disabled"
IL_0179: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1410 9 - 1410 58]
IL_017e: newobj     instance void [mscorlib]System.Text.StringBuilder::ctor()
IL_0183: stloc.s    stringBuilder

// [1411 9 - 1411 49]
IL_0185: ldloc.s    stringBuilder
IL_0187: ldstr     "<option value=\"\"
IL_018c: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0191: pop

// [1412 9 - 1412 78]
IL_0192: ldloc.s    stringBuilder
IL_0194: ldstr     ">"
IL_0199: call      string FormCenterResources.SharedResources::get_SelectOne()
IL_019e: ldstr     "</option>"
IL_01a3: call      string [mscorlib]System.String::Concat(string, string, string)
IL_01a8: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_01ad: pop

```

```

// [1413 9 - 1413 22]
IL_01ae: ldc.i4.0
IL_01af: stloc.s    index

// [1414 14 - 1414 45]
IL_01b1: ldloc.0    // 'field'
IL_01b2: callvirt   instance class [mscorlib]System.Collections.Generic.List`1<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDropdownOption> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDropdown::get_Options()
IL_01b7: callvirt   instance int32 class [mscorlib]System.Collections.Generic.List`1<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDropdownOption>::get_Count()
IL_01bc: stloc.s    count

IL_01be: br        IL_025a
// start of loop, entry point: IL_025a

// [1416 11 - 1416 43]
IL_01c3: ldloc.s    stringBuilder
IL_01c5: ldstr      "<option "
IL_01ca: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_01cf: pop

// [1417 11 - 1417 87]
IL_01d0: ldloc.0    // 'field'
IL_01d1: callvirt   instance class [mscorlib]System.Collections.Generic.List`1<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDropdownOption> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDropdown::get_Options()
IL_01d6: ldloc.s    index
IL_01d8: callvirt   instance !0/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDropdownOption*/ class [mscorlib]
System.Collections.Generic.List`1<class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDropdownOption>::get_Item(int32)
IL_01dd: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDropdownOption::get_Text()
IL_01e2: ldloc.s    str
IL_01e4: ldc.i4.4
IL_01e5: call      bool [mscorlib]System.String::Equals(string, string, valuetype [mscorlib]System.StringComparison)
IL_01ea: brfalse.s  IL_01f9

// [1418 13 - 1418 46]
IL_01ec: ldloc.s    stringBuilder
IL_01ee: ldstr      "selected "
IL_01f3: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_01f8: pop

// [1419 11 - 1419 43]
IL_01f9: ldloc.s    stringBuilder
IL_01fb: ldstr      "value=\""
IL_0200: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0205: pop

// [1420 11 - 1420 58]
IL_0206: ldloc.s    stringBuilder
IL_0208: ldloc.0    // 'field'
IL_0209: callvirt   instance class [mscorlib]System.Collections.Generic.List`1<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDropdownOption> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDropdown::get_Options()
IL_020e: ldloc.s    index
IL_0210: callvirt   instance !0/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDropdownOption*/ class [mscorlib]
System.Collections.Generic.List`1<class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDropdownOption>::get_Item(int32)
IL_0215: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDropdownOption::get_Text()
IL_021a: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_021f: pop

// [1421 11 - 1421 38]
IL_0220: ldloc.s    stringBuilder
IL_0222: ldstr      "\">"
IL_0227: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_022c: pop

// [1422 11 - 1422 58]
IL_022d: ldloc.s    stringBuilder
IL_022f: ldloc.0    // 'field'
IL_0230: callvirt   instance class [mscorlib]System.Collections.Generic.List`1<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDropdownOption> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDropdown::get_Options()
IL_0235: ldloc.s    index
IL_0237: callvirt   instance !0/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDropdownOption*/ class [mscorlib]
System.Collections.Generic.List`1<class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDropdownOption>::get_Item(int32)
IL_023c: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDropdownOption::get_Text()
IL_0241: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)

```

```

IL_0246: pop

// [1423 11 - 1423 44]
IL_0247: ldloc.s    stringBuilder
IL_0249: ldstr      "</option>"
IL_024e: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0253: pop

// [1414 62 - 1414 69]
IL_0254: ldloc.s    index
IL_0256: ldc.i4.1
IL_0257: add
IL_0258: stloc.s    index

// [1414 47 - 1414 60]
IL_025a: ldloc.s    index
IL_025c: ldloc.s    count
IL_025e: blt        IL_01c3
// end of loop

// [1425 9 - 1425 57]
IL_0263: ldloc.s    tagBuilder3
IL_0265: ldloc.s    stringBuilder
IL_0267: callvirt   instance string [mscorlib]System.Object::ToString()
IL_026c: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [1426 9 - 1426 108]
IL_0271: ldloc.0     // 'field'
IL_0272: ldc.i4.3
IL_0273: ldloc.s    tagBuilder3
IL_0275: ldloc.s    styleDict
IL_0277: call       void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldApplyStyles(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType,
class [System.Web.WebPages]System.Web.Mvc.TagBuilder, class [System]System.Collections.Specialized.NameValueCollection)

// [1427 9 - 1427 33]
IL_027c: ldloc.s    tagBuilder2
IL_027e: brfalse.s  IL_028b

// [1428 11 - 1428 110]
IL_0280: ldloc.0     // 'field'
IL_0281: ldc.i4.3
IL_0282: ldloc.s    tagBuilder2
IL_0284: ldloc.s    styleDict
IL_0286: call       void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldApplyStyles(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType,
class [System.Web.WebPages]System.Web.Mvc.TagBuilder, class [System]System.Collections.Specialized.NameValueCollection)

// [1429 9 - 1429 167]
IL_028b: ldloc.0     // 'field'
IL_028c: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldPurpose [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Purpose()
IL_0291: ldc.i4.3
IL_0292: bne.un.s   IL_02a6

IL_0294: ldloc.0     // 'field'
IL_0295: callvirt   instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.IFieldPurposeData [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field::get_PurposeData()
IL_029a: castclass  [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldPurposeDataEPaymentShipping
IL_029f: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.ShippingOptions [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldPurposeDataEPaymentShipping::get_ShippingOptions()
IL_02a4: brfalse.s  IL_030a

// [1431 9 - 1431 46]
IL_02a6: ldarg.2       // output
IL_02a7: ldloc.3     // standardLabel
IL_02a8: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_02ad: pop

// [1432 9 - 1432 31]
IL_02ae: ldarg.2     // output
IL_02af: ldstr      "<div>"
IL_02b4: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_02b9: pop

// [1433 9 - 1433 44]
IL_02ba: ldarg.2     // output
IL_02bb: ldloc.s    tagBuilder1

```

```

IL_02bd: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_02c2: pop

// [1434 9 - 1434 33]
IL_02c3: ldloc.s tagBuilder2
IL_02c5: brfalse.s IL_02d0

// [1435 11 - 1435 46]
IL_02c7: ldarg.2 // output
IL_02c8: ldloc.s tagBuilder2
IL_02ca: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_02cf: pop

// [1436 9 - 1436 124]
IL_02d0: ldarg.1 // viewModel
IL_02d1: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_02d6: ldc.i4.4
IL_02d7: beq.s IL_02f5

IL_02d9: ldarg.1 // viewModel
IL_02da: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_02df: call bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_02e4: brtrue.s IL_02f5

// [1437 11 - 1437 68]
IL_02e6: ldarg.2 // output
IL_02e7: ldloc.s tagBuilder3
IL_02e9: ldc.i4.0
IL_02ea: callvirt instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_02ef: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_02f4: pop

// [1438 9 - 1438 53]
IL_02f5: ldarg.2 // output
IL_02f6: ldloc.s standardInstructions
IL_02f8: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_02fd: pop

// [1439 9 - 1439 32]
IL_02fe: ldarg.2 // output
IL_02ff: ldstr "</div>"
IL_0304: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0309: pop

IL_030a: ret

} // end of method FieldRenderExtensions::FieldContentRenderDropdown

.method private hidebysig static void
FieldContentRenderFileUpload(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field fieldArg,
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
    class [mscorlib]System.Text.StringBuilder output
) cil managed
{
    .maxstack 4
    .locals init (
        [0] class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/<>c__DisplayClass39_0' V_0,
        [1] string inputElemID,
        [2] string fieldName,
        [3] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardLabel,
        [4] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardInstructions,
        [5] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder1,
        [6] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder2,
        [7] string[] source,
        [8] object obj,
        [9] class [mscorlib]System.Collections.Generic.IEnumerable`1<class [System.Web.WebPages]System.Web.Mvc.TagBuilder> values,
        [10] int32 V_10,
        [11] string str,
        [12] string[] strArray2,
        [13] string[] strArray1,
        [14] class [System.Web.WebPages]System.Web.Mvc.TagBuilder emailTd,
        [15] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder3
    )
}

```

```

IL_0000: newobj     instance void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0'::ctor()
IL_0005: stloc.0     // V_0
IL_0006: ldloc.0     // V_0
IL_0007: ldarg.1    // viewModel
IL_0008: stfld      class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0'::viewModel

// [1448 7 - 1448 110]
IL_000d: ldloc.0     // V_0
IL_000e: ldarg.0     // fieldArg
IL_000f: ldarg.2     // output
IL_0010: call      !!0/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldFileUpload*/
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderInit<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldFileUpload>(class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class [mscorlib]
System.Text.StringBuilder)
IL_0015: stfld      class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldFileUpload
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0'::field'

// [1449 7 - 1449 54]
IL_001a: ldstr      "e_"
IL_001f: ldloc.0     // V_0
IL_0020: ldfld      class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldFileUpload
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0'::field'
IL_0025: callvirt   instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
IL_002a: stloc.s     V_10
IL_002c: ldloc.s     V_10
IL_002e: call      instance string [mscorlib]System.Int32::ToString()
IL_0033: call      string [mscorlib]System.String::Concat(string, string)
IL_0038: stloc.1     // inputElemID

// [1450 7 - 1450 39]
IL_0039: ldnull
IL_003a: stloc.2     // fieldName

// [1451 7 - 1451 127]
IL_003b: ldloc.0     // V_0
IL_003c: ldfld      class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0'::viewModel
IL_0041: ldloc.0     // V_0
IL_0042: ldfld      class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldFileUpload
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0'::field'
IL_0047: ldloc.1     // inputElemID
IL_0048: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardLabel(class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard, string)
IL_004d: stloc.3     // standardLabel

// [1452 7 - 1452 117]
IL_004e: ldloc.0     // V_0
IL_004f: ldfld      class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldFileUpload
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0'::field'
IL_0054: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardInstructions(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard)
IL_0059: stloc.s     standardInstructions

// [1453 7 - 1453 119]
IL_005b: ldloc.0     // V_0
IL_005c: ldfld      class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldFileUpload
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0'::field'
IL_0061: ldloc.0     // V_0
IL_0062: ldfld      class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0'::viewModel
IL_0067: ldloc.s     fieldName
IL_0069: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldSerializationHelper(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, string&)
IL_006e: stloc.s     tagBuilder1

// [1454 7 - 1454 54]
IL_0070: ldstr      "span"
IL_0075: newobj     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::ctor(string)
IL_007a: stloc.s     tagBuilder2

// [1455 7 - 1455 38]
IL_007c: ldc.i4.0

```

```

IL_007d: newarr    [mscorlib]System.String
IL_0082: stloc.s    source

// [1457 7 - 1457 83]
IL_0084: ldloc.0    // V_0
IL_0085: ldftld     class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0':viewModel
IL_008a: callvirt   instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FormSubmissionData
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_Data()
IL_008f: brfalse.s   IL_00ed

IL_0091: ldloc.0    // V_0
IL_0092: ldftld     class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0':viewModel
IL_0097: callvirt   instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FormSubmissionData
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_Data()
IL_009c: ldloc.0    // V_0
IL_009d: ldftld     class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldFileUpload
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0':field'
IL_00a2: callvirt   instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
IL_00a7: ldloc.a.s    obj
IL_00a9: callvirt   instance bool class [mscorlib]System.Collections.Generic.Dictionary`2<int32, object>::TryGetValue(!0/*int32*/, !1/*object*/&)
IL_00ae: brfalse.s   IL_00ed

// [1460 9 - 1460 21]
IL_00b0: ldloc.s     obj
IL_00b2: isinst     [mscorlib]System.String
IL_00b7: stloc.s     str

IL_00b9: ldloc.s     str
IL_00bb: brtrue.s    IL_00cc
IL_00bd: ldloc.s     obj
IL_00bf: isinst     string[]
IL_00c4: stloc.s     strArray2
IL_00c6: ldloc.s     strArray2
IL_00c8: brtrue.s    IL_00db
IL_00ca: br.s      IL_00e1

// [1463 13 - 1463 45]
IL_00cc: ldc.i4.1
IL_00cd: newarr    [mscorlib]System.String
IL_00d2: dup
IL_00d3: ldc.i4.0
IL_00d4: ldloc.s     str
IL_00d6: stelem.ref
IL_00d7: stloc.s     strArray1

// [1464 13 - 1464 19]
IL_00d9: br.s      IL_00e9

// [1466 13 - 1466 34]
IL_00db: ldloc.s     strArray2
IL_00dd: stloc.s     strArray1

// [1467 13 - 1467 19]
IL_00df: br.s      IL_00e9

// [1469 13 - 1469 38]
IL_00e1: ldc.i4.0
IL_00e2: newarr    [mscorlib]System.String
IL_00e7: stloc.s     strArray1

// [1472 9 - 1472 27]
IL_00e9: ldloc.s     strArray1
IL_00eb: stloc.s     source

// [1474 7 - 1474 633]
IL_00ed: ldloc.0    // V_0
IL_00ee: ldftld     class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0':viewModel
IL_00f3: callvirt   instance class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderers.Base.IFieldRendererFactory
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_FieldRendererFactory()
IL_00f8: callvirt   instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FormSubmission
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderers.Base.IFieldRendererFactory::get_submission()
IL_00fd: callvirt   instance class [mscorlib]System.Type [mscorlib]System.Object::GetType()
IL_0102: ldtoken     [CivicPlus.Entities]CivicPlus.Entities.Modules.Bids.PlanHoldersFormSubmission
IL_0107: call      class [mscorlib]System.Type [mscorlib]System.Type::GetTypeFromHandle(valuetype [mscorlib]System.RuntimeTypeHandle)
IL_010c: call      bool [mscorlib]System.Type::op_Equality(class [mscorlib]System.Type, class [mscorlib]System.Type)

```

```

IL_0111: brfalse.s IL_012a

IL_0113: ldloc.s source
IL_0115: ldloc.0 // V_0
IL_0116: ldftn instance class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0'::'FieldContentRenderFileUpload>b__0'(string)
IL_011c: newobj instance void class [mscorlib]System.Func`2<string, class [System.Web.WebPages]System.Web.Mvc.TagBuilder>::ctor
(object, native int)
IL_0121: call class [mscorlib]System.Collections.Generic.IEnumerable`1<!!1/*class [System.Web.WebPages]
System.Web.Mvc.TagBuilder*/> [System.Core]System.Linq.Enumerable::Select<string, class [System.Web.WebPages]
System.Web.Mvc.TagBuilder>(class [mscorlib]System.Collections.Generic.IEnumerable`1<!!0/*string*/>, class [mscorlib]System.Func`2<!!0/
*string*/, !!1/*class [System.Web.WebPages]System.Web.Mvc.TagBuilder*/>))
IL_0126: stloc.s values
IL_0128: br.s IL_013f
IL_012a: ldloc.s source
IL_012c: ldloc.0 // V_0
IL_012d: ldftn instance class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0'::'FieldContentRenderFileUpload>b__1'(string)
IL_0133: newobj instance void class [mscorlib]System.Func`2<string, class [System.Web.WebPages]System.Web.Mvc.TagBuilder>::ctor
(object, native int)
IL_0138: call class [mscorlib]System.Collections.Generic.IEnumerable`1<!!1/*class [System.Web.WebPages]
System.Web.Mvc.TagBuilder*/> [System.Core]System.Linq.Enumerable::Select<string, class [System.Web.WebPages]
System.Web.Mvc.TagBuilder>(class [mscorlib]System.Collections.Generic.IEnumerable`1<!!0/*string*/>, class [mscorlib]System.Func`2<!!0/
*string*/, !!1/*class [System.Web.WebPages]System.Web.Mvc.TagBuilder*/>))
IL_013d: stloc.s values

// [1475 7 - 1475 68]
IL_013f: ldloc.s tagBuilder2
IL_0141: ldstr ", "
IL_0146: ldloc.s values
IL_0148: call string [mscorlib]System.String::Join<class [System.Web.WebPages]System.Web.Mvc.TagBuilder>(string, class [mscorlib]
System.Collections.Generic.IEnumerable`1<!!0/*class [System.Web.WebPages]System.Web.Mvc.TagBuilder*/>))
IL_014d: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [1476 7 - 1476 68]
IL_0152: ldloc.0 // V_0
IL_0153: ldftn class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0'::viewModel
IL_0158: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_015d: call bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_0162: brfalse.s IL_01cb

// [1478 9 - 1478 67]
IL_0164: ldnull
IL_0165: call class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::CreateEmailTd(class [System]
System.Collections.Specialized.NameValueCollection)
IL_016a: stloc.s emailTd

// [1481 9 - 1481 241]
IL_016c: ldloc.s source
IL_016e: ldsvld class [mscorlib]System.Func`2<string, bool> CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>
O'::'<15>__IsNullOrEmpty'
IL_0173: dup

IL_0174: brtrue.s IL_0189
IL_0176: pop
IL_0177: ldnull
IL_0178: ldftn bool [mscorlib]System.String::IsNullOrEmpty(string)
IL_017e: newobj instance void class [mscorlib]System.Func`2<string, bool>::ctor(object, native int)
IL_0183: dup
IL_0184: stsvld class [mscorlib]System.Func`2<string, bool> CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>
O'::'<15>__IsNullOrEmpty'
IL_0189: call bool [System.Core]System.Linq.Enumerable::All<string>(class [mscorlib]System.Collections.Generic.IEnumerable`1<!!0/
*string*/>, class [mscorlib]System.Func`2<!!0/*string*/, bool>))
IL_018e: brfalse.s IL_019e

// [1482 11 - 1482 51]
IL_0190: ldloc.s emailTd
IL_0192: ldsvld string [mscorlib]System.String::Empty
IL_0197: call void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::SetEmailInputValue(class
[System.Web.WebPages]System.Web.Mvc.TagBuilder, string)

IL_019c: br.s IL_01ad

// [1484 11 - 1484 73]

```

```

IL_019e: ldloc.s    emailTd
IL_01a0: ldloc.s    tagBuilder2
IL_01a2: ldc.i4.0
IL_01a3: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_01a8: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [1485 9 - 1485 68]
IL_01ad: ldarg.2    // output
IL_01ae: ldloc.3    // standardLabel
IL_01af: ldc.i4.0
IL_01b0: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_01b5: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_01ba: pop

// [1486 9 - 1486 62]
IL_01bb: ldarg.2    // output
IL_01bc: ldloc.s    emailTd
IL_01be: ldc.i4.0
IL_01bf: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_01c4: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_01c9: pop
IL_01ca: ret

// [1488 12 - 1488 80]
IL_01cb: ldloc.0    // V_0
IL_01cc: ldftld    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldFileUpload
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/"<c__DisplayClass39_0":field'
IL_01d1: ldloc.0    // V_0
IL_01d2: ldftld    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/"<c__DisplayClass39_0":viewModel
IL_01d7: call      bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsFieldReadOnly(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel)
IL_01dc: brfalse.s IL_0230

// [1490 9 - 1490 46]
IL_01de: ldarg.2    // output
IL_01df: ldloc.3    // standardLabel
IL_01e0: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_01e5: pop

// [1491 9 - 1491 31]
IL_01e6: ldarg.2    // output
IL_01e7: ldstr     "<div>"
IL_01ec: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_01f1: pop

// [1492 9 - 1492 114]
IL_01f2: ldarg.2    // output
IL_01f3: ldstr     "Uploaded: {0}"
IL_01f8: ldloc.s    tagBuilder2
IL_01fa: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::get_InnerHtml()
IL_01ff: ldstr     ""
IL_0204: call      bool [mscorlib]System.String::op_Equality(string, string)
IL_0209: brtrue.s   IL_020f

IL_020b: ldloc.s    tagBuilder2
IL_020d: br.s       IL_0214
IL_020f: ldstr     "N/A"
IL_0214: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::AppendFormat(string, object)
IL_0219: pop

// [1493 9 - 1493 53]
IL_021a: ldarg.2    // output
IL_021b: ldloc.s    standardInstructions
IL_021d: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_0222: pop

// [1494 9 - 1494 32]
IL_0223: ldarg.2    // output
IL_0224: ldstr     "</div>"
IL_0229: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_022e: pop
IL_022f: ret

// [1498 9 - 1498 57]

```

```

IL_0230: ldstr      "input"
IL_0235: newobj     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_023a: stloc.s    tagBuilder3

// [1499 9 - 1499 51]
IL_023c: ldloc.s    tagBuilder3
IL_023e: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0243: ldstr      "type"
IL_0248: ldstr      "file"
IL_024d: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1500 9 - 1500 54]
IL_0252: ldloc.s    tagBuilder3
IL_0254: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0259: ldstr      "id"
IL_025e: ldloc.1     // inputElemID
IL_025f: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1501 9 - 1501 54]
IL_0264: ldloc.s    tagBuilder3
IL_0266: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_026b: ldstr      "name"
IL_0270: ldloc.2     // fieldName
IL_0271: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1502 9 - 1502 97]
IL_0276: ldloc.0     // V_0
IL_0277: ldftd     class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldFileUpload
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/'<>c__DisplayClass39_0'::'field'
IL_027c: ldc.i4.3
IL_027d: ldloc.s    tagBuilder3
IL_027f: call     void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldApplyStyles(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType,
class [System.Web.WebPages]System.Web.Mvc.TagBuilder)

// [1503 9 - 1503 46]
IL_0284: ldarg.2     // output
IL_0285: ldloc.3     // standardLabel
IL_0286: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_028b: pop

// [1504 9 - 1504 31]
IL_028c: ldarg.2     // output
IL_028d: ldstr      "<div>"
IL_0292: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0297: pop

// [1505 9 - 1505 44]
IL_0298: ldarg.2     // output
IL_0299: ldloc.s    tagBuilder1
IL_029b: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_02a0: pop

// [1506 9 - 1506 71]
IL_02a1: ldarg.2     // output
IL_02a2: ldloc.s    tagBuilder3
IL_02a4: ldc.i4.3
IL_02a5: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_02aa: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_02af: pop

// [1507 9 - 1507 53]
IL_02b0: ldarg.2     // output
IL_02b1: ldloc.s    standardInstructions
IL_02b3: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_02b8: pop

// [1508 9 - 1508 41]
IL_02b9: ldloc.s    tagBuilder2
IL_02bb: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::get_InnerHtml()
IL_02c0: ldstr      ""
IL_02c5: call     bool [mscorlib]System.String::op_Inequality(string, string)
IL_02ca: brfalse.s IL_02da

```

```

// [1509 11 - 1509 69]
IL_02cc: ldarg.2    // output
IL_02cd: ldstr     "Uploaded: {0}"
IL_02d2: ldloc.s   tagBuilder2
IL_02d4: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::AppendFormat(string, object)
IL_02d9: pop

// [1510 9 - 1510 32]
IL_02da: ldarg.2    // output
IL_02db: ldstr     "</div>"
IL_02e0: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_02e5: pop
IL_02e6: ret

} // end of method FieldRenderExtensions::FieldContentRenderFileUpload

.method private hidebysig static void
FieldContentRenderLink(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field fieldArg,
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
    class [mscorlib]System.Text.StringBuilder output
) cil managed
{
    .maxstack 4
    .locals init (
        [0] class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldLink 'field',
        [1] string inputElemID,
        [2] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardLabel,
        [3] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder,
        [4] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardInstructions,
        [5] int32 V_5,
        [6] class [System.Web.WebPages]System.Web.Mvc.TagBuilder emailTd
    )

    // [1519 7 - 1519 98]
    IL_0000: ldarg.0    // fieldArg
    IL_0001: ldarg.2    // output
    IL_0002: call      !!0/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldLink*/
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderInit<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldLink>(class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class [mscorlib]
System.Text.StringBuilder)
    IL_0007: stloc.0    // 'field'

    // [1520 7 - 1520 54]
    IL_0008: ldstr     "e_"
    IL_000d: ldloc.0    // 'field'
    IL_000e: callvirt  instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
    IL_0013: stloc.s   V_5
    IL_0015: ldloc.s   V_5
    IL_0017: call      instance string [mscorlib]System.Int32::ToString()
    IL_001c: call      string [mscorlib]System.String::Concat(string, string)
    IL_0021: stloc.1    // inputElemID

    // [1521 7 - 1521 127]
    IL_0022: ldarg.1    // viewModel
    IL_0023: ldloc.0    // 'field'
    IL_0024: ldloc.1    // inputElemID
    IL_0025: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardLabel(class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard, string)
    IL_002a: stloc.2    // standardLabel

    // [1522 7 - 1522 50]
    IL_002b: ldstr     "a"
    IL_0030: newobj     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::ctor(string)
    IL_0035: stloc.3    // tagBuilder

    // [1523 7 - 1523 117]
    IL_0036: ldloc.0    // 'field'
    IL_0037: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardInstructions(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard)
    IL_003c: stloc.s   standardInstructions

    // [1524 7 - 1524 51]
    IL_003e: ldloc.3    // tagBuilder
    IL_003f: callvirt  instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]

```

```

System.Web.Mvc.TagBuilder::get_Attributes()
  IL_0044: ldstr      "href"
  IL_0049: ldloc.0    // 'field'
  IL_004a: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldLink::get_URL()
  IL_004f: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

  // [1525 7 - 1525 51]
  IL_0054: ldloc.3    // tagBuilder
  IL_0055: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
  IL_005a: ldstr      "id"
  IL_005f: ldloc.1    // inputElemID
  IL_0060: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

  // [1526 7 - 1526 33]
  IL_0065: ldloc.0    // 'field'
  IL_0066: callvirt   instance bool [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldLink::get_OpenInNewWindow()
  IL_006b: brfalse.s  IL_0082

  // [1527 9 - 1527 54]
  IL_006d: ldloc.3    // tagBuilder
  IL_006e: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
  IL_0073: ldstr      "target"
  IL_0078: ldstr      "_blank"
  IL_007d: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

  // [1528 7 - 1528 40]
  IL_0082: ldloc.3    // tagBuilder
  IL_0083: ldloc.0    // 'field'
  IL_0084: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldLink::get_Text()
  IL_0089: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

  // [1529 7 - 1529 98]
  IL_008e: ldloc.0    // 'field'
  IL_008f: ldc.i4.4
  IL_0090: ldloc.3    // tagBuilder
  IL_0091: call     void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldApplyStyles(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType,
class [System.Web.WebPages]System.Web.Mvc.TagBuilder)

  // [1530 7 - 1530 68]
  IL_0096: ldarg.1    // viewModel
  IL_0097: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
  IL_009c: call     bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
  IL_00a1: brfalse.s  IL_00e0

  // [1532 9 - 1532 46]
  IL_00a3: ldarg.2    // output
  IL_00a4: ldloc.2    // standardLabel
  IL_00a5: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
  IL_00aa: pop

  // [1533 9 - 1533 67]
  IL_00ab: ldnull
  IL_00ac: call     class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::CreateEmailTd(class [System]
System.Collections.Specialized.NameValueCollection)
  IL_00b1: stloc.s   emailTd

  // [1534 9 - 1534 72]
  IL_00b3: ldloc.s    emailTd
  IL_00b5: ldstr      "<div>"
  IL_00ba: ldloc.3    // tagBuilder
  IL_00bb: dup

  IL_00bc: brtrue.s  IL_00c2
  IL_00be: pop
  IL_00bf: ldnull
  IL_00c0: br.s     IL_00c7
  IL_00c2: callvirt   instance string [mscorlib]System.Object::ToString()
  IL_00c7: ldstr      "</div>"
  IL_00cc: call     string [mscorlib]System.String::Concat(string, string, string)
  IL_00d1: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

  // [1535 9 - 1535 40]

```

```

IL_00d6: ldarg.2    // output
IL_00d7: ldloc.s    emailTd
IL_00d9: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_00de: pop
IL_00df: ret

// [1539 9 - 1539 46]
IL_00e0: ldarg.2    // output
IL_00e1: ldloc.2    // standardLabel
IL_00e2: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_00e7: pop

// [1540 9 - 1540 31]
IL_00e8: ldarg.2    // output
IL_00e9: ldstr     "<div>"
IL_00ee: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_00f3: pop

// [1541 9 - 1541 43]
IL_00f4: ldarg.2    // output
IL_00f5: ldloc.3    // tagBuilder
IL_00f6: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_00fb: pop

// [1542 9 - 1542 53]
IL_00fc: ldarg.2    // output
IL_00fd: ldloc.s    standardInstructions
IL_00ff: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_0104: pop

// [1543 9 - 1543 32]
IL_0105: ldarg.2    // output
IL_0106: ldstr     "</div>"
IL_010b: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0110: pop
IL_0111: ret

} // end of method FieldRenderExtensions::FieldContentRenderLink

.method private hidebysig static void
FieldContentRenderHeaderInstructions(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field fieldArg,
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
    class [mscorlib]System.Text.StringBuilder output
) cil managed
{
    .maxstack 3
    .locals init (
        [0] class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldHeaderInstructions 'field',
        [1] string inputElemID,
        [2] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardLabel,
        [3] int32 V_3,
        [4] class [System.Web.WebPages]System.Web.Mvc.TagBuilder emailTd,
        [5] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardInstructions
    )

    // [1552 7 - 1552 126]
    IL_0000: ldarg.0    // fieldArg
    IL_0001: ldarg.2    // output
    IL_0002: call     !!0/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldHeaderInstructions*/
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderInit<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldHeaderInstructions>(class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
[mscorlib]System.Text.StringBuilder)
    IL_0007: stloc.0    // 'field'

    // [1553 7 - 1553 54]
    IL_0008: ldstr     "e_"
    IL_000d: ldloc.0    // 'field'
    IL_000e: callvirt  instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
    IL_0013: stloc.3    // V_3
    IL_0014: ldloc.s    V_3
    IL_0016: call     instance string [mscorlib]System.Int32::ToString()
    IL_001b: call     string [mscorlib]System.String::Concat(string, string)
    IL_0020: stloc.1    // inputElemID

    // [1554 7 - 1554 127]
    IL_0021: ldarg.1    // viewModel
    IL_0022: ldloc.0    // 'field'

```

```

IL_0023: ldloc.1    // inputElemID
IL_0024: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardLabel(class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard, string)
IL_0029: stloc.2    // standardLabel

// [1555 7 - 1555 68]
IL_002a: ldarg.1    // viewModel
IL_002b: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_0030: call      bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_0035: brfalse.s  IL_006b

// [1557 9 - 1557 67]
IL_0037: ldnull
IL_0038: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::CreateEmailTd(class [System]
System.Collections.Specialized.NameValueCollection)
IL_003d: stloc.s    emailTd

// [1558 9 - 1558 62]
IL_003f: ldloc.s    emailTd
IL_0041: ldloc.0    // 'field'
IL_0042: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard::get_Instructions()
IL_0047: ldc.i4.0
IL_0048: call      void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::SetEmailInputValue(class
[System.Web.WebPages]System.Web.Mvc.TagBuilder, string, bool)

// [1559 9 - 1559 68]
IL_004d: ldarg.2    // output
IL_004e: ldloc.2    // standardLabel
IL_004f: ldc.i4.0
IL_0050: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0055: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_005a: pop

// [1560 9 - 1560 62]
IL_005b: ldarg.2    // output
IL_005c: ldloc.s    emailTd
IL_005e: ldc.i4.0
IL_005f: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0064: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0069: pop
IL_006a: ret

// [1564 9 - 1564 119]
IL_006b: ldloc.0    // 'field'
IL_006c: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardInstructions(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard)
IL_0071: stloc.s    standardInstructions

// [1565 9 - 1565 46]
IL_0073: ldarg.2    // output
IL_0074: ldloc.2    // standardLabel
IL_0075: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_007a: pop

// [1566 9 - 1566 31]
IL_007b: ldarg.2    // output
IL_007c: ldstr     "<div>"
IL_0081: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0086: pop

// [1567 9 - 1567 53]
IL_0087: ldarg.2    // output
IL_0088: ldloc.s    standardInstructions
IL_008a: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_008f: pop

// [1568 9 - 1568 32]
IL_0090: ldarg.2    // output
IL_0091: ldstr     "</div>"
IL_0096: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)

```

```

IL_009b: pop
IL_009c: ret

} // end of method FieldRenderExtensions::FieldContentRenderHeaderInstructions

.method private hidebysig static void
FieldContentRenderReplyEmail(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field fieldArg,
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
    class [mscorlib]System.Text.StringBuilder output
) cil managed
{
    .maxstack 4
    .locals init (
        [0] class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldReplyEmail 'field',
        [1] string inputElemID,
        [2] string fieldName,
        [3] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardLabel,
        [4] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardInstructions,
        [5] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder1,
        [6] class [System.Web.WebPages]System.Web.Mvc.TagBuilder 'emailTd[102-206], tagBuilder3[238-336], tagBuilder4[353-371], tagBuilder4
[371-736], tagBuilder4[736-778]',
        [7] valuetype [System.Web.WebPages]System.Web.Mvc.TagRenderMode renderMode,
        [8] class [System]System.Collections.Specialized.NameValueCollection styleDict,
        [9] string fieldStandardValue,
        [10] int32 V_10,
        [11] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder2,
        [12] valuetype [mscorlib]System.Nullable`1<int32> maxLength
    )

    // [1577 7 - 1577 110]
    IL_0000: ldarg.0 // fieldArg
    IL_0001: ldarg.2 // output
    IL_0002: call !!0/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldReplyEmail*/
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderInit<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldReplyEmail>(class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
[mscorlib]System.Text.StringBuilder)
    IL_0007: stloc.0 // 'field'

    // [1578 7 - 1578 54]
    IL_0008: ldstr "e_"
    IL_000d: ldloc.0 // 'field'
    IL_000e: callvirt instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
    IL_0013: stloc.s V_10
    IL_0015: ldloc.s V_10
    IL_0017: call instance string [mscorlib]System.Int32::ToString()
    IL_001c: call string [mscorlib]System.String::Concat(string, string)
    IL_0021: stloc.1 // inputElemID

    // [1579 7 - 1579 39]
    IL_0022: ldnull
    IL_0023: stloc.2 // fieldName

    // [1580 7 - 1580 127]
    IL_0024: ldarg.1 // viewModel
    IL_0025: ldloc.0 // 'field'
    IL_0026: ldloc.1 // inputElemID
    IL_0027: call class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardLabel(class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard, string)
    IL_002c: stloc.3 // standardLabel

    // [1581 7 - 1581 117]
    IL_002d: ldloc.0 // 'field'
    IL_002e: call class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardInstructions(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard)
    IL_0033: stloc.s standardInstructions

    // [1582 7 - 1582 119]
    IL_0035: ldloc.0 // 'field'
    IL_0036: ldarg.1 // viewModel
    IL_0037: ldloc.s fieldName
    IL_0039: call class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldSerializationHelper(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, string&)
    IL_003e: stloc.s tagBuilder1

```

```

IL_0040: ldnull
IL_0041: stloc.s    V_6

// [1583 7 - 1583 64]
IL_0043: newobj     instance void [System]System.Collections.Specialized.NameValueCollection::.ctor()
IL_0048: stloc.s     styleDict

// [1584 7 - 1584 112]
IL_004a: ldloc.0      // 'field'
IL_004b: ldarg.1      // viewModel
IL_004c: call        string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::GetFieldStandardValue(class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard, class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel)
IL_0051: stloc.s     fieldStandardValue

// [1585 7 - 1585 68]
IL_0053: ldarg.1      // viewModel
IL_0054: callvirt     instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_0059: call        bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_005e: brfalse.s   IL_00db

// [1587 9 - 1587 67]
IL_0060: ldnull
IL_0061: call        class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::CreateEmailTd(class [System]
System.Collections.Specialized.NameValueCollection)
IL_0066: stloc.s     emailTd

// [1588 9 - 1588 54]
IL_0068: ldloc.s     fieldStandardValue
IL_006a: call        bool [mscorlib]System.String::IsNullOrEmpty(string)
IL_006f: brfalse.s   IL_007c

// [1590 11 - 1590 57]
IL_0071: ldloc.s     emailTd
IL_0073: ldloc.s     fieldStandardValue
IL_0075: call        void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::SetEmailInputValue(class
[System.Web.WebPages]System.Web.Mvc.TagBuilder, string)

IL_007a: br.s      IL_00bd

// [1594 11 - 1594 55]
IL_007c: ldstr      "a"
IL_0081: newobj     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_0086: stloc.s     tagBuilder2

// [1595 11 - 1595 74]
IL_0088: ldloc.s     tagBuilder2
IL_008a: callvirt     instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_008f: ldstr      "href"
IL_0094: ldstr      "mailto:"
IL_0099: ldloc.s     fieldStandardValue
IL_009b: call        string [mscorlib]System.String::Concat(string, string)
IL_00a0: callvirt     instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::set_Item(!0/*string*/, !1/*string*/)

// [1596 11 - 1596 55]
IL_00a5: ldloc.s     tagBuilder2
IL_00a7: ldloc.s     fieldStandardValue
IL_00a9: callvirt     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::SetInnerText(string)

// [1597 11 - 1597 73]
IL_00ae: ldloc.s     emailTd
IL_00b0: ldloc.s     tagBuilder2
IL_00b2: ldc.i4.0
IL_00b3: callvirt     instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_00b8: callvirt     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [1599 9 - 1599 68]
IL_00bd: ldarg.2      // output
IL_00be: ldloc.3      // standardLabel
IL_00bf: ldc.i4.0
IL_00c0: callvirt     instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_00c5: callvirt     instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)

```

```

IL_00ca: pop

// [1600 9 - 1600 62]
IL_00cb: ldarg.2    // output
IL_00cc: ldloc.s    emailTd
IL_00ce: ldc.i4.0
IL_00cf: callvirt  instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_00d4: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_00d9: pop
IL_00da: ret

// [1604 9 - 1604 63]
IL_00db: ldarg.1    // viewModel
IL_00dc: callvirt  instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_00e1: ldc.i4.4
IL_00e2: bne.un.s   IL_0157

// [1606 11 - 1606 57]
IL_00e4: ldstr     "div"
IL_00e9: newobj    instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::ctor(string)
IL_00ee: stloc.s    tagBuilder3
IL_00f0: ldc.i4.0
IL_00f1: stloc.s    V_7

// [1607 11 - 1607 52]
IL_00f3: ldloc.s    styleDict
IL_00f5: ldstr     "border"
IL_00fa: ldstr     "1px solid #BBBBBB"
IL_00ff: callvirt  instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [1608 11 - 1608 39]
IL_0104: ldloc.s    styleDict
IL_0106: ldstr     "padding"
IL_010b: ldstr     "4px"
IL_0110: callvirt  instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [1609 11 - 1609 48]
IL_0115: ldloc.s    styleDict
IL_0117: ldstr     "white-space"
IL_011c: ldstr     "pre-wrap"
IL_0121: callvirt  instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [1610 11 - 1610 43]
IL_0126: ldloc.s    styleDict
IL_0128: ldstr     "overflow"
IL_012d: ldstr     "hidden"
IL_0132: callvirt  instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [1611 11 - 1611 56]
IL_0137: ldloc.s    fieldStandardValue
IL_0139: call      bool [mscorlib]System.String::IsNullOrEmpty(string)
IL_013e: brfalse.s  IL_014e

// [1612 13 - 1612 45]
IL_0140: ldloc.s    tagBuilder3
IL_0142: ldstr     "&nbsp;"
IL_0147: callvirt  instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

IL_014c: br.s       IL_0157

// [1614 13 - 1614 57]
IL_014e: ldloc.s    tagBuilder3
IL_0150: ldloc.s    fieldStandardValue
IL_0152: callvirt  instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::SetInnerText(string)

// [1616 9 - 1616 57]
IL_0157: ldstr     "input"
IL_015c: newobj    instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::ctor(string)
IL_0161: stloc.s    tagBuilder4

// [1617 9 - 1617 61]
IL_0163: ldc.i4.3
IL_0164: stloc.s    renderMode

// [1618 9 - 1618 54]
IL_0166: ldloc.s    tagBuilder4

```

```

IL_0168: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_016d: ldstr "id"
IL_0172: ldloc.1 // inputElemID
IL_0173: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1619 9 - 1619 54]
IL_0178: ldloc.s tagBuilder4
IL_017a: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_017f: ldstr "name"
IL_0184: ldloc.2 // fieldName
IL_0185: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1620 9 - 1620 70]
IL_018a: ldarg.1 // viewModel
IL_018b: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_0190: call bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_0195: brfalse.s IL_01af

// [1621 11 - 1621 53]
IL_0197: ldloc.s tagBuilder4
IL_0199: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_019e: ldstr "type"
IL_01a3: ldstr "text"
IL_01a8: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

IL_01ad: br.s IL_01c5

// [1623 11 - 1623 54]
IL_01af: ldloc.s tagBuilder4
IL_01b1: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_01b6: ldstr "type"
IL_01bb: ldstr "email"
IL_01c0: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1624 9 - 1624 58]
IL_01c5: ldloc.s tagBuilder4
IL_01c7: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_01cc: ldstr "autocomplete"
IL_01d1: ldstr "off"
IL_01d6: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1625 9 - 1625 123]
IL_01db: ldarg.1 // viewModel
IL_01dc: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_01e1: ldc.i4.4
IL_01e2: beq.s IL_01f1

IL_01e4: ldarg.1 // viewModel
IL_01e5: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_01ea: call bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_01ef: brfalse.s IL_01fd

// [1626 11 - 1626 44]
IL_01f1: ldloc.s tagBuilder4
IL_01f3: ldstr "hidden"
IL_01f8: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [1627 9 - 1627 71]
IL_01fd: ldarg.1 // viewModel
IL_01fe: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_0203: call bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_0208: brtrue.s IL_0220

// [1628 11 - 1628 52]
IL_020a: ldloc.s tagBuilder4
IL_020c: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]

```

```

System.Web.Mvc.TagBuilder::get_Attributes()
  IL_0211: ldstr      "size"
  IL_0216: ldstr      "200"
  IL_021b: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

  // [1629 9 - 1629 77]
  IL_0220: ldloc.0     // 'field'
  IL_0221: ldarg.1     // viewModel
  IL_0222: call      bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsFieldReadOnly(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel)
  IL_0227: brfalse.s  IL_0241

  // [1630 11 - 1630 61]
  IL_0229: ldloc.s     tagBuilder4
  IL_022b: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
  IL_0230: ldstr      "disabled"
  IL_0235: ldstr      "disabled"
  IL_023a: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

  IL_023f: br.s      IL_0289

  // [1631 14 - 1631 50]
  IL_0241: ldloc.0     // 'field'
  IL_0242: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldReplyEmail::get_Placeholder()
  IL_0247: dup

  IL_0248: brtrue.s    IL_0250
  IL_024a: pop
  IL_024b: ldstr      ""
  IL_0250: ldstr      ""
  IL_0255: call      bool [mscorlib]System.String::op_Inequality(string, string)
  IL_025a: brfalse.s  IL_0289

  // [1633 11 - 1633 71]
  IL_025c: ldloc.s     tagBuilder4
  IL_025e: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
  IL_0263: ldstr      "placeholder"
  IL_0268: ldloc.0     // 'field'
  IL_0269: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldReplyEmail::get_Placeholder()
  IL_026e: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

  // [1634 11 - 1634 54]
  IL_0273: ldloc.s     tagBuilder4
  IL_0275: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
  IL_027a: ldstr      "cp5ph"
  IL_027f: ldstr      "true"
  IL_0284: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

  // [1636 9 - 1636 55]
  IL_0289: ldloc.s     fieldStandardValue
  IL_028b: call      bool [mscorlib]System.String::IsNullOrEmpty(string)
  IL_0290: brtrue.s  IL_02a5

  // [1637 11 - 1637 66]
  IL_0292: ldloc.s     tagBuilder4
  IL_0294: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
  IL_0299: ldstr      "value"
  IL_029e: ldloc.s     fieldStandardValue
  IL_02a0: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

  // [1638 9 - 1638 41]
  IL_02a5: ldloc.0     // 'field'
  IL_02a6: callvirt   instance valuetype [mscorlib]System.Nullable`1<int32> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldReplyEmail::get_MaxLength()
  IL_02ab: stloc.s    maxLength

  // [1639 9 - 1639 32]
  IL_02ad: ldloc.s     maxLength
  IL_02af: call      instance bool valuetype [mscorlib]System.Nullable`1<int32>::get_HasValue()
  IL_02b4: brfalse.s  IL_02df
  IL_02b6: ldloc.s     tagBuilder4
  IL_02b8: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
  IL_02bd: ldstr      "maxlength"

```

```

IL_02c2: ldloc.0    // 'field'
IL_02c3: callvirt   instance valuetype [mscorlib]System.Nullable`1<int32> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldReplyEmail::get_MaxLength()
IL_02c8: stloc.s     maxLength
IL_02ca: ldloc.s     maxLength
IL_02cc: call      instance !0/*int32*/ valuetype [mscorlib]System.Nullable`1<int32>::get_Value()
IL_02d1: stloc.s     V_10
IL_02d3: ldloc.s     V_10
IL_02d5: call      instance string [mscorlib]System.Int32::ToString()
IL_02da: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1646 9 - 1646 108]
IL_02df: ldloc.0    // 'field'
IL_02e0: ldc.i4.3
IL_02e1: ldloc.s     tagBuilder4
IL_02e3: ldloc.s     styleDict
IL_02e5: call      void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldApplyStyles(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType,
class [System.Web.WebPages]System.Web.Mvc.TagBuilder, class [System]System.Collections.Specialized.NameValueCollection)

// [1647 9 - 1647 46]
IL_02ea: ldarg.2    // output
IL_02eb: ldloc.3    // standardLabel
IL_02ec: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_02f1: pop

// [1648 9 - 1648 31]
IL_02f2: ldarg.2    // output
IL_02f3: ldstr      "<div>"
IL_02f8: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_02fd: pop

// [1649 9 - 1649 44]
IL_02fe: ldarg.2    // output
IL_02ff: ldloc.s     tagBuilder1
IL_0301: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_0306: pop

// [1650 9 - 1650 56]
IL_0307: ldarg.2    // output
IL_0308: ldloc.s     tagBuilder4
IL_030a: ldloc.s     renderMode
IL_030c: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0311: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0316: pop

// [1651 9 - 1651 53]
IL_0317: ldarg.2    // output
IL_0318: ldloc.s     standardInstructions
IL_031a: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_031f: pop

// [1652 9 - 1652 32]
IL_0320: ldarg.2    // output
IL_0321: ldstr      "</div>"
IL_0326: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_032b: pop
IL_032c: ret

} // end of method FieldRenderExtensions::FieldContentRenderReplyEmail

.method private hidebysig static void
FieldContentRenderPassword(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field fieldArg,
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
    class [mscorlib]System.Text.StringBuilder output
) cil managed
{
    .maxstack 4
    .locals init (
        [0] class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldPassword 'field',
        [1] string inputElemID,
        [2] string fieldName,
        [3] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardLabel,
        [4] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardInstructions,
        [5] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder1,
        [6] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder2,

```

```

[7] valuetype [System.Web.WebPages]System.Web.Mvc.TagRenderMode renderMode,
[8] class [System]System.Collections.Specialized.NameValueCollection styleDict,
[9] string str1,
[10] int32 V_10,
[11] class [System.Web.WebPages]System.Web.Mvc.TagBuilder emailTd,
[12] valuetype [mscorlib]System.Nullable`1<int32> maxLength
)

// [1661 7 - 1661 106]
IL_0000: ldarg.0      // fieldArg
IL_0001: ldarg.2      // output
IL_0002: call        !!0/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldPassword*/
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderInit<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldPassword>(class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class [mscorlib]
System.Text.StringBuilder)
IL_0007: stloc.0      // 'field'

// [1662 7 - 1662 54]
IL_0008: ldstr        "e_"
IL_000d: ldloc.0      // 'field'
IL_000e: callvirt      instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
IL_0013: stloc.s       V_10
IL_0015: ldloc.s       V_10
IL_0017: call        instance string [mscorlib]System.Int32::ToString()
IL_001c: call        string [mscorlib]System.String::Concat(string, string)
IL_0021: stloc.1      // inputElemID

// [1663 7 - 1663 39]
IL_0022: ldnull
IL_0023: stloc.2      // fieldName

// [1664 7 - 1664 127]
IL_0024: ldarg.1      // viewModel
IL_0025: ldloc.0      // 'field'
IL_0026: ldloc.1      // inputElemID
IL_0027: call        class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardLabel(class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard, string)
IL_002c: stloc.3      // standardLabel

// [1665 7 - 1665 117]
IL_002d: ldloc.0      // 'field'
IL_002e: call        class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardInstructions(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard)
IL_0033: stloc.s       standardInstructions

// [1666 7 - 1666 119]
IL_0035: ldloc.0      // 'field'
IL_0036: ldarg.1      // viewModel
IL_0037: ldloc.s       fieldName
IL_0039: call        class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldSerializationHelper(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, string&)
IL_003e: stloc.s       tagBuilder1
IL_0040: ldnull
IL_0041: stloc.s       V_6

// [1667 7 - 1667 64]
IL_0043: newobj        instance void [System]System.Collections.Specialized.NameValueCollection::ctor()
IL_0048: stloc.s       styleDict

// [1668 7 - 1668 122]
IL_004a: ldloc.0      // 'field'
IL_004b: ldarg.1      // viewModel
IL_004c: call        string CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::GetFieldStandardValue(class
[CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard, class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel)
IL_0051: stloc.s       V_9
IL_0053: ldloc.s       V_9
IL_0055: call        string [System.Web]System.Web.HttpUtility::HtmlDecode(string)
IL_005a: stloc.s       str1

// [1669 7 - 1669 68]
IL_005c: ldarg.1      // viewModel
IL_005d: callvirt      instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()

```

```

IL_0062: call      bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_0067: brfalse.s  IL_00af

// [1671 9 - 1671 67]
IL_0069: ldnull
IL_006a: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::CreateEmailTd(class [System]
System.Collections.Specialized.NameValueCollection)
IL_006f: stloc.s    emailTd

// [1672 9 - 1672 40]
IL_0071: ldloc.s    str1
IL_0073: call      bool [mscorlib]System.String::IsNullOrEmpty(string)
IL_0078: brfalse.s    IL_0085

// [1673 11 - 1673 43]
IL_007a: ldloc.s    emailTd
IL_007c: ldloc.s    str1
IL_007e: call      void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::SetEmailInputValue(class
[System.Web.WebPages]System.Web.Mvc.TagBuilder, string)

IL_0083: br.s      IL_0091

// [1675 11 - 1675 40]
IL_0085: ldloc.s    emailTd
IL_0087: ldstr      "*****"
IL_008c: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::SetInnerText(string)

// [1676 9 - 1676 68]
IL_0091: ldarg.2      // output
IL_0092: ldloc.3      // standardLabel
IL_0093: ldc.i4.0
IL_0094: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0099: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_009e: pop

// [1677 9 - 1677 62]
IL_009f: ldarg.2      // output
IL_00a0: ldloc.s    emailTd
IL_00a2: ldc.i4.0
IL_00a3: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_00a8: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_00ad: pop
IL_00ae: ret

// [1683 9 - 1683 63]
IL_00af: ldarg.1      // viewModel
IL_00b0: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_00b5: ldc.i4.4
IL_00b6: bne.un    IL_014f

// [1685 11 - 1685 46]
IL_00bb: ldstr      "div"
IL_00c0: newobj     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::ctor(string)
IL_00c5: stloc.s    tagBuilder2

// [1686 11 - 1686 44]
IL_00c7: ldc.i4.0
IL_00c8: stloc.s    renderMode

// [1687 11 - 1687 52]
IL_00ca: ldloc.s    styleDict
IL_00cc: ldstr      "border"
IL_00d1: ldstr      "1px solid #BBBBBB"
IL_00d6: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [1688 11 - 1688 39]
IL_00db: ldloc.s    styleDict
IL_00dd: ldstr      "padding"
IL_00e2: ldstr      "4px"
IL_00e7: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [1689 11 - 1689 48]
IL_00ec: ldloc.s    styleDict

```

```

IL_00ee: ldstr      "white-space"
IL_00f3: ldstr      "pre-wrap"
IL_00f8: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [1690 11 - 1690 43]
IL_00fd: ldloc.s    styleDict
IL_00ff: ldstr      "overflow"
IL_0104: ldstr      "hidden"
IL_0109: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [1691 11 - 1691 43]
IL_010e: ldarg.1     // viewModel
IL_010f: callvirt   instance bool CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_ObscuredPasswords()
IL_0114: brfalse.s  IL_0127

// [1692 13 - 1692 46]
IL_0116: ldloc.s     tagBuilder2
IL_0118: ldstr      "*****"
IL_011d: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::SetInnerText(string)

IL_0122: br         IL_02c9

// [1693 16 - 1693 47]
IL_0127: ldloc.s     str1
IL_0129: call       bool [mscorlib]System.String::IsNullOrEmpty(string)
IL_012e: brfalse.s  IL_0141

// [1694 13 - 1694 45]
IL_0130: ldloc.s     tagBuilder2
IL_0132: ldstr      "&nbsp;"
IL_0137: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

IL_013c: br         IL_02c9

// [1696 13 - 1696 43]
IL_0141: ldloc.s     tagBuilder2
IL_0143: ldloc.s     str1
IL_0145: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::SetInnerText(string)

IL_014a: br         IL_02c9

// [1700 11 - 1700 48]
IL_014f: ldstr      "input"
IL_0154: newobj     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::ctor(string)
IL_0159: stloc.s     tagBuilder2

// [1701 11 - 1701 49]
IL_015b: ldc.i4.3
IL_015c: stloc.s     renderMode

// [1702 11 - 1702 56]
IL_015e: ldloc.s     tagBuilder2
IL_0160: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0165: ldstr      "id"
IL_016a: ldloc.1     // inputElemID
IL_016b: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1703 11 - 1703 56]
IL_0170: ldloc.s     tagBuilder2
IL_0172: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0177: ldstr      "name"
IL_017c: ldloc.2     // fieldName
IL_017d: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1704 11 - 1704 57]
IL_0182: ldloc.s     tagBuilder2
IL_0184: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0189: ldstr      "type"
IL_018e: ldstr      "password"
IL_0193: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1705 11 - 1705 60]
IL_0198: ldloc.s     tagBuilder2
IL_019a: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()

```

```

IL_019f: ldstr      "autocomplete"
IL_01a4: ldstr      "off"
IL_01a9: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1706 11 - 1706 125]
IL_01ae: ldarg.1     // viewModel
IL_01af: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_01b4: ldc.i4.4
IL_01b5: beq.s       IL_01c4

IL_01b7: ldarg.1     // viewModel
IL_01b8: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_01bd: call       bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_01c2: brfalse.s   IL_01d0

// [1707 13 - 1707 46]
IL_01c4: ldloc.s       tagBuilder2
IL_01c6: ldstr      "hidden"
IL_01cb: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [1708 11 - 1708 79]
IL_01d0: ldloc.0       // 'field'
IL_01d1: ldarg.1     // viewModel
IL_01d2: call       bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsFieldReadOnly(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel)
IL_01d7: brfalse.s   IL_01ef

// [1709 13 - 1709 63]
IL_01d9: ldloc.s       tagBuilder2
IL_01db: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_01e0: ldstr      "disabled"
IL_01e5: ldstr      "disabled"
IL_01ea: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1710 11 - 1710 43]
IL_01ef: ldloc.s       str1
IL_01f1: call       bool [mscorlib]System.String::IsNullOrEmpty(string)
IL_01f6: brtrue.s     IL_022b

// [1712 13 - 1712 45]
IL_01f8: ldarg.1     // viewModel
IL_01f9: callvirt   instance bool CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_ObscuredPasswords()
IL_01fe: brfalse.s   IL_0218

// [1713 15 - 1713 59]
IL_0200: ldloc.s       tagBuilder2
IL_0202: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0207: ldstr      "value"
IL_020c: ldstr      "*****"
IL_0211: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

IL_0216: br.s       IL_022b

// [1715 15 - 1715 56]
IL_0218: ldloc.s       tagBuilder2
IL_021a: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_021f: ldstr      "value"
IL_0224: ldloc.s       str1
IL_0226: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1717 11 - 1717 36]
IL_022b: ldloc.0       // 'field'
IL_022c: callvirt   instance bool [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldPassword::get_IsWidthLimited()
IL_0231: brfalse.s   IL_026c

// [1719 13 - 1719 40]
IL_0233: ldloc.s       styleDict
IL_0235: ldstr      "width"
IL_023a: ldstr      "auto"
IL_023f: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

// [1720 13 - 1720 75]

```

```

IL_0244: ldloc.s    tagBuilder2
IL_0246: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_024b: ldstr      "size"
IL_0250: ldloc.0     // 'field'
IL_0251: callvirt   instance valuetype [mscorlib]System.Nullable`1<int32> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldPassword::get_MaxLength()
IL_0256: stloc.s     V_12
IL_0258: ldloc.s     V_12
IL_025a: constrained. valuetype [mscorlib]System.Nullable`1<int32>
IL_0260: callvirt   instance string [mscorlib]System.Object::ToString()
IL_0265: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

IL_026a: br.s      IL_028f

// [1722 16 - 1722 78]
IL_026c: ldarg.1      // viewModel
IL_026d: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_0272: call      bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_0277: brtrue.s   IL_028f

// [1723 13 - 1723 54]
IL_0279: ldloc.s    tagBuilder2
IL_027b: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0280: ldstr      "size"
IL_0285: ldstr      "200"
IL_028a: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1724 11 - 1724 43]
IL_028f: ldloc.0     // 'field'
IL_0290: callvirt   instance valuetype [mscorlib]System.Nullable`1<int32> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldPassword::get_MaxLength()
IL_0295: stloc.s     maxLength

// [1725 11 - 1725 34]
IL_0297: ldloc.s     maxLength
IL_0299: call      instance bool valuetype [mscorlib]System.Nullable`1<int32>::get_HasValue()
IL_029e: brfalse.s   IL_02c9
IL_02a0: ldloc.s    tagBuilder2
IL_02a2: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_02a7: ldstr      "maxlength"
IL_02ac: ldloc.0     // 'field'
IL_02ad: callvirt   instance valuetype [mscorlib]System.Nullable`1<int32> [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldPassword::get_MaxLength()
IL_02b2: stloc.s     maxLength
IL_02b4: ldloc.s     maxLength
IL_02b6: call      instance !0/*int32*/ valuetype [mscorlib]System.Nullable`1<int32>::get_Value()
IL_02bb: stloc.s     V_10
IL_02bd: ldloc.s     V_10
IL_02bf: call      instance string [mscorlib]System.Int32::ToString()
IL_02c4: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1733 9 - 1733 108]
IL_02c9: ldloc.0     // 'field'
IL_02ca: ldc.i4.3
IL_02cb: ldloc.s    tagBuilder2
IL_02cd: ldloc.s    styleDict
IL_02cf: call      void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldApplyStyles(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType,
class [System.Web.WebPages]System.Web.Mvc.TagBuilder, class [System]System.Collections.Specialized.NameValueCollection)

// [1734 9 - 1734 46]
IL_02d4: ldarg.2     // output
IL_02d5: ldloc.3     // standardLabel
IL_02d6: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_02db: pop

// [1735 9 - 1735 31]
IL_02dc: ldarg.2     // output
IL_02dd: ldstr      "<div>"
IL_02e2: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_02e7: pop

// [1736 9 - 1736 44]

```

```

IL_02e8: ldarg.2    // output
IL_02e9: ldloc.s    tagBuilder1
IL_02eb: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_02f0: pop

// [1737 9 - 1737 56]
IL_02f1: ldarg.2    // output
IL_02f2: ldloc.s    tagBuilder2
IL_02f4: ldloc.s    renderMode
IL_02f6: callvirt  instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_02fb: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0300: pop

// [1738 9 - 1738 53]
IL_0301: ldarg.2    // output
IL_0302: ldloc.s    standardInstructions
IL_0304: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_0309: pop

// [1739 9 - 1739 32]
IL_030a: ldarg.2    // output
IL_030b: ldstr      "</div>"
IL_0310: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0315: pop
IL_0316: ret

} // end of method FieldRenderExtensions::FieldContentRenderPassword

.method private hidebysig static void
FieldContentRenderImageUpload(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field fieldArg,
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
    class [mscorlib]System.Text.StringBuilder output
) cil managed
{
    .maxstack 4
    .locals init (
        [0] class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldImageUpload 'field',
        [1] string inputElemID,
        [2] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardLabel,
        [3] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder,
        [4] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardInstructions,
        [5] int32 V_5
    )

    // [1748 7 - 1748 68]
    IL_0000: ldarg.1    // viewModel
    IL_0001: callvirt  instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
    IL_0006: call      bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
    IL_000b: brfalse.s IL_000e

    // [1749 9 - 1749 16]
    IL_000d: ret

    // [1750 7 - 1750 112]
    IL_000e: ldarg.0    // fieldArg
    IL_000f: ldarg.2    // output
    IL_0010: call      !!0/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldImageUpload*/
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderInit<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldImageUpload>(class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
[mscorlib]System.Text.StringBuilder)
    IL_0015: stloc.0    // 'field'

    // [1751 7 - 1751 54]
    IL_0016: ldstr      "e_"
    IL_001b: ldloc.0    // 'field'
    IL_001c: callvirt  instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
    IL_0021: stloc.s    V_5
    IL_0023: ldloc.s    V_5
    IL_0025: call      instance string [mscorlib]System.Int32::ToString()
    IL_002a: call      string [mscorlib]System.String::Concat(string, string)
    IL_002f: stloc.1    // inputElemID

    // [1752 7 - 1752 127]
    IL_0030: ldarg.1    // viewModel

```

```

IL_0031: ldloc.0    // 'field'
IL_0032: ldloc.1    // inputElemID
IL_0033: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardLabel(class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard, string)
IL_0038: stloc.2    // standardLabel

// [1753 7 - 1753 52]
IL_0039: ldstr     "img"
IL_003e: newobj     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_0043: stloc.3    // tagBuilder

// [1754 7 - 1754 117]
IL_0044: ldloc.0    // 'field'
IL_0045: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardInstructions(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard)
IL_004a: stloc.s    standardInstructions

// [1755 7 - 1755 68]
IL_004c: ldarg.1    // viewModel
IL_004d: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_0052: call      bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_0057: brfalse.s  IL_007c

// [1756 9 - 1756 81]
IL_0059: ldloc.3    // tagBuilder
IL_005a: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_005f: ldstr     "src"
IL_0064: ldarg.1    // viewModel
IL_0065: callvirt   instance string CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_SiteRootUrl()
IL_006a: ldloc.0    // 'field'
IL_006b: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldImageUpload::get_ImageUrl()
IL_0070: call      string [mscorlib]System.String::Concat(string, string)
IL_0075: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

IL_007a: br.s      IL_0092

// [1758 9 - 1758 57]
IL_007c: ldloc.3    // tagBuilder
IL_007d: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0082: ldstr     "src"
IL_0087: ldloc.0    // 'field'
IL_0088: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldImageUpload::get_ImageUrl()
IL_008d: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1759 7 - 1759 59]
IL_0092: ldloc.3    // tagBuilder
IL_0093: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0098: ldstr     "alt"
IL_009d: ldloc.0    // 'field'
IL_009e: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldImageUpload::get_ImageAltText()
IL_00a3: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1760 7 - 1760 61]
IL_00a8: ldloc.3    // tagBuilder
IL_00a9: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_00ae: ldstr     "title"
IL_00b3: ldloc.0    // 'field'
IL_00b4: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldImageUpload::get_ImageAltText()
IL_00b9: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1761 7 - 1761 57]
IL_00be: ldloc.3    // tagBuilder
IL_00bf: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_00c4: ldstr     "style"
IL_00c9: ldstr     "width: 100%;"
IL_00ce: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1762 7 - 1762 44]

```

```

IL_00d3: ldarg.2    // output
IL_00d4: ldloc.2    // standardLabel
IL_00d5: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_00da: pop

// [1763 7 - 1763 29]
IL_00db: ldarg.2    // output
IL_00dc: ldstr      "<div>"
IL_00e1: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_00e6: pop

// [1764 7 - 1764 68]
IL_00e7: ldarg.2    // output
IL_00e8: ldloc.3    // tagBuilder
IL_00e9: ldc.i4.3
IL_00ea: callvirt instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_00ef: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_00f4: pop

// [1765 7 - 1765 51]
IL_00f5: ldarg.2    // output
IL_00f6: ldloc.s      standardInstructions
IL_00f8: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_00fd: pop

// [1766 7 - 1766 30]
IL_00fe: ldarg.2    // output
IL_00ff: ldstr      "</div>"
IL_0104: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0109: pop
IL_010a: ret

} // end of method FieldRenderExtensions::FieldContentRenderImageUpload

.method private hidebysig static void
FieldContentRenderExternalIntegration(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field fieldArg,
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
    class [mscorlib]System.Text.StringBuilder output
) cil managed
{
    .maxstack 4
    .locals init (
        [0] class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldExternalIntegration 'field',
        [1] string inputElemID,
        [2] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardLabel,
        [3] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardInstructions,
        [4] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder1,
        [5] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder2,
        [6] int32 V_6
    )

    // [1774 7 - 1774 128]
    IL_0000: ldarg.0    // fieldArg
    IL_0001: ldarg.2    // output
    IL_0002: call      !!0/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldExternalIntegration*/
    CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderInit<class [CivicPlus.Entities]
    CivicPlus.Entities.Modules.FormCenter.FieldExternalIntegration>(class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class
    [mscorlib]System.Text.StringBuilder)
    IL_0007: stloc.0    // 'field'

    // [1775 7 - 1775 54]
    IL_0008: ldstr      "e_"
    IL_000d: ldloc.0    // 'field'
    IL_000e: callvirt instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
    IL_0013: stloc.s      V_6
    IL_0015: ldloc.s      V_6
    IL_0017: call      instance string [mscorlib]System.Int32::ToString()
    IL_001c: call      string [mscorlib]System.String::Concat(string, string)
    IL_0021: stloc.1    // inputElemID

    // [1776 7 - 1776 127]
    IL_0022: ldarg.1    // viewModel
    IL_0023: ldloc.0    // 'field'
    IL_0024: ldloc.1    // inputElemID
    IL_0025: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
    CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardLabel(class

```

```

CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard, string)
    IL_002a: stloc.2    // standardLabel

    // [1777 7 - 1777 117]
    IL_002b: ldloc.0    // 'field'
    IL_002c: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardInstructions(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard)
    IL_0031: stloc.3    // standardInstructions

    // [1778 7 - 1778 55]
    IL_0032: ldstr     "input"
    IL_0037: newobj    instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::ctor(string)
    IL_003c: stloc.s    tagBuilder1

    // [1779 7 - 1779 94]
    IL_003e: ldloc.s    tagBuilder1
    IL_0040: callvirt  instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
    IL_0045: ldstr     "id"
    IL_004a: ldstr     "serviceURL_{0}"
    IL_004f: ldloc.1    // inputElemID
    IL_0050: call      string [mscorlib]System.String::Format(string, object)
    IL_0055: callvirt  instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

    // [1780 7 - 1780 51]
    IL_005a: ldloc.s    tagBuilder1
    IL_005c: callvirt  instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
    IL_0061: ldstr     "type"
    IL_0066: ldstr     "hidden"
    IL_006b: callvirt  instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

    // [1781 7 - 1781 60]
    IL_0070: ldloc.s    tagBuilder1
    IL_0072: callvirt  instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
    IL_0077: ldstr     "value"
    IL_007c: ldloc.0    // 'field'
    IL_007d: callvirt  instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldExternalIntegration::get_ServiceURL()
    IL_0082: callvirt  instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

    // [1782 7 - 1782 55]
    IL_0087: ldstr     "input"
    IL_008c: newobj    instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::ctor(string)
    IL_0091: stloc.s    tagBuilder2

    // [1783 7 - 1783 52]
    IL_0093: ldloc.s    tagBuilder2
    IL_0095: callvirt  instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
    IL_009a: ldstr     "id"
    IL_009f: ldloc.1    // inputElemID
    IL_00a0: callvirt  instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

    // [1784 7 - 1784 51]
    IL_00a5: ldloc.s    tagBuilder2
    IL_00a7: callvirt  instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
    IL_00ac: ldstr     "type"
    IL_00b1: ldstr     "button"
    IL_00b6: callvirt  instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

    // [1785 7 - 1785 60]
    IL_00bb: ldloc.s    tagBuilder2
    IL_00bd: callvirt  instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
    IL_00c2: ldstr     "value"
    IL_00c7: ldloc.0    // 'field'
    IL_00c8: callvirt  instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldExternalIntegration::get_ButtonText()
    IL_00cd: callvirt  instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

    // [1786 7 - 1786 53]
    IL_00d2: ldloc.s    tagBuilder2
    IL_00d4: ldstr     "externalIntegration"
    IL_00d9: callvirt  instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

```

```

// [1787 7 - 1787 44]
IL_00de: ldarg.2    // output
IL_00df: ldloc.2    // standardLabel
IL_00e0: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_00e5: pop

// [1788 7 - 1788 29]
IL_00e6: ldarg.2    // output
IL_00e7: ldstr      "<div>"
IL_00ec: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_00f1: pop

// [1789 7 - 1789 42]
IL_00f2: ldarg.2    // output
IL_00f3: ldloc.s     tagBuilder1
IL_00f5: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_00fa: pop

// [1790 7 - 1790 42]
IL_00fb: ldarg.2    // output
IL_00fc: ldloc.s     tagBuilder2
IL_00fe: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_0103: pop

// [1791 7 - 1791 51]
IL_0104: ldarg.2    // output
IL_0105: ldloc.3     // standardInstructions
IL_0106: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_010b: pop

// [1792 7 - 1792 30]
IL_010c: ldarg.2    // output
IL_010d: ldstr      "<div/>"
IL_0112: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0117: pop
IL_0118: ret

} // end of method FieldRenderExtensions::FieldContentRenderExternalIntegration

.method private hidebysig static void
FieldContentRenderReadOnly(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field fieldArg,
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
    class [mscorlib]System.Text.StringBuilder output
) cil managed
{
    .maxstack 3
    .locals init (
        [0] class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldReadOnly 'field',
        [1] string inputElemID,
        [2] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardLabel,
        [3] int32 V_3,
        [4] class [System.Web.WebPages]System.Web.Mvc.TagBuilder emailTd,
        [5] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder
    )

    // [1800 7 - 1800 106]
    IL_0000: ldarg.0    // fieldArg
    IL_0001: ldarg.2    // output
    IL_0002: call      !!0/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldReadOnly*/
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderInit<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldReadOnly>(class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class [mscorlib]
System.Text.StringBuilder)
    IL_0007: stloc.0    // 'field'

    // [1801 7 - 1801 54]
    IL_0008: ldstr      "e_"
    IL_000d: ldloc.0    // 'field'
    IL_000e: callvirt   instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
    IL_0013: stloc.3     // V_3
    IL_0014: ldloc.s     V_3
    IL_0016: call      instance string [mscorlib]System.Int32::ToString()
    IL_001b: call      string [mscorlib]System.String::Concat(string, string)
    IL_0020: stloc.1     // inputElemID

    // [1802 7 - 1802 127]
    IL_0021: ldarg.1    // viewModel
    IL_0022: ldloc.0    // 'field'

```

```

IL_0023: ldloc.1    // inputElemID
IL_0024: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardLabel(class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard, string)
IL_0029: stloc.2    // standardLabel

// [1803 7 - 1803 165]
IL_002a: ldloc.0    // 'field'
IL_002b: callvirt  instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldPurpose [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field::get_Purpose()
IL_0030: ldc.i4.3
IL_0031: bne.un.s   IL_0048

IL_0033: ldloc.0    // 'field'
IL_0034: callvirt  instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.IFieldPurposeData [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field::get_PurposeData()
IL_0039: castclass  [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldPurposeDataEPaymentShipping
IL_003e: callvirt  instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.ShippingOptions [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldPurposeDataEPaymentShipping::get_ShippingOptions()
IL_0043: brfalse   IL_0114

// [1805 7 - 1805 68]
IL_0048: ldarg.1    // viewModel
IL_0049: callvirt  instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_004e: call     bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_0053: brfalse.s  IL_0088

// [1807 9 - 1807 67]
IL_0055: ldnull
IL_0056: call     class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::CreateEmailTd(class [System]
System.Collections.Specialized.NameValueCollection)
IL_005b: stloc.s    emailTd

// [1808 9 - 1808 48]
IL_005d: ldloc.s    emailTd
IL_005f: ldloc.0    // 'field'
IL_0060: callvirt  instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldReadOnly::get_Value()
IL_0065: call     void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::SetEmailInputValue(class
[System.Web.WebPages]System.Web.Mvc.TagBuilder, string)

// [1809 9 - 1809 68]
IL_006a: ldarg.2    // output
IL_006b: ldloc.2    // standardLabel
IL_006c: ldc.i4.0
IL_006d: callvirt  instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0072: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0077: pop

// [1810 9 - 1810 62]
IL_0078: ldarg.2    // output
IL_0079: ldloc.s    emailTd
IL_007b: ldc.i4.0
IL_007c: callvirt  instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0081: callvirt  instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0086: pop
IL_0087: ret

// [1814 9 - 1814 152]
IL_0088: call     class [CivicPlus.CMS.Library]CivicPlus.CMS.Library.FeatureToggles.Base.IFeatureToggles [CivicPlus.CMS.Library]
CivicPlus.CMS.Library.FeatureToggles.FeatureToggles::get_Current()
IL_008d: callvirt  instance class [CivicPlus.CMS.Library]CivicPlus.CMS.Library.FeatureToggles.Groups.FormCenter [CivicPlus.CMS.Library]
CivicPlus.CMS.Library.FeatureToggles.Base.IFeatureToggles::get_FormCenter()
IL_0092: callvirt  instance bool [CivicPlus.CMS.Library]CivicPlus.CMS.Library.FeatureToggles.Groups.FormCenter::get_FroalInstructions()
IL_0097: brtrue.s   IL_00a0

IL_0099: ldstr     "p"
IL_009e: br.s      IL_00a5
IL_00a0: ldstr     "div"
IL_00a5: newobj   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::ctor(string)
IL_00aa: stloc.s  tagBuilder

// [1815 9 - 1815 38]

```

```

IL_00ac: ldloc.s    tagBuilder
IL_00ae: ldstr     "tip"
IL_00b3: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [1816 9 - 1816 103]
IL_00b8: call      class [CivicPlus.CMS.Library]CivicPlus.CMS.Library.FeatureToggles.Base.IFeatureToggles [CivicPlus.CMS.Library]
CivicPlus.CMS.Library.FeatureToggles.FeatureToggles::get_Current()
IL_00bd: callvirt   instance class [CivicPlus.CMS.Library]CivicPlus.CMS.Library.FeatureToggles.Groups.FormCenter [CivicPlus.CMS.Library]
CivicPlus.CMS.Library.FeatureToggles.Base.IFeatureToggles::get_FormCenter()
IL_00c2: callvirt   instance bool [CivicPlus.CMS.Library]CivicPlus.CMS.Library.FeatureToggles.Groups.FormCenter::get_FroalaInstructions()
IL_00c7: brfalse.s  IL_00d5

// [1817 11 - 1817 44]
IL_00c9: ldloc.s    tagBuilder
IL_00cb: ldstr     "fr-view"
IL_00d0: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [1818 9 - 1818 43]
IL_00d5: ldloc.s    tagBuilder
IL_00d7: ldloc.0    // 'field'
IL_00d8: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldReadOnly::get_Value()
IL_00dd: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [1819 9 - 1819 103]
IL_00e2: ldloc.0    // 'field'
IL_00e3: ldc.i4.2
IL_00e4: ldloc.s    tagBuilder
IL_00e6: call      void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldApplyStyles(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType,
class [System.Web.WebPages]System.Web.Mvc.TagBuilder)

// [1820 9 - 1820 46]
IL_00eb: ldarg.2    // output
IL_00ec: ldloc.2    // standardLabel
IL_00ed: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_00f2: pop

// [1821 9 - 1821 31]
IL_00f3: ldarg.2    // output
IL_00f4: ldstr     "<div>"
IL_00f9: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_00fe: pop

// [1822 9 - 1822 43]
IL_00ff: ldarg.2    // output
IL_0100: ldloc.s    tagBuilder
IL_0102: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_0107: pop

// [1823 9 - 1823 32]
IL_0108: ldarg.2    // output
IL_0109: ldstr     "</div>"
IL_010e: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0113: pop

IL_0114: ret

} // end of method FieldRenderExtensions::FieldContentRenderReadOnly

.method private hidebysig static void
FieldContentRenderDateTime(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field fieldArg,
    class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel viewModel,
    class [mscorlib]System.Text.StringBuilder output
) cil managed
{
    .maxstack 5
    .locals init (
        [0] class [CivicPlus.Library]CivicPlus.Library.Helpers.Base.IDateTimeHelper dateTimeHelper,
        [1] class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDateTime 'field',
        [2] string inputElemID,
        [3] string fieldName,
        [4] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardLabel,
        [5] class [System.Web.WebPages]System.Web.Mvc.TagBuilder standardInstructions,
        [6] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder1,
        [7] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder2,
        [8] valuetype [System.Web.WebPages]System.Web.Mvc.TagRenderMode renderMode,
        [9] class [System]System.Collections.Specialized.NameValueCollection nameValueCollection,

```

```

[10] class [mscorlib]System.Collections.Generic.List`1<string> stringList,
[11] valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime> displayDate1,
[12] valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime> displayTime1,
[13] valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime> displayDate2,
[14] valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime> displayTime2,
[15] int32 V_15,
[16] class [System.Web.WebPages]System.Web.Mvc.TagBuilder emailTd,
[17] string displayValue,
[18] valuetype [mscorlib]System.DateTime V_18,
[19] string str
)

// [1832 7 - 1832 104]
IL_0000: newobj instance void [CivicPlus.Library]CivicPlus.Library.Helpers.DateTimeHelper::.ctor()
IL_0005: stloc.0 // dateTimeHelper

// [1833 7 - 1833 106]
IL_0006: ldarg.0 // fieldArg
IL_0007: ldarg.2 // output
IL_0008: call !!0/*class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDateTime*/
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldContentRenderInit<class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDateTime>(class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field, class [mscorlib]
System.Text.StringBuilder)
IL_000d: stloc.1 // 'field'

// [1834 7 - 1834 54]
IL_000e: ldstr "e_"
IL_0013: ldloc.1 // 'field'
IL_0014: callvirt instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
IL_0019: stloc.s V_15
IL_001b: ldloc.s V_15
IL_001d: call instance string [mscorlib]System.Int32::ToString()
IL_0022: call string [mscorlib]System.String::Concat(string, string)
IL_0027: stloc.2 // inputElemID

// [1835 7 - 1835 39]
IL_0028: ldnull
IL_0029: stloc.3 // fieldName

// [1836 7 - 1836 127]
IL_002a: ldarg.1 // viewModel
IL_002b: ldloc.1 // 'field'
IL_002c: ldloc.2 // inputElemID
IL_002d: call class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardLabel(class
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard, string)
IL_0032: stloc.s standardLabel

// [1837 7 - 1837 117]
IL_0034: ldloc.1 // 'field'
IL_0035: call class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldCreateStandardInstructions(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.FieldStandard)
IL_003a: stloc.s standardInstructions

// [1838 7 - 1838 94]
IL_003c: ldloc.1 // 'field'
IL_003d: ldarg.1 // viewModel
IL_003e: ldloc.s fieldName
IL_0040: call class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldSerializationHelper(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel, string&)
IL_0045: pop

// [1839 7 - 1839 55]
IL_0046: ldstr "input"
IL_004b: newobj instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_0050: stloc.s tagBuilder1

// [1840 7 - 1840 55]
IL_0052: ldstr "input"
IL_0057: newobj instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_005c: stloc.s tagBuilder2

// [1841 7 - 1841 59]
IL_005e: ldc.i4.3
IL_005f: stloc.s renderMode

```

```

// [1842 7 - 1858 8]
IL_0061: ldstr      "input"
IL_0066: newobj     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_006b: dup
IL_006c: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0071: ldstr      "type"
IL_0076: ldstr      "hidden"
IL_007b: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)
IL_0080: dup
IL_0081: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0086: ldstr      "name"
IL_008b: ldloc.3      // fieldName
IL_008c: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)
IL_0091: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0096: ldstr      "id"
IL_009b: ldloc.2      // inputElemID
IL_009c: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1859 7 - 1859 74]
IL_00a1: newobj     instance void [System]System.Collections.Specialized.NameValueCollection::.ctor()
IL_00a6: stloc.s     nameValueCollection
IL_00a8: ldnull
IL_00a9: stloc.s     V_10

// [1861 7 - 1861 135]
IL_00ab: ldarg.1      // viewModel
IL_00ac: callvirt   instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FormSubmissionData
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_Data()
IL_00b1: brfalse.s   IL_010e

IL_00b3: ldarg.1      // viewModel
IL_00b4: callvirt   instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FormSubmissionData
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_Data()
IL_00b9: ldloc.1      // 'field'
IL_00ba: callvirt   instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
IL_00bf: callvirt   instance bool class [mscorlib]System.Collections.Generic.Dictionary`2<int32, object>::ContainsKey(!0/*int32*/)
IL_00c4: brfalse.s   IL_010e
IL_00c6: ldarg.1      // viewModel
IL_00c7: callvirt   instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FormSubmissionData
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_Data()
IL_00cc: ldloc.1      // 'field'
IL_00cd: callvirt   instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
IL_00d2: callvirt   instance !1/*object*/ class [mscorlib]System.Collections.Generic.Dictionary`2<int32, object>::get_Item(!0/*int32*/)
IL_00d7: isinst     [mscorlib]System.String
IL_00dc: call     bool [mscorlib]System.String::IsNullOrEmpty(string)
IL_00e1: brtrue.s    IL_010e

// [1862 9 - 1862 150]
IL_00e3: ldarg.1      // viewModel
IL_00e4: callvirt   instance class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FormSubmissionData
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_Data()
IL_00e9: ldloc.1      // 'field'
IL_00ea: callvirt   instance int32 [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Base.Field::get_ID()
IL_00ef: callvirt   instance !1/*object*/ class [mscorlib]System.Collections.Generic.Dictionary`2<int32, object>::get_Item(!0/*int32*/)
IL_00f4: castclass [mscorlib]System.String
IL_00f9: ldc.i4.s   44 // 0x2c
IL_00fb: ldc.i4.0
IL_00fc: call     class [mscorlib]System.Collections.Generic.List`1<!0/*string*/> [CivicPlus.CMS.Library]
CivicPlus.CMS.Library.Common.Utilities.ConversionHelper::ConvertCSVToList<string>(string, char, valueType [mscorlib]System.StringSplitOptions)
IL_0101: dup

IL_0102: brtrue.s    IL_010a
IL_0104: pop
IL_0105: newobj     instance void class [mscorlib]System.Collections.Generic.List`1<string>::.ctor()
IL_010a: stloc.s     stringList
IL_010c: br.s      IL_0145

// [1864 9 - 1870 10]
IL_010e: newobj     instance void class [mscorlib]System.Collections.Generic.List`1<string>::.ctor()
IL_0113: dup
IL_0114: ldloc.1      // 'field'
IL_0115: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDateTime::get_DefaultDate()
IL_011a: callvirt   instance void class [mscorlib]System.Collections.Generic.List`1<string>::Add(!0/*string*/)
IL_011f: dup

```

```

IL_0120: ldloc.1    // 'field'
IL_0121: callvirt instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDateTime::get_DefaultSpanDate()
IL_0126: callvirt instance void class [mscorlib]System.Collections.Generic.List`1<string>::Add(!0/*string*/)
IL_012b: dup
IL_012c: ldloc.1    // 'field'
IL_012d: callvirt instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDateTime::get_DefaultTime()
IL_0132: callvirt instance void class [mscorlib]System.Collections.Generic.List`1<string>::Add(!0/*string*/)
IL_0137: dup
IL_0138: ldloc.1    // 'field'
IL_0139: callvirt instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDateTime::get_DefaultSpanTime()
IL_013e: callvirt instance void class [mscorlib]System.Collections.Generic.List`1<string>::Add(!0/*string*/)
IL_0143: stloc.s     stringList

// [1871 7 - 1871 47]
IL_0145: ldloca.s     displayDate1
IL_0147: initobj     valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime>

// [1872 7 - 1872 47]
IL_014d: ldloca.s     displayTime1
IL_014f: initobj     valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime>

// [1873 7 - 1873 47]
IL_0155: ldloca.s     displayDate2
IL_0157: initobj     valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime>

// [1874 7 - 1874 47]
IL_015d: ldloca.s     displayTime2
IL_015f: initobj     valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime>

// [1875 7 - 1875 34]
IL_0165: ldsfld     string [mscorlib]System.String::Empty
IL_016a: pop

// [1876 7 - 1876 72]
IL_016b: ldloc.s     stringList
IL_016d: callvirt instance int32 class [mscorlib]System.Collections.Generic.List`1<string>::get_Count()
IL_0172: ldc.i4.0
IL_0173: ble.s      IL_0199

IL_0175: ldloc.s     stringList
IL_0177: ldc.i4.0
IL_0178: callvirt instance !0/*string*/ class [mscorlib]System.Collections.Generic.List`1<string>::get_Item(int32)
IL_017d: call     bool [mscorlib]System.String::IsNullOrEmpty(string)
IL_0182: brtrue.s     IL_0199

// [1877 9 - 1877 102]
IL_0184: ldloca.s     displayDate1
IL_0186: ldloc.0     // dateTimeHelper
IL_0187: ldloc.s     stringList
IL_0189: ldc.i4.0
IL_018a: callvirt instance !0/*string*/ class [mscorlib]System.Collections.Generic.List`1<string>::get_Item(int32)
IL_018f: callvirt instance valuetype [mscorlib]System.DateTime [CivicPlus.Library]
CivicPlus.Library.Helpers.Base.IDateTimeHelper::ConvertToDateTimeCultureInvariant(string)
IL_0194: call     instance void valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime>::ctor(!0/*valuetype [mscorlib]
System.DateTime*/)

// [1878 7 - 1878 72]
IL_0199: ldloc.s     stringList
IL_019b: callvirt instance int32 class [mscorlib]System.Collections.Generic.List`1<string>::get_Count()
IL_01a0: ldc.i4.1
IL_01a1: ble.s      IL_01c7

IL_01a3: ldloc.s     stringList
IL_01a5: ldc.i4.1
IL_01a6: callvirt instance !0/*string*/ class [mscorlib]System.Collections.Generic.List`1<string>::get_Item(int32)
IL_01ab: call     bool [mscorlib]System.String::IsNullOrEmpty(string)
IL_01b0: brtrue.s     IL_01c7

// [1879 9 - 1879 102]
IL_01b2: ldloca.s     displayDate2
IL_01b4: ldloc.0     // dateTimeHelper
IL_01b5: ldloc.s     stringList
IL_01b7: ldc.i4.1
IL_01b8: callvirt instance !0/*string*/ class [mscorlib]System.Collections.Generic.List`1<string>::get_Item(int32)
IL_01bd: callvirt instance valuetype [mscorlib]System.DateTime [CivicPlus.Library]
CivicPlus.Library.Helpers.Base.IDateTimeHelper::ConvertToDateTimeCultureInvariant(string)
IL_01c2: call     instance void valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime>::ctor(!0/*valuetype [mscorlib]
System.DateTime*/)

```

```

// [1880 7 - 1880 72]
IL_01c7: ldloc.s    stringList
IL_01c9: callvirt   instance int32 class [mscorlib]System.Collections.Generic.List`1<string>::get_Count()
IL_01ce: ldc.i4.2
IL_01cf: ble.s     IL_01f4

IL_01d1: ldloc.s    stringList
IL_01d3: ldc.i4.2
IL_01d4: callvirt   instance !0/*string*/ class [mscorlib]System.Collections.Generic.List`1<string>::get_Item(int32)
IL_01d9: call      bool [mscorlib]System.String::IsNullOrEmpty(string)
IL_01de: brtrue.s   IL_01f4

// [1881 9 - 1881 72]
IL_01e0: ldloca.s    displayTime1
IL_01e2: ldloc.s    stringList
IL_01e4: ldc.i4.2
IL_01e5: callvirt   instance !0/*string*/ class [mscorlib]System.Collections.Generic.List`1<string>::get_Item(int32)
IL_01ea: call      valuetype [mscorlib]System.DateTime [mscorlib]System.Convert::ToDateTime(string)
IL_01ef: call      instance void valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime>::ctor(!0/*valuetype [mscorlib]System.DateTime*)

// [1882 7 - 1882 72]
IL_01f4: ldloc.s    stringList
IL_01f6: callvirt   instance int32 class [mscorlib]System.Collections.Generic.List`1<string>::get_Count()
IL_01fb: ldc.i4.3
IL_01fc: ble.s     IL_0221

IL_01fe: ldloc.s    stringList
IL_0200: ldc.i4.3
IL_0201: callvirt   instance !0/*string*/ class [mscorlib]System.Collections.Generic.List`1<string>::get_Item(int32)
IL_0206: call      bool [mscorlib]System.String::IsNullOrEmpty(string)
IL_020b: brtrue.s   IL_0221

// [1883 9 - 1883 72]
IL_020d: ldloca.s    displayTime2
IL_020f: ldloc.s    stringList
IL_0211: ldc.i4.3
IL_0212: callvirt   instance !0/*string*/ class [mscorlib]System.Collections.Generic.List`1<string>::get_Item(int32)
IL_0217: call      valuetype [mscorlib]System.DateTime [mscorlib]System.Convert::ToDateTime(string)
IL_021c: call      instance void valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime>::ctor(!0/*valuetype [mscorlib]System.DateTime*)

// [1884 7 - 1884 68]
IL_0221: ldarg.1    // viewModel
IL_0222: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_0227: call      bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsForEmail(valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType)
IL_022c: brfalse   IL_0324

// [1886 9 - 1886 67]
IL_0231: ldnull
IL_0232: call      class [System.Web.WebPages]System.Web.Mvc.TagBuilder CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::CreateEmailTd(class [System]System.Collections.Specialized.NameValueCollection)
IL_0237: stloc.s    emailTd

// [1887 9 - 1887 174]
IL_0239: ldloca.s    displayDate1
IL_023b: call      instance bool valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime>::get_HasValue()
IL_0240: brtrue.s   IL_0249

IL_0242: ldstr      ""
IL_0247: br.s     IL_025e
IL_0249: ldloca.s    displayDate1
IL_024b: call      instance !0/*valuetype [mscorlib]System.DateTime*/ valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime>::get_Value()
IL_0250: stloc.s    V_18
IL_0252: ldloca.s    V_18
IL_0254: ldstr      "M/d/yyyy "
IL_0259: call      instance string [mscorlib]System.DateTime::ToString(string)
IL_025e: ldloca.s    displayTime1
IL_0260: call      instance bool valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime>::get_HasValue()
IL_0265: brtrue.s   IL_026e
IL_0267: ldstr      ""
IL_026c: br.s     IL_0283
IL_026e: ldloca.s    displayTime1

```

```

IL_0270: call      instance !0/*valuetype [mscorlib]System.DateTime*/ valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]
System.DateTime>::get_Value()
IL_0275: stloc.s   V_18
IL_0277: ldloc.s   V_18
IL_0279: ldstr     "h:mm tt"
IL_027e: call      instance string [mscorlib]System.DateTime::ToString(string)
IL_0283: call      string [mscorlib]System.String::Concat(string, string)
IL_0288: stloc.s   displayValue

// [1888 9 - 1888 26]
IL_028a: ldloc.1   // 'field'
IL_028b: callvirt   instance bool [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDateTime::get_IsSpan()
IL_0290: brfalse.s  IL_02fc

// [1890 11 - 1890 167]
IL_0292: ldloc.s   displayDate2
IL_0294: call      instance bool valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime>::get_HasValue()
IL_0299: brtrue.s   IL_02a2

IL_029b: ldstr     ""
IL_02a0: br.s     IL_02b7
IL_02a2: ldloc.s   displayDate2
IL_02a4: call      instance !0/*valuetype [mscorlib]System.DateTime*/ valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]
System.DateTime>::get_Value()
IL_02a9: stloc.s   V_18
IL_02ab: ldloc.s   V_18
IL_02ad: ldstr     "M/d/yyyy "
IL_02b2: call      instance string [mscorlib]System.DateTime::ToString(string)
IL_02b7: ldloc.s   displayTime2
IL_02b9: call      instance bool valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime>::get_HasValue()
IL_02be: brtrue.s  IL_02c7
IL_02c0: ldstr     ""
IL_02c5: br.s     IL_02dc
IL_02c7: ldloc.s   displayTime2
IL_02c9: call      instance !0/*valuetype [mscorlib]System.DateTime*/ valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]
System.DateTime>::get_Value()
IL_02ce: stloc.s   V_18
IL_02d0: ldloc.s   V_18
IL_02d2: ldstr     "h:mm tt"
IL_02d7: call      instance string [mscorlib]System.DateTime::ToString(string)
IL_02dc: call      string [mscorlib]System.String::Concat(string, string)
IL_02e1: stloc.s   str

// [1891 11 - 1891 42]
IL_02e3: ldloc.s   str
IL_02e5: call      bool [mscorlib]System.String::IsNullOrEmpty(string)
IL_02ea: brtrue.s  IL_02fc

// [1892 13 - 1892 54]
IL_02ec: ldloc.s   displayValue
IL_02ee: ldstr     " - "
IL_02f3: ldloc.s   str
IL_02f5: call      string [mscorlib]System.String::Concat(string, string, string)
IL_02fa: stloc.s   displayValue

// [1894 9 - 1894 49]
IL_02fc: ldloc.s   emailTd
IL_02fe: ldloc.s   displayValue
IL_0300: call      void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::SetEmailInputValue(class
[System.Web.WebPages]System.Web.Mvc.TagBuilder, string)

// [1895 9 - 1895 68]
IL_0305: ldarg.2   // output
IL_0306: ldloc.s   standardLabel
IL_0308: ldc.i4.0
IL_0309: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_030e: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0313: pop

// [1896 9 - 1896 62]
IL_0314: ldarg.2   // output
IL_0315: ldloc.s   emailTd
IL_0317: ldc.i4.0
IL_0318: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_031d: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0322: pop

```

```

IL_0323: ret

// [1898 12 - 1898 66]
IL_0324: ldarg.1 // viewModel
IL_0325: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType
CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel::get_RenderingFor()
IL_032a: ldc.i4.4
IL_032b: bne.un IL_0415

// [1900 9 - 1900 46]
IL_0330: ldarg.2 // output
IL_0331: ldloc.s standardLabel
IL_0333: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_0338: pop

// [1901 9 - 1901 31]
IL_0339: ldarg.2 // output
IL_033a: ldstr "<div>"
IL_033f: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0344: pop

// [1902 9 - 1902 107]
IL_0345: ldloc.1 // 'field'
IL_0346: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.DateTimeStyle [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDateTime::get_DateTimeStyle()
IL_034b: ldc.i4.1
IL_034c: beq.s IL_0357

IL_034e: ldloc.1 // 'field'
IL_034f: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.DateTimeStyle [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDateTime::get_DateTimeStyle()
IL_0354: ldc.i4.3
IL_0355: bne.un.s IL_036f

// [1903 11 - 1903 152]
IL_0357: ldarg.2 // output
IL_0358: ldloc.0 // dateTimeHelper
IL_0359: ldloc.1 // 'field'
IL_035a: ldloc.s nameValueCollection
IL_035c: ldloc.s displayDate1
IL_035e: call class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::CreateDateField(class [CivicPlus.Library]
CivicPlus.Library.Helpers.Base.IDateTimeHelper, class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDateTime, class [System]
System.Collections.Specialized.NameValueCollection, valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime>)
IL_0363: ldc.i4.0
IL_0364: callvirt instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0369: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_036e: pop

// [1904 9 - 1904 107]
IL_036f: ldloc.1 // 'field'
IL_0370: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.DateTimeStyle [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDateTime::get_DateTimeStyle()
IL_0375: ldc.i4.2
IL_0376: beq.s IL_0381

IL_0378: ldloc.1 // 'field'
IL_0379: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.DateTimeStyle [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDateTime::get_DateTimeStyle()
IL_037e: ldc.i4.3
IL_037f: bne.un.s IL_0398

// [1905 11 - 1905 136]
IL_0381: ldarg.2 // output
IL_0382: ldloc.1 // 'field'
IL_0383: ldloc.s nameValueCollection
IL_0385: ldloc.s displayTime1
IL_0387: call class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::CreateTimeField(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDateTime, class [System]System.Collections.Specialized.NameValueCollection, valuetype [mscorlib]
System.Nullable`1<valuetype [mscorlib]System.DateTime>)
IL_038c: ldc.i4.0
IL_038d: callvirt instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0392: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0397: pop

```

```

// [1906 9 - 1906 26]
IL_0398: ldloc.1    // 'field'
IL_0399: callvirt   instance bool [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDateTime::get_IsSpan()
IL_039e: brfalse.s  IL_03ff

// [1908 11 - 1908 48]
IL_03a0: ldarg.2    // output
IL_03a1: ldstr      "<span>&mdash;</span>"
IL_03a6: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_03ab: pop

// [1909 11 - 1909 109]
IL_03ac: ldloc.1    // 'field'
IL_03ad: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.DateTimeStyle [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDateTime::get_DateTimeStyle()
IL_03b2: ldc.i4.1
IL_03b3: beq.s      IL_03be

IL_03b5: ldloc.1    // 'field'
IL_03b6: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.DateTimeStyle [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDateTime::get_DateTimeStyle()
IL_03bb: ldc.i4.3
IL_03bc: bne.un.s   IL_03d6

// [1910 13 - 1910 154]
IL_03be: ldarg.2    // output
IL_03bf: ldloc.0    // dateTimeHelper
IL_03c0: ldloc.1    // 'field'
IL_03c1: ldloc.s    nameValueCollection
IL_03c3: ldloc.s    displayDate2
IL_03c5: call       class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::CreateDateField(class [CivicPlus.Library]
CivicPlus.Library.Helpers.Base.IDateTimeHelper, class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDateTime, class [System]
System.Collections.Specialized.NameValueCollection, valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime>)
IL_03ca: ldc.i4.0
IL_03cb: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_03d0: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_03d5: pop

// [1911 11 - 1911 109]
IL_03d6: ldloc.1    // 'field'
IL_03d7: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.DateTimeStyle [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDateTime::get_DateTimeStyle()
IL_03dc: ldc.i4.2
IL_03dd: beq.s      IL_03e8

IL_03df: ldloc.1    // 'field'
IL_03e0: callvirt   instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.DateTimeStyle [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDateTime::get_DateTimeStyle()
IL_03e5: ldc.i4.3
IL_03e6: bne.un.s   IL_03ff

// [1912 13 - 1912 138]
IL_03e8: ldarg.2    // output
IL_03e9: ldloc.1    // 'field'
IL_03ea: ldloc.s    nameValueCollection
IL_03ec: ldloc.s    displayTime2
IL_03ee: call       class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::CreateTimeField(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDateTime, class [System]System.Collections.Specialized.NameValueCollection, valuetype [mscorlib]
System.Nullable`1<valuetype [mscorlib]System.DateTime>)
IL_03f3: ldc.i4.0
IL_03f4: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_03f9: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_03fe: pop

// [1914 9 - 1914 53]
IL_03ff: ldarg.2    // output
IL_0400: ldloc.s    standardInstructions
IL_0402: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_0407: pop

// [1915 9 - 1915 32]
IL_0408: ldarg.2    // output
IL_0409: ldstr      "</div>"
IL_040e: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)

```

```

IL_0413: pop
IL_0414: ret

// [1919 9 - 1919 64]
IL_0415: ldloc.s    tagBuilder1
IL_0417: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_041c: ldstr      "id"
IL_0421: ldloc.2    // inputElemID
IL_0422: ldstr      "_date"
IL_0427: call      string [mscorlib]System.String::Concat(string, string)
IL_042c: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1920 9 - 1920 56]
IL_0431: ldloc.s    tagBuilder1
IL_0433: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0438: ldstr      "name"
IL_043d: ldloc.2    // inputElemID
IL_043e: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1921 9 - 1921 51]
IL_0443: ldloc.s    tagBuilder1
IL_0445: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_044a: ldstr      "type"
IL_044f: ldstr      "text"
IL_0454: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1922 9 - 1922 77]
IL_0459: ldloc.1    // 'field'
IL_045a: ldarg.1    // viewModel
IL_045b: call      bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsFieldReadOnly(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel)
IL_0460: brfalse.s  IL_0478

// [1923 11 - 1923 61]
IL_0462: ldloc.s    tagBuilder1
IL_0464: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0469: ldstr      "disabled"
IL_046e: ldstr      "disabled"
IL_0473: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1924 9 - 1924 93]
IL_0478: ldloc.s    tagBuilder1
IL_047a: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_047f: ldstr      "placeholder"
IL_0484: ldloc.0    // dateTimeHelper
IL_0485: ldc.i4.1
IL_0486: callvirt   instance string [CivicPlus.Library]CivicPlus.Library.Helpers.Base.IDateTimeHelper::GetShortFormatString(bool)
IL_048b: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1925 9 - 1925 52]
IL_0490: ldloc.s    tagBuilder1
IL_0492: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0497: ldstr      "cp5ph"
IL_049c: ldstr      "true"
IL_04a1: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1926 9 - 1926 63]
IL_04a6: ldloc.s    tagBuilder1
IL_04a8: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_04ad: ldstr      "value"
IL_04b2: ldloc.1    // 'field'
IL_04b3: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDateTime::get_DefaultDate()
IL_04b8: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1927 9 - 1927 50]
IL_04bd: ldloc.s    tagBuilder1
IL_04bf: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_04c4: ldstr      "size"
IL_04c9: ldstr      "200"
IL_04ce: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

```

```

// [1928 9 - 1928 118]
IL_04d3: ldloc.1    // 'field'
IL_04d4: ldc.i4.3
IL_04d5: ldloc.s    tagBuilder1
IL_04d7: ldloc.s    nameValueCollection
IL_04d9: call      void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldApplyStyles(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType,
class [System.Web.WebPages]System.Web.Mvc.TagBuilder, class [System]System.Collections.Specialized.NameValueCollection)

// [1929 9 - 1929 64]
IL_04de: ldloc.s    tagBuilder2
IL_04e0: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_04e5: ldstr      "id"
IL_04ea: ldloc.2    // inputElemID
IL_04eb: ldstr      "_time"
IL_04f0: call      string [mscorlib]System.String::Concat(string, string)
IL_04f5: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1930 9 - 1930 56]
IL_04fa: ldloc.s    tagBuilder2
IL_04fc: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0501: ldstr      "name"
IL_0506: ldloc.2    // inputElemID
IL_0507: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1931 9 - 1931 51]
IL_050c: ldloc.s    tagBuilder2
IL_050e: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0513: ldstr      "type"
IL_0518: ldstr      "text"
IL_051d: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1932 9 - 1932 77]
IL_0522: ldloc.1    // 'field'
IL_0523: ldarg.1    // viewModel
IL_0524: call      bool CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::IsFieldReadOnly(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, class CivicPlus.CMS.Areas.FormCenter.ViewModels.FormRenderInfoViewModel)
IL_0529: brfalse.s IL_0541

// [1933 11 - 1933 61]
IL_052b: ldloc.s    tagBuilder2
IL_052d: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0532: ldstr      "disabled"
IL_0537: ldstr      "disabled"
IL_053c: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1934 9 - 1934 65]
IL_0541: ldloc.s    tagBuilder2
IL_0543: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0548: ldstr      "placeholder"
IL_054d: ldstr      "hh:mm am/pm"
IL_0552: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1935 9 - 1935 52]
IL_0557: ldloc.s    tagBuilder2
IL_0559: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_055e: ldstr      "cp5ph"
IL_0563: ldstr      "true"
IL_0568: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1936 9 - 1936 63]
IL_056d: ldloc.s    tagBuilder2
IL_056f: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0574: ldstr      "value"
IL_0579: ldloc.1    // 'field'
IL_057a: callvirt   instance string [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDateTime::get_DefaultTime()
IL_057f: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1937 9 - 1937 50]
IL_0584: ldloc.s    tagBuilder2

```

```

IL_0586: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_058b: ldstr "size"
IL_0590: ldstr "200"
IL_0595: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1938 9 - 1938 118]
IL_059a: ldloc.1 // 'field'
IL_059b: ldc.i4.3
IL_059c: ldloc.s tagBuilder2
IL_059e: ldloc.s nameValueCollection
IL_05a0: call void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldApplyStyles(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType,
class [System.Web.WebPages]System.Web.Mvc.TagBuilder, class [System]System.Collections.Specialized.NameValueCollection)

// [1939 9 - 1939 46]
IL_05a5: ldarg.2 // output
IL_05a6: ldloc.s standardLabel
IL_05a8: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_05ad: pop

// [1940 9 - 1940 31]
IL_05ae: ldarg.2 // output
IL_05af: ldstr "<div>"
IL_05b4: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_05b9: pop

// [1941 9 - 1941 107]
IL_05ba: ldloc.1 // 'field'
IL_05bb: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.DateTimeStyle [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDateTime::get_DateTimeStyle()
IL_05c0: ldc.i4.1
IL_05c1: beq.s IL_05cc

IL_05c3: ldloc.1 // 'field'
IL_05c4: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.DateTimeStyle [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDateTime::get_DateTimeStyle()
IL_05c9: ldc.i4.3
IL_05ca: bne.un.s IL_05f4

// [1943 11 - 1943 46]
IL_05cc: ldarg.2 // output
IL_05cd: ldstr "<div class='date'>"
IL_05d2: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_05d7: pop

// [1944 11 - 1944 58]
IL_05d8: ldarg.2 // output
IL_05d9: ldloc.s tagBuilder1
IL_05db: ldloc.s renderMode
IL_05dd: callvirt instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_05e2: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_05e7: pop

// [1945 11 - 1945 34]
IL_05e8: ldarg.2 // output
IL_05e9: ldstr "</div>"
IL_05ee: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_05f3: pop

// [1947 9 - 1947 107]
IL_05f4: ldloc.1 // 'field'
IL_05f5: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.DateTimeStyle [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDateTime::get_DateTimeStyle()
IL_05fa: ldc.i4.2
IL_05fb: beq.s IL_0606

IL_05fd: ldloc.1 // 'field'
IL_05fe: callvirt instance valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.DateTimeStyle [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.FieldDateTime::get_DateTimeStyle()
IL_0603: ldc.i4.3
IL_0604: bne.un.s IL_062e

// [1949 11 - 1949 46]
IL_0606: ldarg.2 // output
IL_0607: ldstr "<div class='date'>"
IL_060c: callvirt instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)

```

```

IL_0611: pop

// [1950 11 - 1950 58]
IL_0612: ldarg.2    // output
IL_0613: ldloc.s    tagBuilder2
IL_0615: ldloc.s    renderMode
IL_0617: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_061c: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0621: pop

// [1951 11 - 1951 34]
IL_0622: ldarg.2    // output
IL_0623: ldstr      "</div>"
IL_0628: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_062d: pop

// [1953 9 - 1953 53]
IL_062e: ldarg.2    // output
IL_062f: ldloc.s    standardInstructions
IL_0631: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(object)
IL_0636: pop

// [1954 9 - 1954 32]
IL_0637: ldarg.2    // output
IL_0638: ldstr      "</div>"
IL_063d: callvirt   instance class [mscorlib]System.Text.StringBuilder [mscorlib]System.Text.StringBuilder::Append(string)
IL_0642: pop
IL_0643: ret

} // end of method FieldRenderExtensions::FieldContentRenderDateTime

.method private hidebysig static class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CreateTimeField(
    class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDateTime 'field',
    class [System]System.Collections.Specialized.NameValueCollection inputStyles,
    valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime> displayTime
) cil managed
{
    .maxstack 5
    .locals init (
        [0] class [System]System.Collections.Specialized.NameValueCollection cssAttributes,
        [1] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder2,
        [2] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder3,
        [3] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder4,
        [4] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder5,
        [5] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder6,
        [6] valuetype [mscorlib]System.DateTime V_6
    )

    IL_0000: ldstr      "div"
    IL_0005: newobj     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
    IL_000a: newobj     instance void [System]System.Collections.Specialized.NameValueCollection::.ctor()
    IL_000f: stloc.0    // cssAttributes
    IL_0010: dup

    // [1965 7 - 1965 38]
    IL_0011: ldstr      "date"
    IL_0016: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

    // [1966 7 - 1966 51]
    IL_001b: ldloc.0    // cssAttributes
    IL_001c: ldstr      "display"
    IL_0021: ldstr      "inline-block"
    IL_0026: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
    IL_002b: dup

    // [1967 7 - 1967 49]
    IL_002c: ldloc.0    // cssAttributes
    IL_002d: call      void CivicPlus.CMS.MvcControls.Html.HtmlTagBuilderExtensions::SetInlineStyles(class [System.Web.WebPages]
System.Web.Mvc.TagBuilder, class [System]System.Collections.Specialized.NameValueCollection)

    // [1968 7 - 1968 53]
    IL_0032: ldstr      "div"
    IL_0037: newobj     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
    IL_003c: stloc.1    // tagBuilder2

    // [1969 7 - 1969 42]

```

```

IL_003d: ldloc.1 // tagBuilder2
IL_003e: ldstr "t-widget"
IL_0043: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [1970 7 - 1970 46]
IL_0048: ldloc.1 // tagBuilder2
IL_0049: ldstr "t-timepicker"
IL_004e: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [1971 7 - 1971 53]
IL_0053: ldstr "div"
IL_0058: newobj instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_005d: stloc.2 // tagBuilder3

// [1972 7 - 1972 47]
IL_005e: ldloc.2 // tagBuilder3
IL_005f: ldstr "t-picker-wrap"
IL_0064: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [1973 7 - 1973 55]
IL_0069: ldstr "input"
IL_006e: newobj instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_0073: stloc.3 // tagBuilder4

// [1974 7 - 1974 41]
IL_0074: ldloc.3 // tagBuilder4
IL_0075: ldstr "t-input"
IL_007a: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [1975 7 - 1975 108]
IL_007f: ldarg.0 // 'field'
IL_0080: ldc.i4.3
IL_0081: ldloc.3 // tagBuilder4
IL_0082: ldarg.1 // inputStyles
IL_0083: call void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldApplyStyles(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType,
class [System.Web.WebPages]System.Web.Mvc.TagBuilder, class [System]System.Collections.Specialized.NameValueCollection)

// [1976 7 - 1976 54]
IL_0088: ldstr "span"
IL_008d: newobj instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_0092: stloc.s tagBuilder5

// [1977 7 - 1977 42]
IL_0094: ldloc.s tagBuilder5
IL_0096: ldstr "t-select"
IL_009b: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [1978 7 - 1978 54]
IL_00a0: ldstr "span"
IL_00a5: newobj instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_00aa: stloc.s tagBuilder6

// [1979 7 - 1979 40]
IL_00ac: ldloc.s tagBuilder6
IL_00ae: ldstr "t-icon"
IL_00b3: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [1980 7 - 1980 46]
IL_00b8: ldloc.s tagBuilder6
IL_00ba: ldstr "t-icon-clock"
IL_00bf: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [1981 7 - 1981 64]
IL_00c4: ldloc.s tagBuilder6
IL_00c6: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_00cb: ldstr "title"
IL_00d0: ldstr "Open the time view"
IL_00d5: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1982 7 - 1982 73]
IL_00da: ldloc.s tagBuilder5
IL_00dc: ldloc.s tagBuilder6
IL_00de: ldc.i4.0
IL_00df: callvirt instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_00e4: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

```

```

// [1983 7 - 1983 63]
IL_00e9: ldloc.3 // tagBuilder4
IL_00ea: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_00ef: ldstr "placeholder"
IL_00f4: ldstr "hh:mm am/pm"
IL_00f9: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1984 7 - 1984 119]
IL_00fe: ldloc.3 // tagBuilder4
IL_00ff: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0104: ldstr "value"
IL_0109: ldarga.s displayTime
IL_010b: call instance bool valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime>::get_HasValue()
IL_0110: brtrue.s IL_0119

IL_0112: ld sfld string [mscorlib]System.String::Empty
IL_0117: br.s IL_012e
IL_0119: ldarga.s displayTime
IL_011b: call instance !0/*valuetype [mscorlib]System.DateTime*/ valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]
System.DateTime>::get_Value()
IL_0120: stloc.s V_6
IL_0122: ldloc.s V_6
IL_0124: ldstr "h:mm tt"
IL_0129: call instance string [mscorlib]System.DateTime::ToString(string)
IL_012e: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [1985 7 - 1985 118]
IL_0133: ldloc.2 // tagBuilder3
IL_0134: ldloc.3 // tagBuilder4
IL_0135: ldc.i4.0
IL_0136: callvirt instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_013b: ldloc.s tagBuilder5
IL_013d: ldc.i4.0
IL_013e: callvirt instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0143: call string [mscorlib]System.String::Concat(string, string)
IL_0148: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [1986 7 - 1986 73]
IL_014d: ldloc.1 // tagBuilder2
IL_014e: ldloc.2 // tagBuilder3
IL_014f: ldc.i4.0
IL_0150: callvirt instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0155: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)
IL_015a: dup

// [1987 7 - 1987 73]
IL_015b: ldloc.1 // tagBuilder2
IL_015c: ldc.i4.0
IL_015d: callvirt instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0162: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [1988 7 - 1988 26]
IL_0167: ret

} // end of method FieldRenderExtensions::CreateTimeField

.method private hidebysig static class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CreateDateTimeField(
class [CivicPlus.Library]CivicPlus.Library.Helpers.Base.IDateTimeHelper dateTimeHelper,
class [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.FieldDateTime 'field',
class [System]System.Collections.Specialized.NameValueCollection inputStyles,
valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime> displayDate
) cil managed
{
.maxstack 5
.locals init (
[0] class [System]System.Collections.Specialized.NameValueCollection cssAttributes,
[1] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder2,
[2] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder3,
[3] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder4,
[4] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder5,

```

```

[5] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder6
)

IL_0000: ldstr      "div"
IL_0005: newobj      instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_000a: newobj      instance void [System]System.Collections.Specialized.NameValueCollection::.ctor()
IL_000f: stloc.0      // cssAttributes
IL_0010: dup

// [1999 7 - 1999 38]
IL_0011: ldstr      "date"
IL_0016: callvirt     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [2000 7 - 2000 51]
IL_001b: ldloc.0      // cssAttributes
IL_001c: ldstr      "display"
IL_0021: ldstr      "inline-block"
IL_0026: callvirt     instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)

// [2001 7 - 2001 49]
IL_002b: ldloc.0      // cssAttributes
IL_002c: ldstr      "padding-right"
IL_0031: ldstr      "40px"
IL_0036: callvirt     instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_003b: dup

// [2002 7 - 2002 49]
IL_003c: ldloc.0      // cssAttributes
IL_003d: call        void CivicPlus.CMS.MvcControls.Html.HtmlTagBuilderExtensions::SetInlineStyles(class [System.Web.WebPages]
System.Web.Mvc.TagBuilder, class [System]System.Collections.Specialized.NameValueCollection)

// [2003 7 - 2003 53]
IL_0042: ldstr      "div"
IL_0047: newobj      instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_004c: stloc.1      // tagBuilder2

// [2004 7 - 2004 42]
IL_004d: ldloc.1      // tagBuilder2
IL_004e: ldstr      "t-widget"
IL_0053: callvirt     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [2005 7 - 2005 46]
IL_0058: ldloc.1      // tagBuilder2
IL_0059: ldstr      "t-datepicker"
IL_005e: callvirt     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [2006 7 - 2006 53]
IL_0063: ldstr      "div"
IL_0068: newobj      instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_006d: stloc.2      // tagBuilder3

// [2007 7 - 2007 47]
IL_006e: ldloc.2      // tagBuilder3
IL_006f: ldstr      "t-picker-wrap"
IL_0074: callvirt     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [2008 7 - 2008 55]
IL_0079: ldstr      "input"
IL_007e: newobj      instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_0083: stloc.3      // tagBuilder4

// [2009 7 - 2009 41]
IL_0084: ldloc.3      // tagBuilder4
IL_0085: ldstr      "t-input"
IL_008a: callvirt     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [2010 7 - 2010 54]
IL_008f: ldstr      "span"
IL_0094: newobj      instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_0099: stloc.s      tagBuilder5

// [2011 7 - 2011 42]
IL_009b: ldloc.s      tagBuilder5
IL_009d: ldstr      "t-select"
IL_00a2: callvirt     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [2012 7 - 2012 54]
IL_00a7: ldstr      "span"

```

```

IL_00ac: newobj instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)
IL_00b1: stloc.s tagBuilder6

// [2013 7 - 2013 40]
IL_00b3: ldloc.s tagBuilder6
IL_00b5: ldstr "t-icon"
IL_00ba: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [2014 7 - 2014 49]
IL_00bf: ldloc.s tagBuilder6
IL_00c1: ldstr "t-icon-calendar"
IL_00c6: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::AddCssClass(string)

// [2015 7 - 2015 63]
IL_00cb: ldloc.s tagBuilder6
IL_00cd: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_00d2: ldstr "title"
IL_00d7: ldstr "Open the calendar"
IL_00dc: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [2016 7 - 2016 73]
IL_00e1: ldloc.s tagBuilder5
IL_00e3: ldloc.s tagBuilder6
IL_00e5: ldc.i4.0
IL_00e6: callvirt instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_00eb: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [2017 7 - 2017 91]
IL_00f0: ldloc.3 // tagBuilder4
IL_00f1: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_00f6: ldstr "placeholder"
IL_00fb: ldarg.0 // dateTimeHelper
IL_00fc: ldc.i4.1
IL_00fd: callvirt instance string [CivicPlus.Library]CivicPlus.Library.Helpers.Base.IDateTimeHelper::GetShortFormatString(bool)
IL_0102: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [2018 7 - 2018 108]
IL_0107: ldarg.1 // 'field'
IL_0108: ldc.i4.3
IL_0109: ldloc.3 // tagBuilder4
IL_010a: ldarg.2 // inputStyles
IL_010b: call void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::FieldApplyStyles(class [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Base.Field, valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FieldStyleType,
class [System.Web.WebPages]System.Web.Mvc.TagBuilder, class [System]System.Collections.Specialized.NameValueCollection)

// [2019 7 - 2019 137]
IL_0110: ldloc.3 // tagBuilder4
IL_0111: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0116: ldstr "value"
IL_011b: ldarga.s displayDate
IL_011d: call instance bool valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]System.DateTime>::get_HasValue()
IL_0122: brtrue.s IL_012b

IL_0124: ldsfld string [mscorlib]System.String::Empty
IL_0129: br.s IL_0138
IL_012b: ldarg.0 // dateTimeHelper
IL_012c: ldarga.s displayDate
IL_012e: call instance !0/*valuetype [mscorlib]System.DateTime*/ valuetype [mscorlib]System.Nullable`1<valuetype [mscorlib]
System.DateTime>::get_Value()
IL_0133: callvirt instance string [CivicPlus.Library]CivicPlus.Library.Helpers.Base.IDateTimeHelper::GetShortFormattedDate(valuetype
[mscorlib]System.DateTime)
IL_0138: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [2020 7 - 2020 118]
IL_013d: ldloc.2 // tagBuilder3
IL_013e: ldloc.3 // tagBuilder4
IL_013f: ldc.i4.0
IL_0140: callvirt instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_0145: ldloc.s tagBuilder5
IL_0147: ldc.i4.0
IL_0148: callvirt instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_014d: call string [mscorlib]System.String::Concat(string, string)

```

```

IL_0152: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [2021 7 - 2021 73]
IL_0157: ldloc.1 // tagBuilder2
IL_0158: ldloc.2 // tagBuilder3
IL_0159: ldc.i4.0
IL_015a: callvirt instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_015f: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)
IL_0164: dup

// [2022 7 - 2022 73]
IL_0165: ldloc.1 // tagBuilder2
IL_0166: ldc.i4.0
IL_0167: callvirt instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_016c: callvirt instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

// [2023 7 - 2023 26]
IL_0171: ret

} // end of method FieldRenderExtensions::CreateDateField

.method private hidebysig static class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CreateEmailTr() cil managed
{
.maxstack 4
.locals init (
[0] class [System]System.Collections.Specialized.NameValueCollection cssAttributes
)

IL_0000: ldstr "tr"
IL_0005: newobj instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::ctor(string)
IL_000a: newobj instance void [System]System.Collections.Specialized.NameValueCollection::ctor()
IL_000f: stloc.0 // cssAttributes
IL_0010: ldloc.0 // cssAttributes
IL_0011: ldstr "vertical-align"
IL_0016: ldstr "top"
IL_001b: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0020: ldloc.0 // cssAttributes
IL_0021: ldstr "text-align"
IL_0026: ldstr "left"
IL_002b: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0030: ldloc.0 // cssAttributes
IL_0031: ldstr "padding"
IL_0036: ldstr "0"
IL_003b: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
IL_0040: dup

// [2023 7 - 2023 46]
IL_0041: callvirt instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0046: ldstr "align"
IL_004b: ldstr "left"
IL_0050: callvirt instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::set_Item(!0/*string*/, !1/*string*/)
IL_0055: dup

// [2024 7 - 2024 48]
IL_0056: ldloc.0 // cssAttributes
IL_0057: call void CivicPlus.CMS.MvcControls.Html.HtmlTagBuilderExtensions::SetInlineStyles(class [System.Web.WebPages]
System.Web.Mvc.TagBuilder, class [System]System.Collections.Specialized.NameValueCollection)

// [2025 7 - 2025 25]
IL_005c: ret

} // end of method FieldRenderExtensions::CreateEmailTr

.method private hidebysig static class [System.Web.WebPages]System.Web.Mvc.TagBuilder
CreateEmailTd(
[opt] class [System]System.Collections.Specialized.NameValueCollection overrideStyles
) cil managed
{
.param [1] = nullref
.maxstack 4
.locals init (
[0] class [System.Web.WebPages]System.Web.Mvc.TagBuilder tagBuilder,
[1] class [System]System.Collections.Specialized.NameValueCollection cssAttributes,
[2] class [mscorlib]System.Collections.IEnumerator V_2,

```

```
[3] string key,  
[4] class [mscorlib]System.IDisposable V_4  
)
```

```
// [2040 7 - 2040 51]  
IL_0000: ldstr      "td"  
IL_0005: newobj     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::.ctor(string)  
IL_000a: stloc.0     // tagBuilder  
  
// [2041 7 - 2041 68]  
IL_000b: newobj     instance void [System]System.Collections.Specialized.NameValueCollection::.ctor()  
IL_0010: stloc.1     // cssAttributes  
  
// [2042 7 - 2042 52]  
IL_0011: ldloc.1     // cssAttributes  
IL_0012: ldstr      "word-break"  
IL_0017: ldstr      "break-word"  
IL_001c: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)  
  
// [2043 7 - 2043 51]  
IL_0021: ldloc.1     // cssAttributes  
IL_0022: ldstr      "-webkit-hyphens"  
IL_0027: ldstr      "auto"  
IL_002c: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)  
  
// [2044 7 - 2044 48]  
IL_0031: ldloc.1     // cssAttributes  
IL_0032: ldstr      "-moz-hyphens"  
IL_0037: ldstr      "auto"  
IL_003c: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)  
  
// [2045 7 - 2045 43]  
IL_0041: ldloc.1     // cssAttributes  
IL_0042: ldstr      "hyphens"  
IL_0047: ldstr      "auto"  
IL_004c: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)  
  
// [2046 7 - 2046 66]  
IL_0051: ldloc.1     // cssAttributes  
IL_0052: ldstr      "border-collapse"  
IL_0057: ldstr      "collapse !important"  
IL_005c: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)  
  
// [2047 7 - 2047 49]  
IL_0061: ldloc.1     // cssAttributes  
IL_0062: ldstr      "vertical-align"  
IL_0067: ldstr      "top"  
IL_006c: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)  
  
// [2048 7 - 2048 46]  
IL_0071: ldloc.1     // cssAttributes  
IL_0072: ldstr      "text-align"  
IL_0077: ldstr      "left"  
IL_007c: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)  
  
// [2049 7 - 2049 44]  
IL_0081: ldloc.1     // cssAttributes  
IL_0082: ldstr      "color"  
IL_0087: ldstr      "#222222"  
IL_008c: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)  
  
// [2050 7 - 2050 75]  
IL_0091: ldloc.1     // cssAttributes  
IL_0092: ldstr      "font-family"  
IL_0097: ldstr      "'Helvetica', 'Arial', sans-serif"  
IL_009c: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)  
  
// [2051 7 - 2051 49]  
IL_00a1: ldloc.1     // cssAttributes  
IL_00a2: ldstr      "font-weight"  
IL_00a7: ldstr      "normal"  
IL_00ac: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)  
  
// [2052 7 - 2052 47]  
IL_00b1: ldloc.1     // cssAttributes  
IL_00b2: ldstr      "line-height"  
IL_00b7: ldstr      "14pt"  
IL_00bc: callvirt   instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)
```

```

// [2053 7 - 2053 45]
IL_00c1: ldloc.1 // cssAttributes
IL_00c2: ldstr "font-size"
IL_00c7: ldstr "10pt"
IL_00cc: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)

// [2054 7 - 2054 56]
IL_00d1: ldloc.1 // cssAttributes
IL_00d2: ldstr "border-bottom-style"
IL_00d7: ldstr "solid"
IL_00dc: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)

// [2055 7 - 2055 55]
IL_00e1: ldloc.1 // cssAttributes
IL_00e2: ldstr "border-bottom-color"
IL_00e7: ldstr "#ccc"
IL_00ec: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)

// [2056 7 - 2056 54]
IL_00f1: ldloc.1 // cssAttributes
IL_00f2: ldstr "border-bottom-width"
IL_00f7: ldstr "1px"
IL_00fc: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)

// [2057 7 - 2057 39]
IL_0101: ldloc.1 // cssAttributes
IL_0102: ldstr "margin"
IL_0107: ldstr "0"
IL_010c: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)

// [2058 7 - 2058 48]
IL_0111: ldloc.1 // cssAttributes
IL_0112: ldstr "padding"
IL_0117: ldstr "0.5em 0px"
IL_011c: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::Add(string, string)

// [2059 7 - 2059 34]
IL_0121: ldarg.0 // overrideStyles
IL_0122: brfalse.s IL_016a

// [2061 32 - 2061 51]
IL_0124: ldarg.0 // overrideStyles
IL_0125: callvirt instance class [System]System.Collections.Specialized.NameObjectCollectionBase/KeysCollection [System]
System.Collections.Specialized.NameObjectCollectionBase::get_Keys()
IL_012a: callvirt instance class [mscorlib]System.Collections.IEnumerator [System]
System.Collections.Specialized.NameObjectCollectionBase/KeysCollection::GetEnumerator()
IL_012f: stloc.2 // V_2
.try
{
    IL_0130: br.s IL_014c
    // start of loop, entry point: IL_014c

    // [2061 18 - 2061 28]
    IL_0132: ldloc.2 // V_2
    IL_0133: callvirt instance object [mscorlib]System.Collections.IEnumerator::get_Current()
    IL_0138: castclass [mscorlib]System.String
    IL_013d: stloc.3 // key

    // [2062 11 - 2062 51]
    IL_013e: ldloc.1 // cssAttributes
    IL_013f: ldloc.3 // key
    IL_0140: ldarg.0 // overrideStyles
    IL_0141: ldloc.3 // key
    IL_0142: callvirt instance string [System]System.Collections.Specialized.NameValueCollection::get_Item(string)
    IL_0147: callvirt instance void [System]System.Collections.Specialized.NameValueCollection::set_Item(string, string)

    IL_014c: ldloc.2 // V_2
    IL_014d: callvirt instance bool [mscorlib]System.Collections.IEnumerator::MoveNext()
    IL_0152: brtrue.s IL_0132
    // end of loop
    IL_0154: leave.s IL_016a
} // end of .try
finally
{
    IL_0156: ldloc.2 // V_2
    IL_0157: isinst [mscorlib]System.IDisposable

```

```

IL_015c: stloc.s    V_4
IL_015e: ldloc.s    V_4
IL_0160: brfalse.s  IL_0169
IL_0162: ldloc.s    V_4
IL_0164: callvirt   instance void [mscorlib]System.IDisposable::Dispose()
IL_0169: endfinally
} // end of finally

// [2064 7 - 2064 48]
IL_016a: ldloc.0     // tagBuilder
IL_016b: ldloc.1     // cssAttributes
IL_016c: call       void CivicPlus.CMS.MvcControls.Html.HtmlTagBuilderExtensions::SetInlineStyles(class [System.Web.WebPages]
System.Web.Mvc.TagBuilder, class [System]System.Collections.Specialized.NameValueCollection)

// [2065 7 - 2065 49]
IL_0171: ldloc.0     // tagBuilder
IL_0172: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_0177: ldstr      "align"
IL_017c: ldstr      "left"
IL_0181: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [2066 7 - 2066 49]
IL_0186: ldloc.0     // tagBuilder
IL_0187: callvirt   instance class [mscorlib]System.Collections.Generic.IDictionary`2<string, string> [System.Web.WebPages]
System.Web.Mvc.TagBuilder::get_Attributes()
IL_018c: ldstr      "valign"
IL_0191: ldstr      "top"
IL_0196: callvirt   instance void class [mscorlib]System.Collections.Generic.IDictionary`2<string, string>::Add(!0/*string*/, !1/*string*/)

// [2067 7 - 2067 25]
IL_019b: ldloc.0     // tagBuilder
IL_019c: ret

} // end of method FieldRenderExtensions::CreateEmailTd

.method private hidebysig static void
SetEmailInputValue(
    class [System.Web.WebPages]System.Web.Mvc.TagBuilder outer,
    string displayValue
) cil managed
{
    .custom instance void [mscorlib]System.Runtime.CompilerServices.ExtensionAttribute::ctor()
    = (01 00 00 00 )
    .maxstack 8

    // [2072 7 - 2072 51]
    IL_0000: ldarg.0     // outer
    IL_0001: ldarg.1     // displayValue
    IL_0002: ldc.i4.1
    IL_0003: call       void CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::SetEmailInputValue(class
[System.Web.WebPages]System.Web.Mvc.TagBuilder, string, bool)
    IL_0008: ret

} // end of method FieldRenderExtensions::SetEmailInputValue

.method private hidebysig static void
SetEmailInputValue(
    class [System.Web.WebPages]System.Web.Mvc.TagBuilder outer,
    string displayValue,
    bool doNotAllowBlank
) cil managed
{
    .custom instance void [mscorlib]System.Runtime.CompilerServices.ExtensionAttribute::ctor()
    = (01 00 00 00 )
    .maxstack 3
    .locals init (
        [0] class [System.Web.WebPages]System.Web.Mvc.TagBuilder V_0
    )

    // [2080 7 - 2083 54]
    IL_0000: ldstr      "i"
    IL_0005: newobj     instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::ctor(string)
    IL_000a: stloc.0     // V_0

    IL_000b: ldloc.0     // V_0
    IL_000c: ldstr      "Field not completed."
    IL_0011: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)

```

```

IL_0016: ldarg.0    // outer
IL_0017: ldarg.1    // displayValue
IL_0018: call      bool [mscorlib]System.String::IsNullOrEmpty(string)
IL_001d: ldarg.2    // doNotAllowBlank
IL_001e: and
IL_001f: brtrue.s   IL_0024
IL_0021: ldarg.1    // displayValue
IL_0022: br.s       IL_002b
IL_0024: ldloc.0    // V_0
IL_0025: ldc.i4.0
IL_0026: callvirt   instance string [System.Web.WebPages]System.Web.Mvc.TagBuilder::ToString(valuetype [System.Web.WebPages]
System.Web.Mvc.TagRenderMode)
IL_002b: callvirt   instance void [System.Web.WebPages]System.Web.Mvc.TagBuilder::set_InnerHtml(string)
IL_0030: ret

} // end of method FieldRenderExtensions::SetEmailInputValue

.method private hidebysig static bool
IsForEmail(
    valuetype [CivicPlus.Entities]CivicPlus.Entities.Modules.FormCenter.Enums.FormRenderType 'type'
) cil managed
{
    .maxstack 8

    // [2088 7 - 2088 86]
    IL_0000: ldarg.0    // 'type'
    IL_0001: ldc.i4.3
    IL_0002: beq.s      IL_0009

    IL_0004: ldarg.0    // 'type'
    IL_0005: ldc.i4.2
    IL_0006: ceq
    IL_0008: ret
    IL_0009: ldc.i4.1
    IL_000a: ret

} // end of method FieldRenderExtensions::IsForEmail

.method private hidebysig static void
ParseCurrencyField(
    string 'value',
    [out] valuetype [mscorlib]System.Decimal& result
) cil managed
{
    .maxstack 4
    .locals init (
        [0] class [mscorlib]System.IFormatProvider specificCulture
    )

    // [2093 7 - 2093 101]
    IL_0000: ldstr      "en-US"
    IL_0005: call      class [mscorlib]System.Globalization.CultureInfo [mscorlib]System.Globalization.CultureInfo::CreateSpecificCulture(string)
    IL_000a: stloc.0    // specificCulture

    // [2094 7 - 2094 82]
    IL_000b: ldarg.0    // 'value'
    IL_000c: ldc.i4      383 // 0x0000017f
    IL_0011: ldloc.0    // specificCulture
    IL_0012: ldarg.1    // result
    IL_0013: call      bool [mscorlib]System.Decimal::TryParse(string, valuetype [mscorlib]System.Globalization.NumberStyles, class [mscorlib]
System.IFormatProvider, valuetype [mscorlib]System.Decimal&)
    IL_0018: pop
    IL_0019: ret

} // end of method FieldRenderExtensions::ParseCurrencyField

.property class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize, string> SizeCSSClassDictionary()
{
    .get class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldSize, string>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::get_SizeCSSClassDictionary()
} // end of property FieldRenderExtensions::SizeCSSClassDictionary

.property string[] ColumnClasses()
{
    .get string[] CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::get_ColumnClasses()
} // end of property FieldRenderExtensions::ColumnClasses

```

```

.property class [mscorlib]System.Collections.Generic.Dictionary`2<int32, string[]> LineFieldClasses()
{
    .get class [mscorlib]System.Collections.Generic.Dictionary`2<int32, string[]>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::get_LineFieldClasses()
} // end of property FieldRenderExtensions::LineFieldClasses

.property class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer> RendererDictionary()
{
    .get class [mscorlib]System.Collections.Generic.Dictionary`2<valuetype [CivicPlus.Entities]
CivicPlus.Entities.Modules.FormCenter.Enums.FieldType, class
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions/FieldContentRenderer>
CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions::get_RendererDictionary()
} // end of property FieldRenderExtensions::RendererDictionary
} // end of class CivicPlus.CMS.Areas.FormCenter.MvcControls.FieldRenderExtensions

```